

# PICKSONS

■■■■ A PICKSONS PLC GROUP COMPANY ■■■■

## CV SMART CHOICE



PARTNER OF INTERNATIONAL

The leading automotive parts distributor in Europe

CV Issue 4

Whatever your vehicle, we supply all the parts, consumables, tools, equipment & training you need



### AdBlue® Reducing Agent

p5

Available  
**SAME DAY  
FROM  
STOCK!**

**BlueCat®**



### Quality Tools

p6-7

Whatever the job,  
we have the tools

**SEALEY**

**DRAPER  
Tools**

**LASER®**

**GREAT  
VALUE!**

### Suspended Heaters

p9

Time to  
sort out  
your space  
heating!



**THERMOBILE**

**HUGE RANGE!**



# CV SMART CHOICE *news*

## Steering you in the right direction

Steering gears drive the operating mechanism of the steering system. Worn or damaged gears can leak fluid, reducing the performance and reliability of the vehicle's power steering system.

A vehicle with anything less than perfect steering is a danger to the driver and other road users. Vehicle recovery and repair is so expensive that vehicle downtime is something fleet owners want to avoid.


Tested in the lab, controlled throughout production, then perfected on the road, you can choose TRW's Proequip heavy commercial vehicle steering and suspension parts with complete confidence. Facilities, tools and test equipment have been developed for the HCV range, with processes controlled by the latest software.

TRW Proequip steering gears use the highest quality materials - TRW's own OE components - offering superior performance, reliability and safety. TRW manufacture the major components of the steering and suspension system including


steering columns, steering pumps, steering gears, pitman arms, tie rods, tie rod ends, v-links and radius rods.

A global innovator of the safest steering and suspension parts, TRW has developed the very latest future-forward OE technology XCAP range. Smaller, stronger and more durable, the range features enhanced dust covers and improved steering comfort due to reduced torque. XCAP ball joints last up to four times longer than competitor parts!

Call your local IFA Member to order.



TRW's XCAP Ball Joints last up to 4 x longer than competitors'



## LED lighting - more cost-effective than you think?

LED lighting technology offers a host of advantages to end users and now is becoming a more cost-effective option. Extended service life (usually maintenance free), excellent light output from compact designs and low current draw (less strain on alternators and batteries) are valuable benefits.



ESG (ECCO Safety Group) is a worldwide leader in CV warning and safety products, including directional LEDs, beacons, lightbars, back-up alarms, CCTV, worklamps and LED utility bars.

Their UK companies include ECCO, Britax and Premier Hazard.

Contact your local IFA Member to order and to request the latest product guide.



## Smart Choice CV Issue 2 Winners

Issue 2 featured a bundle of VISION lamps kindly donated by The Workshop Warehouse as a reward for the customer acquiring the most garage equipment in Feb/Mar/Apr '15. Mr. Graham Deacon of Deacon Truck & Trailer Ltd is pictured below, scooping up the bundle, following his purchases from Truck & Trailer Specialists Ltd, with our congratulations. A FREE EHL190 also went to each of the individual IFA Member company's top spender:

Devon Fleet: Stan Robinsons • Fleetwheel: John Gwynne Commercials • Fyfes: Muldoon Transport Systems Ltd • Hereward Car & Truck Components: Neville Tilley Transport • HGV Direct: Collins Earthworks Ltd • Linings & Hoses: Mansfield Group • Multitruck: G A Auto Electrical • Picksons: Border 4x4 • Truck Parts North Wales: Car2Commercial • Wrightpart: Colets Piling Ltd



OE NEW

EVERY TURBO FROM BTN TURBO ALWAYS 100% OE

OE REMAN



Direct from the manufacturer, the same as the franchise dealer

OE NEW TURBOS



Remanufactured & calibrated by the OE manufacturer, with OE parts entirely to the OE specification

OE REMAN TURBOS



FREE in October!

FREE

BTN Bodywarmer when you buy a BTN Turbo during October!

Contact your local branch for full terms & conditions



NO QUIBBLE

For 12 months after purchase, enjoy our famous No Quibble Warranty on all CV diesel turbos

- ✓ 2 Year warranty included against manufacturing defects
- ✓ 2,500+ Part numbers available from stock
- ✓ Ready-to-fit with FREE FitKit & turbo primer
- ✓ Diagnostics advice & support at [www.bnturbo.com](http://www.bnturbo.com)

**WHY TAKE THE RISK WITH ANYTHING LESS?!**



CV Smart Choice Issue 4 Terms & Conditions: Offers end 31st October 2015. All offers subject to availability and change without notice. Certain featured products may not be stocked by all IFA members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except at the discretion of your local IFA member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a NIL DEPOSIT facility. All lease figures quoted are subject to VAT and status. Alternative lease plans are available and can be tailored to your exact requirements. If you have any questions regarding lease facilities please call Alliance & General Leasing on 02476 220000.

Designed & produced for the IFA by Unbounded Ltd [www.unbounded.co.uk](http://www.unbounded.co.uk)



# Body Panel Range

All the latest products to suit all major manufacturers and models including: DAF, Iveco, MAN, Mercedes-Benz, Renault, Scania & Volvo

COMING SOON!  
DAF XF106  
Scania Face Lift  
Mercedes-Benz  
MP4



**Head Light Panel**  
(LH, VLBODY671)



**Step Panel**  
(LH, MRBODY895)



**Air Filter Box**  
(SCBODY737)



**Front Bumper**  
(DFBODY400)



**Main Door Panel**  
(LH, SCBODY767)

Order today from your local IFA Member  
Visit us online at [www.ucgroup.com](http://www.ucgroup.com)



Body Panels, Multi-System Parts

## Everything you need, in one place...

# Did you know...

...Valeo - one of the largest and most complete product and service offerings in the Aftermarket

*Did you know...* Valeo covers all these systems: braking, lighting, thermal, A/C, transmission, electrical, security and wiper

*Did you know...* Valeo's range of 1000+ part numbers serves trucks, coaches, buses, agricultural vehicles and LCVs for the UK commercial vehicle parc including Mercedes-Benz, Volvo, Scania, DAF, Iveco, MAN and Renault

Valeo, your commercial vehicle multi-specialist

valeo added



[www.valeoservice.co.uk](http://www.valeoservice.co.uk)

Commercial Vehicle



Automotive technology, naturally



SACHS is a  
brand of ZF



## ***Power and durability when you need it most***

### ***CV clutches and DMF from SACHS***



SACHS have supplied the automotive industry with clutches for more than 80 years, during which time over 200 million clutches have been produced. SACHS clutches are specified as Original Equipment by every major European commercial vehicle manufacturer, making SACHS the unrivalled market leader. It's a fact that SACHS clutches are fitted to most commercial vehicles imported into the UK. So when it comes to fitting a replacement clutch insist on SACHS, the same original guaranteed quality components from Europe's leading manufacturer. SACHS Clutches are available from your local IFA Member.

[www.zf.com/uk](http://www.zf.com/uk)

**SACHS**



# febi bilstein

## Heating & Cooling Parts



### Air Conditioning Compressor

(35385)  
OE No: 51.77970.7026  
to fit: MAN

ONLY  
**£295.88**



### Compressor Airline

(44800)  
OE No: 1909 791  
to fit: DAF CF85,  
XF95, XF105

ONLY  
**£90.14**



### Air Conditioning Dryer

(35584)  
OE No: 20490945  
to fit: Volvo FH12, FH16


ONLY  
**£25.55**



### Heater Motor

(43776)  
OE No: 81.61930.0036 / 000 830 93 08  
to fit: MAN,  
Mercedes-Benz


ONLY  
**£58.83**



### Pollen Filter

(31323)  
OE No: 83.77972.0656 / 001 835 92 47  
to fit: MAN,  
Mercedes-Benz O350,  
O530, O580

ONLY  
**£11.78**



### Pollen Filter

(23307)  
OE No: 88.77910.0002 / 001 835 27 47  
to fit: MAN Centroliner,  
Cityliner, Lion's City,  
Skyliner  
Mercedes-Benz

ONLY  
**£19.48**



**Call your local  
IFA Member  
to order**

www.febi.com



# BlueCat®

## AdBlue® Low Emission Fluid



IBC  
Manual Pump  
available  
separately

**2 litre, 10 litre, 18 litre & 210 litre packs  
AVAILABLE SAME DAY  
FROM STOCK  
from your local IFA Member**  
not all pack sizes stocked by all IFA Members; IBCs available to order

**AdBlue®  
compatible dispensing  
equipment is available - just  
call your local IFA Member to order**

"AdBlue®" is the registered trademark  
of the Verband der Automobilindustrie e.V. (VDA)

#### THE DOs:

- ONLY use AdBlue® from AdBlue® licensees, registered by VDA
- ONLY use dedicated AdBlue® equipment for storage & dispensing
- Store AdBlue® below 30°C to maintain its shelf life (12 months)
- Store AdBlue® above -11°C to keep it in liquid form  
(NB: AdBlue® freezes & thaws without any loss of quality)

#### THE DON'Ts:

- DON'T use a product claiming to be AdBlue®, but calling itself "Urea solution" or similar
- DON'T use AdBlue® as a diesel additive
- DON'T add AdBlue® into any fuel tank
- DON'T operate your vehicle without AdBlue®
- DON'T store AdBlue® in direct sunlight

Heating & Cooling Parts, AdBlue®

Commercial Vehicle



## Expert Quality CV Tools

### Cordless Grease Gun 18V (60992)

- Impressive 8,000 psi high-pressure output
- Takes standard 400g grease cartridge (bulk or manual filled)
- 2 x 18V Ni-Cd battery packs & 1 hr charger
- Chromed steel canister
- Rubber reinforced tube
- High pressure grease nipple
- Constant 70g/min flow rate



ONLY  
**£119.95**

### CV Boot Band Kit 3pc (30784)

- Cut, tension & clamp CV joint band correctly
- 200mm CV boot band cutters (for use on CV bands up to 6mm wide)
- 225mm CV band cutting tool
- 240mm CV pliers (tighten ear-type CV bands)
- Reinforced 1/2" sq. dr. handle recesses for breaker bar or torque wrench



ONLY  
**£44.95**

### Induction Heating Tool (80808)

- Ideal for freeing seized fixings & fasteners
- Easy-to-use, simply install appropriate coil & place over/around ferrous metal to be heated
- Efficient, safe heating of metallic conductive parts compared to traditional methods
- 2 x Direct coils: 19mm, 26mm
- 1 x Flex coil, 1 x Pad coil

ONLY  
**£495.00**



### HGV Clutch Alignment Tool 6pc (41803)

- Fast, accurate alignment of flywheel pilot hole with clutch drive plate
- Precision manufactured
- 2 x Expanding mandrels: Ø 36-44mm, Ø 44-52mm
- 4 x Steel screw-in location pins: Ø 20mm, 25mm, 27mm & 30mm
- Robust case

ONLY  
**£205.00**



### 20 Tonne Bottle Jack (39225)

- Unique overload protection system, large stable base, notched saddle, 2 handles
- Manufactured to EN1494 specification

ONLY  
**£48.95**



### Hydraulic Ball Joint Separator (22541)

- Removes CV ball joints with minimal effort
- Interchangeable jaws, forged carbon steel body
- Adjustable jaw with max. opening 95mm
- Hydraulic ram & main body
- 2 x Manual thrust bolts (approx lengths): 19 x 103mm long, 19 x 120mm long
- 1 x Insert screw bung, 24mm hex
- 3 x Jaws: 30mm, 34mm, 40mm
- Instructions & case


ONLY  
**£155.25**



# Order from your local IFA Member today

### Air Hammer (6031)

- Air hose 3/8" ID
- Air inlet 1/4" BSP
- Average air consumption 4.0cfm
- 2200 bpm, 98mm Stroke length
- Variable speed trigger
- Built-in power regulator
- Quick change chuck




ONLY  
**£69.95**

Contact your local IFA Member for a huge range of accessories, including:

### Air Hammer Extractor (6092)

- Transmits impact force/vibration to a 5/8" thread adaptor
- Extracts stuck diesel injectors
- Adaptors available

Check out the video:



ONLY  
**£99.95**

### Slide Hammer Adaptor HGV 5th Wheel Hinge Pin (6038)

- For Jost & Fontaine couplings with blind hinge pins equipped with an M20 x 2mm internal thread
- Use with 5/8" thread slide hammer (7.5 kg (5269) or 4.5 kg (4811))
- Removes pin with ease

Made in Sheffield



ONLY  
**£26.95**

### Brake Caliper Socket 11pt - HGV (6243)

- 11 Point x 3/8"D
- Use on Knorr-Bremse calipers, type SB, SK, SN, typically found on DAF / Foden, MAN, Mercedes-Benz, Scania, BOVA, plus BPW & SAF trailers
- Length 26mm
- Chrome vanadium
- Manganese phosphate finish

NEW



ONLY  
**£4.95**

### Wheel Nut Socket 3/4"D Extra Long

- Chrome molybdenum
- Phosphate finish
- 6 popular sizes 24mm - 36mm

24mm (6213) 27mm (6214)  
ONLY  
**£69.95 ea**

30mm (6215) 33mm (6217)  
32mm (6216)  
ONLY  
**£74.95 ea**

36mm (6218)  
ONLY  
**£79.95**



### Brake Shoe Spreader (5280)

- Volvo Trucks N7, N10, N12, F7, F12, F16, FH12, FH16, FL7, FL10
- Holds brake shoe open to allow shoe lining to be changed

ONLY  
**£89.95**



### HGV Cooling System Pressure Tester (5615)

- DAF, ERF, Iveco, MAN, Mercedes-Benz, Renault, Scania, Sprinter, Volvo
- Includes pressure pump with gauge

ONLY  
**£159.95**





## TRAILER Diagnostic Hardware & Cables

**Diagnostic Interface**  
(446 301 030 0)

ONLY  
**£622**



**CAN Connector**  
(446 300 361 0)

• ISO socket  
ONLY  
**£90**



**Diagnostic Cable**  
(446 300 329 2)

• Blue cap socket  
ONLY  
**£65**



**Full Kit with Case**  
(446 301 023 0)

• Cable set & interface  
ONLY  
**£840**



**CAN Adaptor**  
(446 300 360 0)

• ISO socket  
ONLY  
**£322**



Note: the correct WABCO software/diagnostic interface must be used in conjunction with these cables

## TRUCK Popular Diagnostic Cables

**ABS D Basic** (446 300 408 0)

• Direct to ECU  
ONLY  
**£115**



**DAF ABS/EBS/ECAS**  
(446 300 453 0)

• Diagnostic socket  
ONLY  
**£176**



**OBD Multi-switch**  
(446 300 003 0)

• MB, MAN, DAF  
ONLY  
**£266**



**ABS/ECAS 35-pin**  
(446 300 327 0)

ONLY  
**£252**



**ECAS CAN-2**  
(446 300 456 0)

• Direct to ECU  
ONLY  
**£186**



Call your local IFA Member to order

www.sealey.co.uk

(branch details on the back cover)

### Cordless Impact Wrench (CP2450)

- 24V, 1/2" Sq Dr, 410lb.ft
- Includes spare battery: 24V, 1.7Ah (CP2450BP)

ONLY  
**£199.95**

**SPECIAL OFFER**  
Spare Battery INCLUDED



### Turbo System Leak Detector (CV2030)

- Pressure gauge, shut-off & pressure release valve
- 3 Pairs of stepped adaptors

ONLY  
**£72.95**

Supplied with storage case



### Impact Socket Set 16pc (AK5816M)

- 1/2" Sq Dr deep metric, 10-32mm

ONLY  
**£36.95**


AK5816M



### HD Rotary Pump (TP57)

- For use with AdBlue®
- Polypropylene, 0.35L / revolution
- 1300mm Extension hose
- 2" BSP connector (for 205L drums)

ONLY  
**£59.95**



Fully certified tank with gauge & safety valve prevents over-pressurising

TC900

### Tyre Bead Seating Tool (TC900)

- Easy-to-use with an instant result
- Dumps air into tyre void forcing tubeless bead to seat against rim for inflation

ONLY  
**£179.95**



### Oil Filter Cap Wrench Set (VS7007)

- 9pc 1/2" Sq Dr
- Strap wrench, 21mm Cup wrench

ONLY  
**£59.95**

VS7007



**Diesel Systems**  
Technical Services

**AVAILABLE NOW**  
Call your local IFA Member to order

### Exchange Diesel Pumps & Injectors for CV, LCV, PSV, Plant & Off Highway Vehicles

- Inline Pumps & Mechanical Injectors
- Rotary Pumps
- Common Rail Pumps & Injectors
- Electronic Unit Pumps & Injectors (EUP/EUI)
- DAF 'Smart' Electronic Unit Pumps & Injectors



ISO 14001 Class 7

All units are built in a manufacturer approved Clean Room environment

ISO 14001 Class 7

- Not "repaired" but fully remanufactured in the most advanced independent diesel facility in Europe
- Highest quality to latest OE specifications
- 100% Replacement of all critical wearing parts
- Only genuine OE specification parts used
- ALL units tested using OE test procedures, data & equipment & coded to OE specification where required

### DIESEL SYSTEMS REMANUFACTURING SPECIALISTS



DENSO

SIEMENS VDO

DELPHI

STANADYNE

BOSCH

# Can you identify the suspect?

7

7

6

6

5


5

4

4

3

3



One of these products is Genuine OE manufactured, the other is reconditioned. They both look the same – but that’s where the similarity ends!

One is 7 years old, has already performed millions of brake operations, has been cleaned, re-sprayed, and had the seals replaced. Would you fit this to your vehicle?

The genuine part is entirely brand new and has guaranteed quality, reliability and safety built-in. Why wouldn’t you fit this to your vehicle?

Make sure you can identify the suspect.

Always specify genuine Knorr-Bremse parts. Made using the finest materials and techniques, setting new standards in quality control and guaranteed to last longer and be more cost effective in the long run than reconditioned product.

Contact your local IFA Member for genuine KNORR-BREMSE parts

[knorr-bremseCVS.com](http://knorr-bremseCVS.com)

**KNORR-BREMSE**



**SAFETY » RELIABILITY » QUALITY » COST-EFFECTIVE**



## Oil Fired Cabinet Heaters

- BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank)
- 13 Models - heat outputs up to 381kW (1.3M Btu/hr)
- Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished
- Centrifugal air circulation enhances life expectancy
- Models BSO30 to BSO85: direct drive fans, 1ph motor
- Model BSO120: 3ph motor & v-belt drive
- Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty/hazardous places
- Extra cost: flue kit (from £270)

**FROM**  
**£2099**  
5 Year Lease £11.17 pw

Standard flue kits (extra) provide 4.6m ground clearance:  
FK5 Flue Kit for BSO30 & 40 (Ø 5")  
FK6 for BSO60 (Ø 6")  
FK7 for BSO85 & 120 (Ø 7")

Model	Nett Heat Output	Fan Capacity	Swivel Heads	Consumption	Supply
BSO30	109,000 Btu/hr	2196 m <sup>3</sup> /hr	2	3.43 L/hr	230V
BSO40	146,440 Btu/hr	2556 m <sup>3</sup> /hr	2	4.67 L/hr	230V
BSO60	203,330 Btu/hr	3708 m <sup>3</sup> /hr	2	6.46 L/hr	230V
BSO85	280,530 Btu/hr	5004 m <sup>3</sup> /hr	3	9.10 L/hr	230V
BSO120	418,000 Btu/hr	7740 m <sup>3</sup> /hr	3	13.30 L/hr	415V



## Suspended Unit Heaters

- Available for heating oil, natural gas or propane fuels
- Oil Fired: heat capacities 31kW to 98kW
- Gas Fired: heat outputs 15kW to 84kW with roof or wall flue exit
- Suspend or mount (on a suitable non-combustible support)
- Four M10 suspension points provided
- Free-blowing or ducted models
- Installation service (in most areas)
- **Huge range - call your local IFA Member to arrange a site visit to determine the right model for your space**



## Automatic Ignition Used Oil Heaters

- Clean combustion, high efficiency
- Large airflow blower fans & large capacity fuel tanks
- Fan-only for summer ventilation
- Burners adjustable for heating oil or diesel
- Basic room thermostat standard
- Optional digital thermostat / time control
- Compressed air supply required for burner
- Available (extra cost):
  - Flue Kit (from £269)
  - Motor/Pump kits for connection to bulk fuel tank
  - Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Model	Offer Price	5 Yr Lease pw
SB40	<b>£3599</b>	£19.14
SB60	<b>£3899</b>	£20.74
SB80	<b>£5499</b>	£29.25
SB110	<b>£5999</b>	£31.91

**FROM**  
**£3599**  
5 Year Lease £19.14 pw



SB40/SB60

SB80/SB110

Model	Heat Capacity	Fan Capacity	Fuel Tank	Consumption	Compressed Air Displacement	Supply
SB40	153,000 Btu/hr	3200 m <sup>3</sup> /hr	80 L	4.6 L/hr	1.0 - 1.3 CFM	230V
SB60	204,000 Btu/hr	4100 m <sup>3</sup> /hr	80 L	6.0 L/hr	1.5 - 1.8 CFM	230V
SB80	306,000 Btu/hr	6200 m <sup>3</sup> /hr	130 L	9.0 L/hr	2.0 - 2.6 CFM	400V+N
SB110	436,000 Btu/hr	8100 m <sup>3</sup> /hr	130 L	12.8 L/hr	3.0 - 3.6 CFM	400V+N

These units must be connected to a suitable flue system (min. 1m above roof apex & 6m above ground level).

A full range of flue accessories is available. Complete flue kits include roof seal, fitting kit & two wall bands.

Stainless steel flue kits provide 6m ground clearance:  
98.085.746 for SB40  
98.085.100 for SB60  
98.085.170 for SB80 & SB110

**Optional extras (additional cost):**  
98.085.399 Motor/Pump kit - for connection to bulk fuel tank with bottom outlet, gravity fed. Max distance 10m. (Pipework/electric cable not included)  
98.087.161 Motor/Pump kit - for connection to bulk fuel tank with top outlet &/or above 10m distance. (Pipework/electric cable not included)  
98.085.890 Digital Stat/Timer  
98.085.541 Main Fan Filter kit (SB40 & SB60)  
98.085.542 Main Fan Filter kit (SB80 & SB110)

## How much heat do I need?

Providing a 'comfortable' working temperature is necessary both for people to work safely/productively and a legal requirement. But how do you work out how much heat you need, so that you can specify and purchase the right heater(s)? Important factors:

- The standard of insulation in your building
- How much warm air escapes through frequently opened doors
- The outside temperature
- The comfortable temperature for people moving about (and so generating some body heat) is 15°C (59°F)
- Calculations of how much heat is required are based on a ΔT of 20°C (i.e. ambient temperature -5°C, required temperature +15°C)

Which description best fits the building or space that you want to heat?

**No insulation** (e.g. corrugated sheet doors frequently opened)  
**Z = 9 Btu/cu.ft**

**Average insulation** (e.g. double skin brick or block), windows single glazed, roof insulated, doors not opened much  
**Z = 5 Btu/cu.ft**

**Poor insulation** (e.g. single skin brick or block) some single glazed windows, doors opened fairly often  
**Z = 7 Btu/cu.ft**

**Good insulation** (e.g. blocks plus cladding with insulation between), few or double-glazed windows, doors rarely opened  
**Z = 3 Btu/cu.ft**

Here is your step by step guide for working out how much heat you need:


1. To calculate the volume to be heated, first note the dimensions of the space you are heating:  
Length (L) ..... feet  
Width (W) ..... feet  
Average Height (H) ..... feet
2. Multiply (L) x (W) x (H) = Volume (V) ..... cubic feet
3. Select the best description for the space to be heated from the box alongside & fill in (Z) ..... Btu/cu.ft
4. To calculate how much heat you need  
Multiply (V) x (Z) = ..... Btu/hr



**This is the total heat required, enabling you to specify & purchase the right heater(s)**

**HINT:** A building with no insulation in an area that experiences extremely adverse weather conditions may require up to 9 Btu/cu.ft, so **Z = 9 Btu/cu.ft**

**TOP TIP:** For general calculation we recommend **Z = 5 Btu/cu.ft**



\* 1 cubic metre = 35 cubic feet

*All the heat you need!*

**We offer a full range of heaters, downflow fans, dehumidifiers, etc. Ask your local IFA Member for more details.**

ALL Thermobile prices are for supply only, UK Mainland. Installation is available at an additional cost





# BUS LIFTING TRUCK BRAKING HEADLAMP ALIGNING ATF TESTING



Hybrid Lifts  
8 - 55 Tonne  
FROM  
**£18,499**  
*5 Year Lease £98.40 pw*



Mobile  
Column Lifts  
16 - 64 Tonne  
FROM  
**£13,299**  
*5 Year Lease £70.74 pw*




Brake Tester  
Class 4, 5, 5L, 7 & ATF  
FROM  
**£19,799**  
*5 Year Lease £105.32 pw*



4 Post Lifts  
6.2 - 24 Tonne  
FROM  
**£10,599**  
*5 Year Lease £56.38 pw*

Scissor Lifts  
6 - 40 Tonne  
**£poa**



Pit Packages  
**£poa**

## COMMERCIAL GARAGE EQUIPMENT & INSPECTION PITS



[www.bradburyequipment.co.uk](http://www.bradburyequipment.co.uk)



## Fully Automatic Tyre Changer

(TTC 600)

- Truck/bus wheels from 14"-30"
- Run flat, low profile & high performance tyres

**ONLY £7999**

5 Year Lease £42.55 pw

## Elan Automatic Wheel Balancer

- Truck, bus, car & car derived van wheels with pneumatic wheel lift
- LCD video display
- Multi operator program
- Truck wheel mounting kit included

**ONLY £5799**

5 Year Lease £30.85 pw

## Oil Distribution Centre

- Self-contained drum stand & distribution centre

**ONLY £1479**

5 Year Lease £7.87 pw

**NEW Concept Chuck with 2 height positions**



**Self-assembly (kit supplied)**

## Tecalemit ATF: Proven Performers

Tecalemit is a leading provider of DVSA approved ATF lanes along with lifting, lubricating & servicing equipment. Packages can include:

- Inspection pits
- Beam testers
- Roller brake testers
- Pit jacks
- Wheel play detectors
- Small tools
- Emission testers
- Signage
- Radius turning plates
- CCTV
- Fume extraction
- Communication systems
- Civil & Electrical works



Each installation is bespoke to each facility. Tecalemit workshop designers prepare CAD drawings for optimum design using Tecalemit approved equipment.

## 16t 4 Post Leviathan Lift

(SF 8898)

- 8m Platform length
- Wide access between columns
- Synchronized heavy duty motors

**ONLY £23,499**

5 Year Lease £125.00 pw



## Finkbeiner Mobile Column Lifts

- Electro hydraulic
- Rapid lifting time
- Cable free communication options
- Long life battery pack, adjustable lift forks

**FROM £18,399**

5 Year Lease £97.87 pw



## 07174SCV4 Pro Booster 6200 12V/24V

**SWISS MADE**

- 12V DC output socket
- Heavy duty booster clamps
- 1880/940A Cranking rate
- Copper cables
- Mains fast charger
- 12 Month battery warranty
- Digital display
- Voltage spike protection
- ON/OFF switch
- Buzzer & light alarm for wrong polarity



**ONLY £649**

**Pro Booster Jump starts engines up to 550hp**



**SIP INDUSTRIAL**  
machinery specialists since 1968

**Superb Products, Exceptional Prices ...only from SIP**

**Pick up a copy of the latest SIP promotions from your local branch for even more deals!**

## 05189CV4 Weldmate P214HF Inverter Welder with Pulse

- 230V (16A) Supply
- Latching system for 2 or 4 touch control

**TIG:**

- Easy starting
- Very high duty cycle: 200A @ 60% TIG output
- 10A to 200A Welding current
- Weld thickness 0.3mm to 5mm
- Pulse for v. thin material

**ARC:**

- Very high duty cycle: 180A @ 60% ARC output
- 10A to 180A welding current
- Electrode size: 1.6mm to 4mm
- Weld thickness: 1.1mm to 7.2mm
- Anti-stick circuitry

**ONLY £849.98**

**EXCLUSIVE IFA PACKAGE**

**FREE Headshield & Foot Pedal WORTH OVER £175!**



## 09178CV4 Hiton HP125 Universal Oil Heater

- Efficient, clean, virtually soot-free combustion using waste oil/diesel
- Burns most engine oils (mineral, synthetic), gear & hydraulic oils
- 230V (13A) Supply
- Min. heat output: 72,000 BTU/hr (21kW)
- Max. heat output: 102,400 BTU/hr (30kW)
- Approx. heating area: 668m<sup>3</sup> (24,297 cu.ft)
- Fuel consumption:
  - Min. output: 1.8 kg/hr (2.14 ltr/hr)
  - Max. output: 2.9 litres/hr (3.44 ltr/hr)
- 50 Litre fuel tank capacity
- Heavy duty painted finish
- Flue included (150mm Ø)
- Fan assisted

**MADE IN EU**

**ONLY £1,299**

5 Year Lease £6.91 pw

Ask your local branch for details of the full Hiton range



## 05300CV4 Airmate PX3/150 Belt Drive Compressor

- 230V (16A) Supply
- 150 Litre air receiver
- 3.0hp (2.2kW) Motor
- Multi-finned flywheel improves cooling; cast iron barrel
- 16.0 CFM (453 litres/min) Piston displacement
- Max. free air delivery (F.A.D) 10.7 CFM (303 litres/min)
- Max. pressure 145psi (10 bar)

**ONLY £469.98**

**EXCLUSIVE IFA PACKAGE**  
**FREE Set of 4 Anti-Vibration Mounts** (02357ACV4)







**Suspension**

Airsprings  
Shock Absorbers  
Truck & Trailer Springs



**Air Brakes**

Brake Chambers  
Slack Adjusters



**Braking**

Brake Drums & Discs  
Brake Pads  
Brake Calipers



**Body & Electrical**

Body Panels, Mirrors & Lights  
Pneumatic & Electrical Suzies



**Chassis & Trailer**

Fifth Wheels & Landing Legs  
Axle General Spares



Call your local IFA Member to order

[www.airsprings.com](http://www.airsprings.com)

**PICKSONS**

■■■■ A PICKSONS PLC GROUP COMPANY ■■■■

<b>Avonmouth</b>	<b>01179 821 321</b>
<b>Bridgwater</b>	<b>01278 450 152</b>
<b>Gloucester</b>	<b>01452 757 500</b>
<b>Yate</b>	<b>01454 311 848</b>