



The leading automotive parts distributor in Europe

CV Issue 8

IT'S NOT THE PRICE THAT COUNTS IT'S THE COST...



Textar pads are proven to last longer than many cheaper pads on the market, in some cases Textar give almost twice the distance; **buy cheap, buy twice**







commercial Vehicle

CVSMARTCHOICEnews

Considering new garage equipment?

Investing in any large kit, from ATF testing (see issue 7) to workshop heating (see p15) is a big decision and one that needs to pay its way for your business. Whatever your garage equipment needs, we can help!

Call your local IFA branch today to explore the right kit to maximise your profitability. We supply a full range of garage equipment - mobile column, hybrid, scissor & 4 post lifts; pit packages; brake testers; full ATFs; tyre changers & wheel balancers; air conditioning servicing equipment; diagnostics; workshop heating; compressors, workshop presses, welding equipment, oil distribution centres; workshop & vehicle cleaning - the list is endless!























Excellent Reasons to Consider Leasing Capital Kit:

Let equipment pay for itself: Earn from equipment as you pay for it! Improves cashflow compared to paying up front in full, then recouping the cost over months/years

100% Tax Allowable: Lease rentals are 100% allowable against your pre-tax profits - offset the total cost during the lease period, deducting payments as a trading expense

Access latest technology today: Leasing funds latest diagnostic & workshop equipment to enable you to win lucrative new business & fund the growth of your business

Talk to your local IFA Member to find out more

Enjoying the summer? Watch out - winter consumable needs are creeping up on us

Don't get caught out this winter! Did you know we stock a full range of winter must-have consumables? We have some serious offers on:

- Four grades of Antifreeze & Coolants (5L, 25L, 205L)
- TFR (25L)

Screen Wash (5L, 25L, 205L)Deionised Water (5L, 25L)

Call your local IFA Member today to find out how you can benefit from our offers and services this winter.



VEHICLE SPECIFIC TRUCK AIR TANKS

Premium quality components

Powder Coated internally & externally

 Manufactured to OE specifications (All tanks conform to EEC Directive EN286.2 1992)

DAF | IVECO | MAN | MERCEDES | RENAULT | SCANIA | VOLVO

Contact your local IFA Member for further details



Confidence in our quality

www.ucgroup.com

CV Smart Choice Issue 8 Terms & Conditions: Offers end 31st October 2016. All offers subject to availability and change without notice. Certain featured products manot be stocked by all IFA Members. Call your local IFA Member with any stock or pricing gueries. These offers cannot be used in onjunction with any other offer except at the discretion of your local IFA Member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a NILI DEPOSIT facility. Because guesses questioned are subject to VAIL and states. Alternative lease plans are available and relationed to you relative to you have leave the subject to VAIL and states. Alternative lease plans are available and relationed to subject to VAIL subject to VAIL and the subject to VAIL and state. Alternative leave plans are available and relative to the subject to VAIL subject to VAIL and the subject t







To maintain the peak performance and efficiency of your SAF axles, to extend their longevity, ensure safe operation and keep whole-life cost to a minimum; fit the same as they fit in the factory - fit OE replacement parts.

How to find your SAF axle serial number information.



Forward the version, serial and ident information from the ID plate on your SAF axles to your local IFA Member to receive your parts information, operating & service manual and a parts quote.

The identification plate contains the serial number, the identification number and the axle type required to identify SAF parts - see photo on the left. The serial number is also stamped into the offside stub end.





Call your local IFA Member to order

CARGO Range

Cargo HD (Heavy Duty)


- Power for cranking requirements & cyclic capability of smaller CV applications
- Supports standard electrical equipment installed in modern low spec CV

Cargo SHD (Super Heavy Duty)

- Greater power for cranking requirements & cyclic capability of larger CV applications
- Supports electrical equipment in higher spec CV (e.g. sleeper cabs with TVs, satellites, microwaves, nightlights, fridges etc)

Cargo Deep Cycle

- Constant shift urban use vehicles, off-road, PSV & emergency
- Cranking power, higher cycling ability & vibration resistance cope with larger capacity CV engines
- Support high vehicle spec levels & added electrical loads (e.g. tail lifts, refrigeration units, loading mechanisms, etc)
- Glass mat separators ultimate deep cycle capabilities
- Vibrolock plate fixing superior vibration resistance



Power and durability for today's commercial vehicles

O.E clutches from SACHS.

GENUINE Sachs Clutch **Products**

Keeping it genuine costs less than you think. Why?

- OE Manufactured
- Original specification gives longer life
- Correct to application

Concentric Slave **Cylinders Clutch Kits Flywheels**

www.zf.com/uk



GATES HEAVY DUTY RANGE





- > Preformed to fit the application perfectly
- > Straight & flexible for easy installation
- > Silicone available for peak performance in extremely high temperature conditions



90° Curved Water Hose

> Silicone available

FROM ONLY







Extra Service Belts, Tensioners/Idlers & Kits

Extra Service Micro-V® Kits - DAF FROM ONLY

£76.00





Extra Service DriveAlign® Tensioners & Idlers - DAF / Iveco FROM ONLY

£55.00



- Extra Service Micro-V® Belts - DAF / Mercedes FROM ONLY
- £17.3:



£10.36

- Thermostats
- •Air Systems Hose
- Turbocharger Hose
- Professional Universal Tools



Visit GatesTechZone.com for:

- >tech tips
- >installation information
- >installation tools
- >problem diagnosis

Remanufactured Calipers

KNORR-BREMSE Genuine Remanufactured Program introduces:

SN6 & SK7 Trailer Brake Calipers

KNORR-BREMSE' expertise in original equipment parts manufacturing really counts in remanufacturing:

- We know the precise technical requirements for each individual part, enabling us to carry out the rigorous testing needed to ensure premium quality for second-life products
- Remanufactured calipers are assembled on the same production lines (in Aldersbach, Germany) as those used to assemble new calipers
- Not all components can be re-used these and any that are out of specification are replaced by new original parts with precise specifications (often known only to Knorr-Bremse)



SN6 & SK7 applications include:

Rationalised Caliper	Reman Caliper	Angle	Applications
K013173 - SN6570	K132664X50	+5°	BPW/Mercedes/SAF
K013174 - SN6580	K132665X50	+5°	BPW/Mercedes/SAF
K012633 - SK7042	K132662X50	0°	BPW/Mercedes/SAF/Schmitz
K012634 - SK7052	K132663X50	0°	BPW/Mercedes/SAF/Schmitz

Contact your local IFA Member for genuine KNORR-BREMSE parts knorr-bremseCVS.com/remancaliper

Exclusive Prize Draw

Each Remanufactured Caliper purchased from your local IFA Member between 1st Aug & 31st Oct '16 gains you an entry into our PRIZE DRAW to WIN a 1:14 Scale RC Racing Truck (worth £120!)*

*Terms & Conditions apply. See below Image for illustrative purposes only. Actual design may vary

KNORR-BREMSE Model RC Racing Truck Prize Draw Terms & Conditions: Every Genuine KNORR-BREMSE Remanufactured Brake Caliper purchased between 01.08.16 and 31.10.16 will gain one entry into the Prize Draw. There is one prize of a 1:14 Scale Model Radio Controlled Racing Truck (worth £120) which will be awarded to the first entry drawn from all the entries. Returned products do not qualify. The draw will take place on 10.11.16. Account holders only; to open an account contact your local IFA CV Member's branch. Accounts which are over terms on 10.11.16 do not qualify for the prize draw. The prize will be delivered to the normal delivery address of the winning customer by 01.12.16. The winner may be required to participate in limited post-draw publicity. No correspondence can be entered into. The promoter is KNORR-BREMSE Systems for Commercial Vehicles 1.1d, Century House, Folly Brook Road, Emerald Park East, Emersons Green, Bristol BS16 7FE. Employees of the KNORR-BREMSE & the IFA, their families & their agents do not qualify for entry to the draw.



KNORR-BREMSE



SAFETY » RELIABILITY » QUALITY » COST-EFFECTIVE

Proven quality from the leading UK aftermarket supplier Manufacturing brake drums since 1930 & brake discs since 1965 Investing in quality control to achieve/maintain accreditation ECE R90

Brake Hubs: Complete unit, ready-to-fit

NEW to RANGE

DAF CF, XF **Brake Hub Kits**

Front & rear kits include:

- Hub
- Pressed FAG bearing
- Mounted brake disc (choose from:)
 - Vented (DA1059)
 - Solid Disc (DA1058S)
- Fitted ABS ring



Call your local IFA Member to order



FAG

UNIQUE.

The simple one-box solution for a cost effective hub repair.

The FAG RIU is a repair solution for truck hubs that can last for up to one million kilometers. Pre-sealed, pre-assembled and pre-lubricated, installing the FAG RIU is simple, trouble free and considerably more cost effective than a complete hub replacement. Additionally, each individual FAG RIU can repair a wide range of different wheel hub types.

FAG RIU. A unique product from the 'Original' manufacturer.

www.repxpert.co.uk











Fleetguard®

Filtration for refrigeration

Thermoking	(S) Air	() Lube	<u>∏</u> ∫ Fuel
AT11, AT12		LF3918	FF5276 + FF5275*
Buspowerpack	AH1189	LF3918 or LF9030	FF5276 + FF5275*
CG-II	AH1189	LF694	FF5276 + FF5275* or FF209 or FF184 or FF5017
KDII, MDII, RDII, TDII, JDII	AF25307 or AF25550 (RDII & TDII models)	LF16354 (Main) + LF3641 ³	FF204
King of the Road	AH1189	LF3918	FF5276 + FF5275*
LND	AF1658K	LF3994	FF204
LNDII	AF1658K	LF16354 (Main) + LF3641 ³	FF204
MD 100, 200, 300, RD-2, Spectrum TS-500, TS200, 300, 500, 600	AF25550	LF16354 (Main) + LF3641 ³	FF204 (Not included MD100, 200, 3
SB-I, SB-II, Sentry, Super NWD, URD, XNWD	AH1189	LF694 or LF702	FF184 or FF5017 or FF204 or FF20
SBIII	AH1189	LF3918 or LF3994 or LF694 or LF702 or LF9030 (EMI3000) + HF6550 (Compressor)	FF5276 + FF5275* or FF204 or FF209 or FS19580A (EMI3000)
Sentry	AH1189	LF9030 (EMI3000) + HF6550 (Compressor) and LF3918 or LF3994 or LF694 or LF702	FF5275 + FF5276 or FF204 or FF5017 or FF209
Sentry-II	AH1189	LF3641	FF5276 + FF5275* or FF204
Super-II	AH1189	LF3994¹ or LF694¹ or LF702² or LF695³ or LF9030 (EMI3000) + HF6550 (Compressor)	FF5276 + FF5275* or FF204 or FS19580A (EMI3000)
SL100, 200, 300, 400 SL100e, 200e, 400e SLX100, 200, 300, 400, SLX Whisper	AF25119	LF9030	FS19580A
SL100, 200, 300, 400 (old model) SL100e, 200e, 400e (old model)	AH1189 AF25119	LF3918	FS19580A
TK6000, NSDII, RC-II, RC-III, RMN-II, SMX, SMXII	AH1189	LF3918 or LF3641	FF5276 + FF5275* or FF204 or FS19580A

1 = Standard Interval, 2 = Extended Bypass, 3 = Bypass Filter, * = Prefilter + Main



To receive a **FREE** Truck Applications Guide 2016 send your name and address to cfmarketing.emea@cummins.com In association with



PARTNER OF INTERNATIONAL CONTRACTOR CONTRACT

า units

Carrier	(S) Air	⊘ Lube	<u>∏</u>) Fuel
Genesis R 70 series (series no. < 800490)	AF1658K	LF3490	FF185
Genesis R 90 series (series no. <g900496)< td=""><td>AF1658K</td><td>LF787</td><td>FF185</td></g900496)<>	AF1658K	LF787	FF185
Genesis R 90 series (series no. >G 900496)	AF25550	LF787	FF185
Maxima Series	AF25551	LF3536, FF185‡	FF185
Mistral Series	AF25551	LF3536, FF185‡	FF185
Mistral Series, Mistral T850 Plus	AF25440K	LF3490	FF185
Supra 848DB	AF25550	LF3490, FF185 [‡]	FF185
Supra 850U	AF25551	LF3490	-
Supra 950MT	AF25551 or AF25550	LF787	FF185
Thunderbird	AF435KM	LF778 [‡] , LF787	FF185 and FF5329
Vector 1800MT First Generation, Vector 1850		LF3947 or LF787	FF185 or FF5458

‡ = Lube Bypass Filter

The Fleetguard advantage

- We are the engine filtration specialists
- We meet or exceed OEM specifications
- We offer one of the best warranties in the world



febi bilstein Flywheels Available NOW!



DAF (32005) OE No: 1442 512 to fit: CF85, XF95

DAF (33933) OE No: 1697 674 to fit: XF95, CF85IV, XF105, XF E6

Scania (44444) OE No: 1 805 086 to fit: P, G, R, T Series

MAN (35146) OE No: 51.02301.7389 to fit: M90

Mercedes-Benz

OE No: 906 030 66 05 to fit: Mercedes Atego, Axor 2. Zetros

Volvo (45335) OE No: 21184666 to fit: FH, FH12, FM, FM12, NH12

Renault (35463) OE No: 50 10 550 772 to fit: Kerax, Premium

Mercedes-Benz

OE No: 442 030 19 05 to fit: MK, NG, O340, O404, SK

Volvo (45336) OE No: 21184874 to fit: FH, FH12, FM12, FL12, NH12

Mercedes-Benz OE No: 366 030 09 05

to fit: LK, MK

Flywheels From only

Call your local IFA Member to order

www.febi.com





Magnetic (5565CA-VAMAG) ONLY **Blaze** HxWxD: 145 x 400 x 210mm • 1 Bolt fitting LED (70-00514-V) ONLY ETTS.60 **Halogen Rotating** ONLY **E46.**15 (3750)ONLY

R65 Directional LEDs 12/24V VigLED II (ED0001A) Amber LEDs Surface bracket mount HxWxD: 73 x 73 x 31mm

ECCO°

ONLY

Surface LED

R65 Mini Bars 12/24V

LED Reflex Low Profile

HxWxD: 63 x 381 x 229mm

1 Bolt Fitting

(5565CA-VA1) ONLY

Surface/collar/ bracket mount

HxWxD: 38 x 38 x 16mm

SecuriLED

Heavy Duty

HxWxD: 110 x 143 x 46mm

Surface Mount (497032)**Bracket Mount**

(497042)**ONLY**



LED 6 Head (ED5000) • HxWxD: 30 x 142 x 35mm

ECCO

ONLY





LED

1 Bolt Fitting (V11052)

ONLY

E53.96

Magnetic (V11053) ONLY

Halogen Rotating 1 Bolt Fitting (401.000)

ONLY

Magnetic (407.000)

ONLY





Call your local IFA Member to order today





Not Just Quality. Delphi Quality.



Truck and Bus Diagnostics From Delphi.

Delphi's commercial vehicle diagnostic packages provide a high level of diagnostic capability for over 51,000 heavy duty applications. Whether you're working on Truck, Bus, Coach, Trailer or Van, our range of DS diagnostics is a powerful, comprehensive and cost-effective solution that no technician should be without.

- Operates from a standard PC or comes complete with a tablet PC.
- Easy to use software.
- Bluetooth cable free operation.
- Data logger built in.
- Comprehensive range of cables available.
- **■** Upgrade to car software available.

For the right repair, first time, every time – choose Delphi.

delphiautoparts.com





Number One Supplier of OE Wiper Blades Leading Supplier to the UK Aftermarket

♦ SWF Truck - 19 part numbers offer 98% parc coverage

OE Technology

- ◆ 100% metal structure with a high quality pin assembly for long lasting performance
- Rubber blades optimum, efficient, long-lasting wiping, whatever the weather conditions
- Original adaptors fitted for easy, fast fitting

NEW SWF Wiper 132603 T11 adaptor extends compatibility

- Matches OE specification
 - OE Conventional wiper: Bosch 3 397 0189 66
 - Adaptors: T7, T8, NEW T11
 - Applications:
 - NEW DAF CF Euro 6
 - MAN F2000/M2000
 - VW Transporter
 - Packed singly
 - Length: 600mm



valeo added* IIIIIII

www.valeoservice.co.uk



Automotive technology, naturally

Professional Quality

Hi-Torq Metric Combination Spanner Set 25pc (26696)

- Contents: 6-32mm
- Chrome vanadium steel, hardened, tempered, chrome plated
- Ring ends offset at 15°, open ends set at 15°

ONLY

Plasma Cutter 230V 40A (85569)

- Microprocessor controlled inverter technology
- Thermal overload protection

Includes: plasma torch, earth lead and clamp, air regulator, air hose, chipping hammer, brush & face mask

Specifications:

- Rated max. supply current: 4kW
- Cutting current range: 20-40A
- Input current: 32A
- Cutting range: 12mm (mild steel)
- Amperage at 60% duty: 40A
- Dimensions: 460 x 270 x 345mm
- Air required: 8.8 cfm
- Weight: 10kg





Welding/Grinding Helmet (34347)

- Ultra-fast 0.04 second shading, triggered by striking arc (solar powered)
- Built-in switch for welding or grinding capacity
- Built-in variable sensitivity & delay setting, flexible shade range DIN 9-13
- High impact nylon with adjustable headband
- EN175, BS EN 6100-6-3, BS EN 6100-6-1





3/4" Sq.dr Socket Set 17pc (02578)

- Chrome vanadium steel hardened, tempered, satin chrome plated
- 12 Metric sockets
- 5 Accessories







Extra Long Hex Key Set 10pc (33895)

- · Chrome vanadium steel
- Contents: 3 x 124, 4 x 138, 5 x 158, 5.5 x 168, 6 x 178, 8 x 197, 10 x 221, 12 x 248, 14 x 278, 17 x 318mm





Lazy Tong Riveter (27839)

- Aluminium, stainless steel or steel blind rivets
- Tough carbon steel
- · Replaceable chrome molybdenum jaws operate from within four nozzles - 2.4, 3.2, 4.0 & 4.8mm





Call your local IFA Member to order





Replacement Euro IV & V Silencers



REPLACEMENT UNITS AVAILABLE FOR:

- DAF
- IVECO • MAN
- MERCEDES
- RENAUIT SCANIA
- VOLVO



- Direct replacements for the original factory-fitted Euro IV/V silencer
- · Stainless steel material
- Correct EU Emission requirements met
- Associated pipework available for specific models
- Dinex Technology Centre tested to ensure compliance on emission reduction, back pressure & noise reduction

Popular Fitments:

Renault Premium

Dinex no. 64305 OE no. 7420920724



81.15101.6021

Dinex no. 47351

MAN TGL/TGM

OE no. 81.15101.0421

Iveco EuroCargo

Dinex no. 28460 OE no. 504135187, 5801269056



Call your local

IFA Member

to order



DAF CF/XF

Dinex no. 21441 OE nos. 1691063, 1669321, 1685172, 1747245, 1827547





Volvo FH/FM Dinex no. 80393

OE no. 20920705









www.dinex.co.uk



the extra mile





03643SCV8 22 Ton Pneumatic Floor Jack

Min. lifting height 230mm
Max. height 555mm (using 110mm adaptor)
Height adaptor sizes:

110 x 50mm Ø, 50 x 50mm Ø, 20mm x 50mm Ø, 20mm x 70mm Ø

115mm Screw extension

7 - 10 bar air pressure

Handle lock/release control

• Airline hook

Air control valve Powerful & reliable

Solid rubber wheels

ONLY

Compact, low profile design for maximum access



80 Litre Oil Drainers (Gravity/Suction)

- 0.7 1 bar (10 15psi) ejection pressure
 40°C 60°C working temp (for engine oil)
- Collection tray 20L capacity, height adjustable
- Oil reservoir level indicator tube

10 Year Air

Receiver

Anti-Corrosion

Warranty

• Steel construction

03700SCV8 **Gravity Drainer**• 1195 - 1810mm adjustable height range

ONLY

Suction Drainers

• 6 - 8 bar (87 - 116 psi) air inlet pressure (extraction)

• Integrated suction tube cleaning wire

03711SCV8 **Suction Drainer**• 1190 - 1810mm adjustable height range

ONLY

03722SCV8 Suction Drainer with Inspection Chamber

• 11 litre Perspex inspection chamber

• 1500 - 1810mm adjustable height range

ONLY





achinery specialists since 1968

Superb Products, **Exceptional Prices** ...only from SIP

Pick up a copy of the latest SIP promotion from your local branch for even more deals!

Inspecting

06463SCV8 Slimline Swivel **SMD Lamp**

- Rechargeable (mains & USB charge port)
- Lithium-ion battery gives continual use
- Super long 15hr torch 5hr Main light
- 10+1 extreme white
- light SMD's: 500 Lux / 300 Lumen
- (main light) · 800 Lux / 50 Lumen (top/spot light)
- Battery test button
- Integrated hanging with 360° rotation
- Strong integral base magnet to position under bonnets/bodies
 • Soft-feel finish



Boosting

07174SCV8 Pro Booster 6200 12/24V

- Boost peak rate: 6200 (12V) 3100A (24V)
- Cranking rate: 1880 (12V) 940A (24V)
- 12/24V Internal battery
- 25Ah Battery
- Digital display charge indicators
- Fast charging

ONLY

E649.93



Cutting & Welding

3 Year Parts

Warranty

05785SCV8 SIP HG400 Inverter Plasma Cutter

- 230V (16A) Supply
- 20-40A Output currentOutput current @ 60%
- duty cycle: 40A
- 10mm/Severs 12mm max. cutting capacity
- Infinitely variable output power settings
- 4.4 bar Compressed air pressure
- 5.3CFM Average air consumption
- Insulation Class F, IP21S Protection

ONLY

• Weight: 9.8kg

05773SCV8 Weldmate HG2300MP MIG/TIG/ARC Inverter Welder

• 230V (16A) Supply

Hi-tech inverter technology
30-200A MIG Output current
30-170A ARC Output current

20-200A TIG Output current

200A Output @ 50% duty cycle -20°C 200A Output @ 20% duty cycle -40°C

Solid/flux cored wire type

Dinse sockets

3m MB15 MIG Torch

- Gas hose & gas clamp - Chipping hammer - 0.6, 0.9 & 1.0mm Contact tips

3m Earth cable with earth clamp

- Hand-held face mask

- 0.2kg 0.8mm Flux core wire • 3-in-1 Lightweight, portable machine

ONLY





NEW

2 Year Warranty





BSO Oil Fired Cabinet Heaters for connection to a bulk fuel tank

- Connect to a bulk fuel tank
- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- 13 Models heat outputs up to 381Kw (1.3M Btu/hr)
- Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished
- Centrifugal air circulation enhances life expectancy
- Models BSO30 to BSO85: direct drive fans, 1ph motor
- Model BSO120: 3ph motor & v-belt drive
- · Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty or hazardous places
- Extra cost: Standard Flue Kit (from £279)

HEATER

	Price	5 Yr Lease pw
BSO30	£2099	£11.17
BSO40	£2249	£11.96
BSO60	£2549	£13.56
BSO85	£2699	£14.36
BSO120	£3279	£17.44





Stainless Steel Flue Kit for BSO Models:

- Gives approx. 4.6m (15ft) ground clearance
- 3 x 1m Flue pipes
 1 x Terminal
- 1 x Storm collar

 2 x Adjustable wall
- 2 x Adjustable wall fixing brackets
- 1 x Silicone rubber pipe flashing / fixing kit for profiled or corrugated roof & cladding
- Minimum flue requirement:
 3 metres

For Model	Part No	Price	
BSO30 & 40	FK5	£279	
BSO60	FK6	£289	
BSO85 & 120	FK7	£299	
Model Nett H	leat	Air Flow	Sw



G. 120			`-	,		۰
Nett Hea Output		Air Flow	Swivel Heads	Consumption	Supply	
109,000 Bt	tu/hr	2196 m ³ /hr	2	3.43 L/hr	230V	
146,440 Bt	tu/hr	2556 m ³ /hr	2	4.67 L/hr	230V	
203,330 Bt	tu/hr	3708 m ³ /hr	2	6.46 L/hr	230V	ı
280,530 Bt	tu/hr	5004 m3/hr	3	9.10 L/hr	230V	
418,000 Bt	tu/hr	7740 m3/hr	3	13.30 L/hr	415V	

(£39)

PROHEAT Oil Fired Cabinet Heater Package with Built-In Fuel Tank & Flue Kit

No space for a bulk fuel tank? PROHEAT is your solution!

 Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)

BSO30 BSO40 BSO60

BS085

- All models 240V
- Low-noise radial fan
- Large air volumes guarantee quick heating
- Equipped with thermostat
- Capacities of 30, 42, 64, 84kW net
- 4-Sided adjustable outlet opening guarantees equal air distribution
- Heat resistant steel combustion chamber & heat exchanger
- Switches & warning lights on control panel
- Summer/winter circuit for heating/ventilation

Price 5 Yr Lease pw

PROHEAT30 £1995	£10.61
PROHEAT40 £2295	£12.21
PROHEAT60 £2595	£13.80
DROUEATON COOR	C1 F 10



Model	Nett Heat Output	Max KW	Consumption	Air Flow	Tank Capacity
PROHEAT30	104,000 Btu/hr	30KW	3.4 L/hr	1,900 m3/hr	55L
PROHEAT40	144,000 Btu/hr	42KW	4.7 L/hr	2,800 m ³ /hr	55L
PROHEAT60	220,000 Btu/hr	64KW	7.2 L/hr	4,500 m3/hr	75L
PROHEAT80	286,000 Btu/hr	84KW	9.5 L/hr	5,300 m3/hr	105L

INCLUDES Stainless Steel Flue Kit for PROHEAT Models:

Gives approx. 5.2m (17ft) ground clearance

- 4 x 1m Flue pipes & 1 x Terminal
- 2 x Adjustable wall fixing brackets
- 1 x High temperature silicone rubber roof seal & fixing kit for profiled or corrugated roof & cladding
- 1 Tee-Piece (flue to heater)

Additional 1m Flue Pipe			
For Model	Price		
PROHEAT30,40,60	£28		
PROHEAT80	£36		

Suspended Unit Heaters

Available for heating oil, natural gas or propane fuels

0

PROHEAT 60

• Oil Fired: heat capacities 31kW to 98kW

PROHEAT

30 & 40

- Gas Fired: heat outputs 15kW to 84kW with roof or wall flue exit
- Suspend or mount (on a suitable non-combustible support)

0

- Four M10 suspension points provided
- Free-blowing or ducted modelsInstallation service (in most areas)

Huge Range

PROHEAT 80

Call your local IFA Member to arrange a site visit to specify the right model for your space & budget





The Original THERMOBILE

Manufacturing workshop heaters for over 50 years
Fully trained Service Agents ◆ Comprehensive stock of spare parts
Full range of heaters, downflow fans, dehumidifiers, etc ◆ Ask your local branch for details

ALL Thermobile prices are supply-only, UK Mainland. Installation is available at an additional cost.



Consumables Catalogue 2016



Quality Consumables
Reliable Service
Trusted Brands

www.picksons.co.uk

GUARDIAN automotive limited

CCTV Reversing Systems & Accessories
Lighting/LED Products Switches & Controls
Power Conversion Cables & Accessories
Relay & Flasher Units Electrical Accessories
Bulbs



NEW-TO-RANGE

- 5" Standard Reversing CCTV System (CCVT23A)
- 7" LCD Colour Waterproof Monitor (MON19A)
- Roof Mounted Camera (CAM18A)
- R65 LED Low Profile Warning Beacon (AMB83)
- 7" LED Sealed Beam Headlight (SB2LED)
- Slim LED Warning Light (LED3SLA)
- R65 LED Light Bar (AMB102)
- COB LED Worklamp (WL64)

Call your local IFA Member today to order

_______ A PICKSONS PLC GROUP COMPANY ...

Avonmouth 01179 821 321

Bridgwater 01278 450 152

Gloucester 01452 757 500

Yate 01454 311 848