EUROPEAN TRUCK & TRAILER PARTS (1)

CINART



The leading automotive parts distributor in Europe

CV Issue 12







Volvo FM/FH Focus



CVSMARTCHOICEnews

Document holders letting you down? Try NEW VTG Docuplate

Operators are familiar with the problems with current document holders - water ingress, light deterioration (making documents illegible), lost or stolen documents and difficulties with fitment.

These are serious issues - it is illegal to operate with illegible or missing documents, leaving operators with vehicles off the road (VOR). The current DVSA backlog for replacement documents is months and replacements are expensive, so a new solution is badly needed.



And here it is! The new VTG6 Docuplate is a weather and tamper resistant, universal fitting VTG6 document holder. The holder is made from fully transparent polycarbonate, offering extreme durability (30x the impact strength of standard acrylic sheet) and high scratch-resistance. UV stabilizers protect documents from light exposure and securely fitted O-rings ensure Docuplate resists the effects of weather and water, e.g. when washing trailers.

Once documents are inserted into the Docuplate and it is secured to the chassis, access to the documents is denied. Specifically designed to fit into existing manufactured location holes, Docuplate can be rotated at least eight different ways, ensuring it fits the desired position.

Another great solution from your local IFA Member! Just call us to order.



Above: a water/light damaged old-style VTG6 plate

Alongside: the NEW VTG6 Docuplate weather/tamper resistant solution available now from your local IFA Member



NEW Mercedes MP4 Replacement mirror

It's a challenge to make what appears to be a like-for-like replacement for a truck mirror, without infringing any of the multiple patents filed/held by the OEM. In creating a replacement mirror for the Mercedes MP4, Unitruck had a challenge to change relevant components without affecting the overall look. This took time, but the replacement parts are now available from your local IFA Member.

Choose from wide angle covers, a main cover and arm bracket covers, all sold separately. Long and short armed versions are available (with relevant OEM nos).

Mirrors are often broken, so the multiple savings offered over dealer prices over a vehicle's lifetime add up. Call your local IFA Member to cross reference and order.





Emissions cheat devices to be included in DVSA roadside lorry checks

From August 2017, DVSA roadside checks will include illegal emissions cheat devices, in an attempt to improve air quality.

DVSA's enforcement staff have evidence that drivers and operators use emissions cheat devices to cut the cost of operating. These include:

- use of devices that prevent emissions control systems from working
- · removing the DPF or trap
- use of cheap, fake emission reduction devices or diesel exhaust fluid instead of AdBlue
- using illegal engine modifications which result in excessive emissions
- removing or bypassing the exhaust gas recirculation valve

Drivers and operators will have 10 days to fix the emissions system if the DVSA find it has been tampered with. If not fixed in that time, DVSA will issue a fine and stop the vehicle being used on the road. Repeat offenders may have vehicles taken off the road immediately.

Your local IFA Member can help with any parts, equipment and consumables needed to ensure your vehicle(s) pass these checks. Just call us.

NEW MEI CALIPERS NOW AVAILABLE Contact your local IFA Member



NEW UNIT

2 YEAR WARRANTY

TECHNICAL SUPPORT



KBA CERTIFIED

> 100 % TESTED

PRODUCED TO TS16949

COVERING DAF, MERCEDES, SCANIA, IVECO, MAN, BPW & SAF APPLICATIONS www.meibrakes.com

CV Smart Choice Issue 12 Terms & Conditions: Offers end 3ist October 2017. All offers subject to availability and change without notice. Certain featured products may not be stocked by all IFA Members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except at the discretion of your local IFA Member. All prices shown are exclusive of VIAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product framewing the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. F& OF.

Ill lease payment examples are based on a 60 month repayment period and with a NIL DEPOSIT facility. All lease figures quoted are subject to VAT and talkus. Alternative lease plans are available and can be tailored to your exact requirements. If you have any questions regarding lease facilities please call Illiance & General Leasing on 02476 220000.

esigned & produced for the IFA by Unbounded Ltd www.unbounded.co.uk

Lucas

Replacing HID bulbs is easy - no need for the dealer to do it!

Paying too much for HID bulbs? SAVE MONEY - Buy from your local IFA Member!

While OE bulb prices remain high, Lucas has succeeded in reducing their HID bulb costs with no compromise to quality or performance!

Just like OE counterparts, Lucas HID bulbs:

- provide 200% more light on the road than standard halogens (2800-3500 lumens)
- offer the same average 2000 hours life

come in a full range including bulbs for projector (S) & reflective (R) type optics

Lowest EVER **HID** bulb prices!

Ask your local **IFA** Member

Full range & application guide online at www.lucaselectrical.co.uk



Before you replace an HID bulb... ...did you know?

HID bulbs require a ballast & starter to generate the 26kV required for ignition. D1 & D3 bulbs include the starter in the base but the ballast is always separate.

Check the ballast before replacing a bulb: A clicking/switching sound when operating the lights, indicates that the ballast is

functioning, so it is the bulb that is most likely at fault.

the fuse and ballast before replacing the bulb.



www.lucaselectrical.co.uk


HID Replacement Guide - it's as easy as 1-2-3


Safety First

Don't be put off by the high voltages (18kV to 30kV) associated with HID bulbs!

Just ensure you follow these three simple safety procedures before you start work

Turn off ignition & remove key











(Un)plug & Play

Access the bulb as per manufacturer guidelines, usually either from the back of the headlight, by removing the headlight or via the front wheel arch

D1 & D3

D2 & D4

Pull out power connector Release clasp & replace bulb Twist connector 45° to remove Release clasp & replace bulb





Flip & Reverse

Always replace HID bulbs in pairs to ensure even colour temperature & brightness Once both sides are replaced reverse step 1 Check headlights for function, level & alignment

Trust Lucas



GATES MICRO-V® KITS

Gates Heavy Duty Products OE Quality at Aftermarket Prices

OE supplier of Accessory Belt Drive Systems to leading truck & bus manufacturers

One of the world's largest manufacturers of belt drive systems for cars/LCV, Gates role as a manufacturer and OE supplier of truck and bus accessory belt drive systems is less well known



Gates Extra Service Micro-V® Kits

The right belts, the right tensioners, the right idlers for each specific application - in a single box

- Workshops are fitting Gates Extra Service Micro-V® kits increasingly as routine preventive maintenance
- Breakdown and rescue operators turn to Gates Extra Service Micro-V® kits as their first-call VOR solution
- The individual kit parts are also available separately





OE Quality replacement body panels for all makes





Panel Kits

Comparing prices? Where specified, our panels come with kits, fixings, etc.



in Manufacturer Paint

Ready-to-fit straight onto the vehicle in the correct RAL colour



Call your local IFA Member to order



FOR OE QUALITY

Das Original





NEW BLADE 132653 650mm for Renault T/K/C Euro 6

Available now from your local IFA Member

TEAL[®] Safe Parking

(Trailer Emergency Module) automatically prevents parking brake release during trailer coupling/uncoupling.

TEM combines:

- park and shunt valve with integrated emergency brake valve
- pressure protection valve for auxiliary devices (e.g. air suspension)

Call your local IFA Member to order

TEM® satisfies the requirements of EEC Braking Systems Directive 71/320 and ECE R 13





Part no.	Type (knobs)	Pressure protection valve	Shunt valve	Fittings	Port 1	Port 1-2	Port 12	Port 2 plug	Port 21
352075001	2	✓	\checkmark	×	M22x1.5	M16x1.5	M22x1.5	\checkmark	M16x1.5
352075101	2	✓	✓	✓	TU 8x1	TU 8x1	TU 8x1	\checkmark	1 x TU 8x1, 1 x plug
352075201	2	✓	✓	×	M22x1.5	M16x1.5	M22x1.5	✓	M16x1.5
352075011	2	×	\checkmark	×	M22x1.5	M16x1.5	M22x1.5	\checkmark	-
352075031	1	✓	×	×	M22x1.5	M16x1.5	M22x1.5	✓	M16x1.5
352075051	1	×	×	×	M22x1.5	M16x1.5	M22x1.5	\checkmark	-



Innovative Vehicle Solutions

Inspired by Tyres Made for Hands

NEW

Finite® Orange TT

Nitrile powder free disposable glove

Features a unique tyre tread pattern that optimises surface capability and ensures outstanding grip

Call your local IFA Member to order

50 gloves per dispenser

 Size
 7
 8
 9
 10
 11

 Code
 GL5001
 GL5002
 GL5003
 GL5005
 GL5006



WABCO

NEW-TO-AFTERMARKET

Volvo Hand Brake Valve (961 724 225 0)

Technically identical to the OE hand brake valve, just with the original branding removed:

- Right hand drive
- Push button operated 3/2 control valves
- Used as a safety valve in a truck parking brake control system
- If a foot brake valve fails, the hand brake valve can be used for emergency braking
- OE no. 961 724 205 0
- Volvo no. 20367534



Volvo Air Dryer & Cartridge (432 425 105 0)

WABCO Cartridges - used on millions of today's vehicles, separate 99.95% of contaminant particles from the airflow, while retaining air braking system optimal functionality:



- Conventional cartridges for standard applications
- Air System Protector / Protector PLUS for added protection against oils & aerosols
- Long life cartridges are better than rival filters, even at the end of the recommended service life

HOT BULK DEALS

on air dryers & cartridges
Just ask your local IFA Member

Volvo Air Compressor (412 704 027 0)

High output twin cylinder:

- Increased free air delivery
- Higher performance
- Low oil carry-over
- Low power consumption



Call your local IFA Member to order today

febi bilstein Volvo Steering & Suspension Parts





OE No: 1605047

to fit: Volvo B10M, B12, B9M, F10, F12, F16, FH12,

FH16, FM10, FM12, FM7

ONLY

Single King Pin ProKit (40891)

OE No: 20751021

to fit: Volvo B11 R, B12 B, B12 M, B12 R, B13 R, B5 LH, B6 R, B7 L, B7 LDD, B7 R, B9 L, B9 R, B9 S, B9 TL, FE, FH, FH12, FH16, FL6, FM, FM10, FM12, FM7, FM9, NH12, VM

ONLY

£142

Spring Cushion (03528)

OE No: 20390836

to fit: Volvo FH, FH12, FH16, FM, FM12, FM7, FM9

ONLY

£65



Air Suspension Sensor (45013)

OE No: 20850557

to fit: Volvo Magnum, Midlum, Premium, B10 B, B10 L, B10 M, B11 R, B12, B12 M, B12 R

ONLY

£55

Tie Rod End ProKit (35661)

OE No: 20710008

to fit: Volvo FH, FH12, FH16, FM, FM12, FM9

ONLY

£33

Ball Joint (35291)

OE No: 20374698

to fit: Volvo FH, FH12, FH16, FL6, FM, FM10, FM12, FM7, FM9

ONLY

£52

Hydraulic Pump (39696)

OE No: 20917278

to fit: Volvo FH, FH12, FH16, FM, FM12, FM9

ONLY

£168

Stabiliser Link (27130)

OE No: 20443061

to fit: Volvo FH, FH12, FH16, FM, FM12, FM9

ONLY

£54

Available NOW!

from your local IFA Member

www.febi.com





Can't see what you're looking for? Just call us.

This is only a tiny sample of the parts we supply for Volvo FM/FH - just let us know what you need. Did you know we also offer lower cost, quality alternatives?



Volvo FM/FH Truck Focus

Order from us and you get OE parts, in the OE manufacturer's box



Donaldson. FILTRATION SOLUTIONS



Donaldson filters are built for the road, to endure and perform.

Donaldson OE aftermarket quality filters keep you moving.

VOLVO FH/FM

MODEL	ENGINE	AIR	OIL/LUBE	FUEL	POWER- STEERING	TRANS- MISSION	CABIN	Ø OTHER
FH/FH II	D series	P782396	P550633 (CR)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P951102	P550425 (SO)	P551843 (FWS)		P164378		P552096 (COF)
				P954895 (FWS)				
FH 12/FH 16	D series	P782396	P550633 (CR)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P606720	P550425 (SO)	P551843 (FWS)		P164378		P951413 (AD)
			P553191 (SO)	P954895 (FWS)				P952185 (AD)
FM	D series	P782396	P550425 (SO)	P551838(FWS)	P550309	P954605	P782811	X770734 (UF)
		P782857	P550633 (CR)	P551843 (FWS)		P164378		P951415 (AD)
				P954895 (FWS)				P552096 (COF)
		AD: Air dryer COF:	Coolant filter CR: Carti	ridge FWS: Fuel wate	r separator SO: Spin-c	on UF: AdBlue filter		

Order from your local IFA Member.

KEEP MOVING.

LEMFÖRDER 🕸



Replacement Parts in Original Equipment Quality

Lives depend on the quality of steering and suspension components fitted on your customers' vehicles, so only the best will do. That's why leading vehicle manufacturers put their trust in LEMFÖRDER as original equipment. You can too- ask your local IFA Member to order genuine LEMFÖRDER replacement parts and keep your customers and your reputation safe.

LEMFÖRDER- Safety in Steering and Suspension.



LEMPOROUS IN a formal of 29 www.zf.com/uk

GENUINE LEMFÖRDER Products

It **COSTS LESS** than you think to **KEEP IT GENUINE**

- OE Manufactured
- Original specification gives longer life
- Correct to application

Ball Joints
FROM
£21.95

Torque Rods
FROM **£159.00**

Vee Stays
FROM
£295.00

Order from your local IFA Member



Expert Quality

NEW Hydraulic Spring Compressor (56191)

- All-steel construction
- Easy coil spring compression for safe/easy suspension unit dismantling
- Heavy duty, full safety cage
- High quality clamps/yokes securely grip wide range of springs
- Powerful hydraulic pump
- Totally independent operation (no power needed) so entirely mobile
- Coil spring capacity: 2 tonnes
- Dimensions: 520 x 690 x 1320mm
- Upper/lower base travel: 226/240mm
- Weight: 115kg
- Includes: 1 x Fixing jaw: 30 70mm 3 x Yokes: 75 - 110mm, 110 - 140mm, 140 - 190mm



NEW Metric Socket Sets

- Six point sockets
- Hardened/tempered chrome vanadium steel, polished finish
- · Knurled ring sockets for extra grip
- · Steel cases

3/4" Sq Dr 17pc (16486)

- 12 Sockets: 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50, 55mm
- Extending reversible ratchet
- 2 Extension bars: 200, 410mm
- · Flexible handle
- · Universal joint

ONLY

1" Sq Dr 22pc (16485)

- 17 Sockets: 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm
- Universal bar/adaptor used together form sliding 'T' bar
- 2 x Wobble extension bars: 200, 400mm
- Reversible ratchet head
- Note: Set weighs 43kg & requires two people to lift it

ONLY

Wheel Chock (12271)

- Stabilises parked HGVs
- Wheel Ø 920mm+
- Conforms to DIN 76051-D53Z & ADR regulations
- Anti-slip, non-sparking, high visibility, weatherproof heavy duty HDPE plastic
- Single chock, size 250mm

discs on Ford Transit 06>

ONLY



Front (64636)

ONLY

Rear (64637)

ONLY



Long Chassis Hydraulic Trolley 'Quick Lift' Jacks 'Quick lift' foot pedal & 3 position locking facility

- Rear swivelling castors & large saddle to aid positioning
- Safety overload & bypass valves
- Manufactured to EN1494

One piece	nandle	5 tonne (48357)	10 tonne (48356)
	Lifting range	145 - 550mm	155 - 550mm
	Overall size	1450 x 350 x 200mm	1600 x 480 x 250mm
	Weight	101kg	150kg
048356		ONLY £456.00	©NLY £619.95

6 Tonne Axle Stands (pair)

- Carbon steel, hardened & tempered. hardened steel pin
- Height min/max: 535/870mm
- Max capacity/stand: 6000kg (S.W.L)
- Max capacity/pair: 12000kg (S.W.L)

ONLY

Hydraulic Bottle Jacks

- Large stable base, two stage ram & built-in overload protection system
- Notched saddle
- Two-piece handle

20 tonne (39225) ONLY **32 tonne** (04982) ONLY



10 tonne 'High Lift' (04984)

• 'High lift' feature for easy loading beyond range of standard bottle jacks



NEW Gen 2 Wheel Bearing Kit (16423)

- Indispensable specialist kit, removes/installs Gen 2 bearings with ease
- Correctly distributes pressing forces through the outer bearing while allowing the suspension leg to remain in-situ
- Pressed into place as a conventional bearing, Gen 2 bearings can be stressed leading to their rapid deterioration
- Wide range of Gen 2 bearings:
 - 62mm: Audi A2, VW Lupo (front)
- 66mm: Škoda Fabia, VW Fox (front), Polo
- 72mm: Audi A1/A2, Seat Cordoba, Ibiza, Škoda Fabia, Roomster, VW Polo (front), VW Fox with PAS (front)
- 78mm: Ford Focus II, C-Max, Volvo C30, C70, S40, V50 (front), Mazda 3
- 82mm: Ford Mondeo, Galaxy, S-Max, Land Rover Freelander 2, Volvo S80, V70, XC60, XC70
- 85mm: VW Multivan, Touareg. Transporter (front/rear)



Call your local IFA Member to order





ECCO® NEW 13 Series Lightbars

R65 LED Lightbar

12/24V

Clear lens option

Additional amber LEDs available

2 Year warranty

	,		
0.77m			
	ACCRECATE VALUE OF PERSONS ASSESSMENT	CHILD SHAPE SHAPE	NAME AND ADDRESS OF
		A STREET, STRE	
•			
Description	Part Number	Colour	LAUNCH OFFER - ONLY
24 Module (shown)	13-00001-E	Amber or Clear	£285
16 Module	13-00009-E	Amber	£225

or Clear

1.00m			
Description	Part Number	Colour	LAUNCH OFFER - ONLY
24 Module (shown)	13-00003-E	Amber or Clear	£319
16 Module	13-00011-E	Amber or Clear	£275

1.25m			
Description	Part Number	Colour	LAUNCH OFFER - ONLY
24 Module (shown)	13-00005-E	Amber or Clear	£355
16 Module	13-00013-E	Amber or Clear	£305

1.50m			
			VINCEN MEMORY
Description	Part Number	Colour	LAUNCH OFFER - ONLY
24 Module (shown)	13-00007-E	Amber or Clear	£375
16 Module	13-00015-E	Amber or Clear	£339

Available from 01.09.17 from your local IFA Member





FREE Jack

when you buy a BTN turbo from your local IFA Member (during September ONLY)

You're covered with BTN Turbo

- ✓ 2 Year warranty against manufacturing defects, 1st year no quibble on CV vehicles
- ✓ Huge range from stock, ready-to-fit with FREE FitKit & turbo primer
- Diagnostics advice & support at www.btnturbo.com
- DAF, Volvo, Iveco, Mercedes-Benz, Scania, MAN, Perkins, etc



Remanufactured & calibrated by the OE manufacturer, with OE parts entirely to the OE specification



Direct from the manufacturer, the same as the franchise dealer

If a diesel CV turbo supplied by BTN Turbo fails within a year of purchase we'll replace it, quickly & free of charge. No argument.



A smart, comfortable & practical Regatta jacket - waterproof & windproof to provide reliable protection from the elements with a super-soft fleece lining

during

September!

*Terms & Conditions apply. See below

BTN Jacket Terms & Conditions: Receive a FREE BTN Regatta











Call your local IFA Member to order today

Antifreeze & Coolant High quality, great value

All seasons • Four grades 5, 25, 205 litres

Latest generation coolant

Purple Si-OAT

- Premium 5 Year life
- Modern engines

Blue BS6580

- · 2 Year life
- Older engines

Red OAT

- Premium 5 Year life
- Modern engines

Green HOAT

- Premium 3 Year life
- Modern engines



AD Antifreeze Dilution

AD Antifreeze must be diluted - the normal dilution rate is 1:1, which offers good freezing & corrosion protection (see table below).

The minimum recommended concentration to maintain corrosion protection is 33% by volume (freezing protection to -18°C, which may be insufficient for UK winters* & certainly for Eastern Europe).

Diluted with clean water, AD antifreeze can offer freezing protection to as low as -70°C where extreme winters are usual.

*Source: Met Office

Diluting AD Antifreeze

Antifreeze : Water (% Volume)	Freezing Protection
70 : 30	- 70°C‡
60 : 40	- 53°C
50 : 50 (normal dilution)	- 37°C
33 : 66	- 18°C

[‡]Blue BS6580 offers freezing protection to -65°C

Beware 'budget coolants'!

More product is required to achieve the same freeze point protection - often these products are fully diluted.

So if you buy on price, you may be buying a great deal of added water! The price can look attractive, but compared like for like on performance it may be more expensive per litre.

Full concentrate: takes up less space, performs better, more economical in use!

Available only from your local IFA Member





POLYGARD

SCREEN WASH CONCENTRATE

De-ices & protects in extreme weather conditions, as low as -20°C

Swiftly removes insects & grease deposits encountered in summer driving

Tested independently, Polygard Screen Wash contains additives which are shown to inhibit the growth of Legionella bacteria

Windscreen washer bottle water has been identified as a possible source for transmission of Legionella bacteria which can cause Legionnaire's disease, a potentially fatal form of pneumonia.

Estimates suggest that up to 20% of all community acquired sporadic cases of Legionnaire's disease are strongly associated with windscreen washer fluid containing no screen wash[†].

Simply using screen wash may prevent transmission of Legionella bacteria to drivers and passengers. Use of screen wash demonstrates a duty of care to professional drivers.

[‡]European Journal of Epidemiology (08/06/10)

Call your local IFA Member to order

PROHEAT Oil Fired Cabinet Package

with Built-In Fuel Tank & Flue Kit

- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- All models 240V
- Low-noise radial fan
- Equipped with thermostat
- Capacities of 30, 42, 64, 84kW net
- 4-Sided adjustable outlet opening guarantees equal air distribution
- · Summer/winter circuit for heating/ventilation

Model	Nett Heat Output	Max kW	Consumption	Air Flow	Tank Capacity
PROHEAT30	104,000 Btu/hr	30kW	3.4 L/hr	1,900 m ³ /hr	55L
PROHEAT40	144,000 Btu/hr	42kW	4.7 L/hr	2,800 m3/hr	55L
PROHEAT60	220,000 Btu/hr	64kW	7.2 L/hr	4,500 m3/hr	75L
PROHEAT80	286,000 Btu/hr	84kW	9.5 L/hr	5,300 m ³ /hr	105L

Price 5 Yr Lease pw

PROHEAT30 **£2099** £11.17 PROHFAT40 **£2399** £12.76 PROHEAT60 £2649 £14.09 PROHEAT80 **£2899**

FROM



Mud a ref esage on fuel tank? PROHEAT is your solution!

Stainless Steel Flue Kit INCLUDED:

- Gives approx 5 2m (17ft) ground clearance
- 4 x 1m Flue pipes
- 1x Terminal
- 2 x Adjustable wall fixing brackets
- 1 x High temperature silicone rubber roof seal & fixing kit for profiled or corrugated roof & cladding
- 1 Tee-Piece (flue to heater)
- Additional 1m flue pipe available: For Model

PROHEAT30,40,60 **£30** PROHEAT80

Automatic Ignition Universal Oil Fired Heaters

- Clean combustion & high efficiency
- Large airflow blower fans
- Fan-only facility for summer ventilation
- Large capacity fuel tanks
- Basic room thermostat is standard
- Optional digital thermostat/time control
- Compressed air supply required for burner

Model	Heat Capacity	Fan Capacity	Fuel Tank	Consumption	Compressed Air Displacement	Supply
SB40	153,000 Btu/hr	3200 m ³ /hr	80 L	4.6 L/hr	1.0 - 1.3 CFM	230V
SB60	204,000 Btu/hr	4100 m ³ /hr	80 L	6.0 L/hr	1.5 - 1.8 CFM	230V
SB80	306,000 Btu/hr	6200 m ³ /hr	130 L	9.0 L/hr	2.0 - 2.6 CFM	400V+N
SB110	436,000 Btu/hr	8100 m ³ /hr	130 L	12.8 L/hr	3.0 - 3.6 CFM	400V+N

Price 5 Yr Lease pu SB40 £3799 £20.21 £4099 SB60 £21.80 SB80 £5499 £29.25

£6099

SB110



Also available - just call your local branch: Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Use any of these fuels:

- Used Oil*
- 35 Second Heating Oil/Diesel
- Processed Fuel Oil (PFO)
- · Rapeseed, linseed & some veg. oils
- Bio Diesel

Stainless Steel Flue Kits

from **£269**

Stainless steel flue kits (6m ground clearance):

98.085.746 SB40 98.085.100 SB60

98.085.170 SB80/SB110

Optional extras (additional cost):

Motor/Pump Kits: to connect to a bulk fuel tank (pipework/electric cable not incl.) 98.085.399 Connects to bottom outlet.

gravity fed, max distance 10m 98.087.161 Connects to top outlet &/or

above 10m distance 98.085.890 Digital Thermostat/Timer

Main Fan Filter Kits:

98 085 541 SR40/60 98 085 542 SR80/110

CHOOS

BSO Oil Fired Cabinet

£32.44

Connect to a Bulk Fuel Tank For connection to a bulk fuel tank

- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- 13 Models heat outputs up to 381kW (1.3M Btu/hr)
- Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty/hazardous spaces

Model	Nett Heat Output	Air Flow	Swivel Heads	Consumption	Suppl
BS030	109,000 Btu/hr	2196 m³/hr	2	3.43 L/hr	230V
BSO40	146,440 Btu/hr	2556 m3/hr	2	4.67 L/hr	230V
BS060	203,330 Btu/hr	3708 m ³ /hr	2	6.46 L/hr	230\
BS085	280,530 Btu/hr	5004 m ³ /hr	3	9.10 L/hr	230\
RSO120	418 000 Rtu/hr	7740 m ³ /hr	3	13 30 L/hr	415V

5 Yr Lease pw BSO30 £2099 £11.17 BSO40 £2249 £11.96 BSO60 £2549 £13.56 £2699 **BSO85** £14.36 BS0120 £3299 £17.55

Stainless Steel

FROM

Flue Kit

For Model BSO30 & 40 BSO60

BSO85 & 120

FK6 FK7

Part No FK5 **£299** £309 £319 (£39)

(Additional Price 1m Flue Pipe) (£36) (£37)



Suspended Unit Heaters **Heating Oil, Natural Gas or Propane**

Oil Fired: heat capacities 31kW to 98kW

- Gas Fired: heat outputs 15kW to 84kW with roof or wall flue exit
- Suspend or mount (on a suitable non-combustible support)
- Four M10 suspension points provided
- · Free-blowing or ducted models
- Installation service (in most areas)

Huge Range

Call your local **IFA Member** to arrange a site visit to specify the right model for your space & budget



Call your local IFA Member for all your heating needs

*Used Oil is subject to licensing control: Heaters burning Used Oil fall under Chapter IV of the Industrial Emissions Directive (IED). A relevant permit is required under Schedule 13A of the Environmental Permitting Guidance (EPR). Full details at www.thermobile.co.uk. under 'News'

The Original THERMOBILE

Manufacturing workshop heaters for over 50 years Fully trained Service Agents + Comprehensive stock of spare parts



THE UK'S LEADING SUPPLIER OF GARAGE EQUIPMENT...



► Tecalemit CV Brake Tester (DE 9700)

- 15kW Motors with 'soft start' to reduce mechanical stress, extending life of motors & gearbox components
- Supplied in 2 person or 1 person operation format
- Approved for ATF & ATL MOT testing of Class IV, VL & VII vehicles
- Roller bed design reduces length of chain drive to eliminate need for frequent tension adjustment
- Simple intuitive controls & operation via RF touch screen remote control or PC workstation
- Extra-large centre rollers ensure continuous contact with road wheels, regardless of tyre tread design
- Bi-directional testing
- User option of automatic or manual mode
- Capability for operator to construct vehicle database
- Roller lock to allow easy exit of driven axle from brake tester
- Pre-loaded with latest DVSA vehicle database

DVSA approved for ATF testing

Possibly the best specified brake tester on the market today

Purpose designed specifically to meet UK testing standards

Supported throughout the UK by Tecalemit after sales Engineers



Call your local
IFA Member to order





JROPEAN TRUCK & TRAILER PARTS

Avonmouth Bridgwater Bris

Avonmouth 01179 821 321

01278 450 152

Bristol 01179 721 188

Gloucester 01452 757 500

Swindon 01793 822 922

Yate 01454 311 848