FIGHER PICKSONS LTD GROUP COMPANY

C / SMART CHOICE

PARTNER OF INTERNATIONAL

The leading automotive parts distributor in Europe

CV Issue 1

AD goes global!
See page 2

Antifreeze & Coolants



In this issue:



In stock now
Great Quality, Great Value

Stock up on winter products p2



Pull-out posici centre spread



Oil/Propane Space Heaters p10



CVSMARTCHOICEnews

Welcome to CV Smart Choice!

Welcome to our first edition of CV Smart Choice, our new quarterly publication.

Our first issue brings you a taste of what we have to offer, from original equipment and original equipment quality parts to garage equipment and a whole host of offerings to help your business.

Don't miss the competition on the back page, courtesy of TTC, for a huge pile of choices for Valentine's Day - simply answer two questions and send your entry form to the fax number or address shown, to arrive by 31st January 2015. There are

12 first prizes so it's worth entering!

Future issues will offer you tech tips, tools, consumables and stacks of great offers!

So read on and learn about our range, low prices and new products, technical developments and promotions. Enjoy!



Now ADI has signed a joint venture agreement with Pronto, the premier North American buying group. The new global buying group is called 1Parts and because of our partnership with ADI

we (and therefore you) will reap the benefits.

rolled out into next year.

1Parts offers a wealth of opportunities for supplier cooperation. Many of our key suppliers operate across the North American continent, while strong European and US suppliers may take this opportunity to 'cross the pond'.

The main benefits will lie in the benchmarking of best practice and the expansion of training, technical and customer support programmes. In an age of global vehicle manufacturers and global Tier 1 parts suppliers, a global aftermarket operation makes perfect sense.

The 1Parts venture boasts global turnover across 35 countries to professional installers in Europe, North Africa, Central Asia and North America of €7.7 billion, delivering parts, products, tools and equipment.

We're going global! ADI forms joint venture 1Parts



Look forward to better service, more technical input and training programmes to add to the widest range of the best parts in the world.

Visit www.1parts.net for more information on this exciting global group and talk to your local branch about how you can get the most from this exciting new venture.





New tech for Commercial Vehicles from Ring - contact your local branch to order 7" Camera System Kit (RBGB1070) PowerSource Professional Inverters

FROM

- Improve safety when manoeuvring commercial vehicles
- Fully adjustable 7" screen
- Waterproof camera including audio and night vision
- Dual channel video input (to connect additional camera to further reduce blind spots)



- Never run out of power again, with new technology from Ring!
- Ideal for powering tools & equipment in demanding or remote environments without a normal mains supply, such as service vehicles & commercial applications

Pure sine wave & modified sine wave versions







V Smart Choice Issue 1 Terms & Conditions: Offers end 31st January 2015. All offers subject to availability and change without notice. Certain featured products may to be stocked by all IFA members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except in the discretion of your local IFA member. All prices shown are exclusive of VATP. Pictures used are for illustrative purposes only and products are not shown at actual size in to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a NIL DEPOSIT facility. All lease figures quoted are subject to VAT and status. Affernative lease plans are available and can be tallored to your exact requirements. If you have any questions ringing lease facilities please call Alliance & General Leasing on 02476 220000.

Designed & produced for the IFA by Unbounded Ltd www.unbounded.co.uk

Pure Sine Wave

D%uble pr%fiting!



Your 2-stage plan to protect your equipment at an exceptional price!

Stage I - Bulk Tank Filtration

Fuel is not clean enough. Only 43% (!) of fuel samples worldwide meet ISO 4406 cleanliness code 18/16/13. The use of **bulk tank filtration and tank breathers** is critical, therefore, when it comes to protecting your engine components - especially very sensitive fuel injection systems!

Ask at your local branch for **SPECIAL OFFERS** on the following part numbers:

39331918, 39503658, FF5474, FF5601, FF5618, FS1285, FF5450, FS1283, FS1284, FS19742, FS19745, FS19746, FS19748, FS19749



Stage II - Truck Tank Filtration

Stage II features Fleetguard 'AlI-In-One' fuel management systems with fuel filter, fuel/water separator and priming pump, assuring a high level of fuel cleanliness - even before the fuel reaches the engine and components.

Ask at your local branch for **SPECIAL OFFERS** on the following part numbers:

FH22144, FH22145, FH22192, FH23622M, FH23069M



Fleetguard first-fit quality: filtration and coolant products you can trust



Why shop around when you can get reliable quality from a single supplier? Cummins Filtration® is a world-leading supplier of filtration products and systems for heavy-duty applications. With more than 10,000 fuel, lube, air and coolant products, Cummins

Filtration offers a diverse range of solutions for most applications and customer needs. Fleetguard products are designed to meet, and exceed, all OEM specifications and our unique non-pro rata warranty provides each end-user with the security and quality assurance they demand.





Wide range, great quality, low prices

Don't get caught out this winter!

With winter just around the corner, it's wise to provide the best protection for WABCO Air Braking Systems



WWW.LEDAUTOLAMPS-UK.COM



Avoid the hassle & time off the road when air systems freeze up!

Minimise damage to valves and components from moisture build-up in the system - ensure air dryer cartridge replacement intervals are up to date & carried out if due

Call your local branch for replacement air dryers

Wiper Blades

Original Equipment & Original Equipment Quality















- **Lasting quality**
- **Full metal structure**
- Advanced rubber blades for optimum wiping & long life



SPECIAL OFFERS on bulk blade purchases - call your local branch

























www.febi.com





Commercial Vehicle Battery Gu

Battery Types

CV Batteries

Calcium Hybrids offer better deep cycle capability than Ca/Ca batteries

Cargo HD (Heavy Duty)

- Power / cycling ability for cranking requirements of smaller capacity engines
- Supports electrical equipment installed as standard in modern low specification commercial vehicles

Cargo SHD (Super Heavy Duty)

- Greater power / cycling ability for increased cranking requirements of larger capacity CV engines
- Supports electrical equipment installed in higher specification CV (e.g. sleeper cabs with TVs, satellites, microwaves, nightlights, fridges etc)

Cargo Deep Cycle

- For constant shift pattern urban use vehicles, off-road applications, PSV & emergency vehicles
- Cranking power, higher cycling ability & vibration resistance cope with larger capacity CV engines
- Supports high vehicle specification levels & added electrical loads (e.g. tail lifts, refrigeration units, loading mechanisms, etc)
- Glass mat separators for ultimate deep cycle capabilities
- Vibrolock plate fixing gives superior vibration resistance

LCV/Car Batteries

Ca/Ca (Calcium/Calcium Lead Acid)

- Best performance/reliability compared to a standard lead acid battery (calcium strengthens the lead in plate construction and reduces electrolyte loss in warm climates)
- 'Open Vent' or 'Sealed' formats



ide

IN ASSOCIATION WITH SMART OF MITERIAL CELL OF THE MATTER OF INTERNATIONAL CELL OF THE MATTER OF THE MATTER OF INTERNATIONAL CELL OF THE MATTER OF THE MA

Battery Specification & Care

Selecting the correct battery is vital


An underpowered battery will fail prematurely, causing problems for the vehicle owner.

Ensure the battery has the correct Ah & CCA rating & is a genuine OE replacement.

For the correct fit every time go online to get the Yuasa battery application guide covering CV, PSV & LCV:

www.yuasa.co.uk/

Select Information then Application Guides.



Ask your local branch for help when specifying batteries

Battery Charging & Testing

Vehicle alternators are not designed to fully recharge a battery from flat whilst in service. Conventional batteries are designed to operate at virtually full charge at all times.

The alternator continuously tops up the battery with very small amounts of charge to keep it at full capacity. Conventional batteries are not designed to be deeply discharged/recharged.

Regular checks ensure a battery has maximum charge to prevent premature failure. A battery with a low OCV requires an immediate top-charge or replacement.

Use the right charger

Use the right charger to prevent damage to batteries - vital as vehicle technology advances. Yuasa 'Smart' chargers continuously check and monitor battery condition, supplying a controlled charge. The fully charged state is reinstated in the fastest time without damage or overcharging.



Self discharge - Low OCV

Batteries constantly self-discharge. If the OCV (open circuit voltage) drops below 12.4V, a process of 'sulphation' starts. Unchecked, the battery becomes scrap - not faulty - a victim of natural chemical deterioration from lengthy storage, or sporadic, low mileage driving.

Sealed units require digital conductance testing

Many batteries are sealed nowadays, offering no access for hydrometer or spectrometer testing (handling battery acid is a health & safety issue) so use a good quality battery tester.



Prestolite electric

NEW **Starter Motors & Alternators** from an Original Equipment Manufacturer (with no surcharges!)

Quality you can trust!

More powerful than the Original Equipment!

Uprated Heavy Duty Starter Motor for Mercedes-Benz Atego (M93R3066SE)

More durable & reliable than the standard starter & a significant improvement over copied products available

- 100 % compatible direct drop in replacement (looks similar to OE)
- Output increased to 5.0kW (vs OE 4.0kW)
 Improved pinion strength pinion size increased, made compatible with Bosch 9t / Delco 11t using an off-set to move pinion to correct the ring gear alignment





Mercedes-Benz Atego Package Deal!

24V, 5.0kW (M93R3066SE) Starter: Alternator: 24V, 110A (860807GB)

Special Offer

Prestolite: OE to Cummins, Dennis, MAN, Volvo, Van Hool, etc









Call us for all these Special Offers

DAF LF45/LF55/CF65 Series package

24V, 4.0kW (860815) Starter: Alternator: 24V, 110A (860806)

Special Offer

Iveco Eurocargo Series package

Starter: 24V, 4.0kW (860716) Alternator: 24V, 110A (860810GB)


Special Offer

POWER OF EXCELLENCE

www.prestolite.com



COMMERCIALGARAGEEQUIPMENT &INSPECTIONPITS



www.bradburyequipment.co.uk



Automatic Ignition Used Oil Heaters

- Clean combustion & high efficiency
- Large airflow blower fans
- Fan-only facility for summer ventilation
- Large capacity fuel tanks
- Burners adjustable to use heating oil/diesel
- Basic room thermostat is standard
- Optional digital thermostat/time control
- Compressed air supply required for burner
- Available at extra cost:
 - Flue Kit (from £269)
 - Motor/Pump kits to connect to bulk fuel tank
- Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Offer Price 5 Yr Lease pw

SB40 **£3599** £19.93 SB60 **£3899** £21.59 SB80 **£5499** £30.46 SB110 **£5999** £33.23

FROM **£3599** 5 Year Lease £19.93 pw



 Model
 Heat Capacity
 Fan Capacity Fuel Tank Consumption Compressed Air Displacement
 Supply Displacement

 SB40
 153,000 Btu/hr
 3200 m3/hr
 80 L
 4.6 L/hr
 1.0 - 1.3 CFM
 230V

 SB60
 204,000 Btu/hr
 4100 m3/hr
 80 L
 6.0 L/hr
 1.5 - 1.8 CFM
 230V

 SB80
 306,000 Btu/hr
 6200 m3/hr
 130 L
 9.0 L/hr
 2.0 - 2.6 CFM
 400V+N

 SB110
 436,000 Btu/hr
 8100 m3/hr
 130 L
 12.8 L/hr
 3.0 - 3.6 CFM
 400V+N

These units must be connected to a suitable flue system (min 1m above roof apex & 6m above ground level).

A full range of flue accessories is available. Complete flue kits include roof seal, fitting kit & two wall bands.

Stainless steel flue kits provide 6m ground clearance:

98.085.746 for SB40 98.085.100 for SB60

98.085.170 for SB60 98.085.170 for SB80 & SB110

Optional extras (additional cost):

98.085.399 Motor/Pump kit - for connection to bulk fuel tank with bottom outlet, gravity fed. Max distance 10m. (Pipework/electric cable not included)

98.087.161 Motor/Pump kit - for connection to bulk fuel tank with top outlet &/or above 10m distance. (Pipework/electric cable not included)

98.085.890 Digital Stat/Timer

98.085.541 Main Fan Filter kit (SB40 & SB60)

98.085.542 Main Fan Filter kit (SB80 & SB110)

Oil Fired Cabinet Heaters

 BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank)

13 Models - heat outputs up to 381Kw (1.3M Btu/hr)

 Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished

- Centrifugal air circulation enhances life expectancy
- Models BSO30 to BSO85: direct drive fans, 1ph motor
- Model BSO120: 3ph motor & v-belt drive
- Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty/hazardous places
- Extra cost: flue kit (from £270)

FROM £2099 5 Year Lease £11.63 pw

Standard flue kits (extra) provide 4.6m ground clearance: FK5 Flue Kit for BSO30 & 40 (Ø 5") FK6 for BSO60 (Ø 6") FK7 for BSO85 & 120 (Ø 7")

Model	Nett Heat	Fan	Swivel	Consumption	Supply
	Output	Capacity	Heads		
BSO30	109,000 Btu/hr	2196 m ³ /hr	2	3.43 L/hr	230V
BSO40	146,440 Btu/hr	2556 m ³ /hr	2	4.67 L/hr	230V
BSO60	203,330 Btu/hr	3708 m ³ /hr	2	6.46 L/hr	230V
BSO85	280,530 Btu/hr	5004 m ³ /hr	3	9.10 L/hr	230V
BSO120	418,000 Btu/hr	7740 m ³ /hr	3	13.30 L/hr	415V



Also available:

Suspended Unit Heaters

Call your local branch for more information & prices



FROM

Propane Gas Fired Heaters

- Heavy duty, clean combustion, easy to maintain
- High capacity at a low price
- Piezo push button ignition
- Thermocouple flame protection
- Adjustable capacity regulator
- Gas hose & gas pressure regulator
- 230V

 Model
 Nett Heat Output
 Heated Air Flow
 Consumption

 657
 135 - 200,000 Btu/hr
 2100 m3/hr
 2.9 - 4.1 kg/hr

 681
 180 - 270,000 Btu/hr
 2100 m3/hr
 3.9 - 5.6 kg/hr

 * Nett heat output is maximum & consumption approximate

Room ventilation is required

Infra-Red Radiant Oil Fired Heaters

(IFT21 / VAL MIDI / VAL6 1 STEP)

- Photocell flame control
- High pressure burnerSpot heating with no air flow
- Fuel gauge
- HxWxD:

VAL6 1 STEP: 930 x 620 x 1200mm VAL MIDI: 810 x 660 x 710mm IFT21: 560 x 360 x 530mm

Room ventilation is required

Model	Nett Heat Output	Consumption	Fuel Tank
IFT21	70,000 Btu/hr / 20 kW	1.5 L/hr	15 L
VAL MIDI	112,000 Btu/hr / 33 kW	3.1 L/hr	35 L
VAL6 1 STEP	140,000 Btu/hr / 40 kW	3.7 L/hr	40 L





We provide a full range of heaters, downflow fans, dehumidifiers, etc. Ask your local branch for more details.

ALL Thermobile prices are for supply only, UK Mainland. Installation is available at an additional cost



ATF Test Lanes

Need an ATF Test lane? Call your local branch

18t Commercial **Brake Tester**

(ATT Arena XL441)

- PC controlled
- Installation width 3.5m
- · DVSA approved for ATF, Tachograph Testing & ATL
- Automatic test sequence

ONLY









Brake Tester

Full workshop planning service available

ATT Hydraulic Mobile Column Lifts

5.5t or 7.5t per column lifting capacity

Compact

 Wired, up to 4 columns **4 COLUMNS ONLY**

Flex

(MCS5.5F) or (MCS7.5)

• Wired, up to 48 columns

4 COLUMNS ONLY 4,955 5 Year Lease £83.07 pw

Wireless

(MCS5.5W) or (MCS7.5W)

• Wireless, up to 8 columns **4 COLUMNS ONLY**



- 7.5t/column capacity (LTW75)
- Wireless
- Additional columns available at time of ordering, only

4 COLUMNS ONLY







16t 4 Post Leviathan Lift

- 8m platform length
- Wide access between columns
- Synchronized heavy duty motors

ONLY



Mobile Column Lifts

- Electro hydraulic
- Cable free communication options
- Long life battery pack
- Adjustable lifting forks
- Rapid lifting time

FROM

Tecalemit ATF: Proven performers

Tecalemit is a leading provider of DVSA approved ATF lanes along with lifting, lubricating & servicing equipment. Packages can include:

- Inspection pits
- Pit jacks

Signage

- Roller brake testers
- Wheel play detectors Small tools
- Emission testers
- Radius turning plates CCTV • Fume extraction
- Communication systems • Civil & Electrical works

Each installation is bespoke to each facility. Tecalemit workshop designers prepare CAD drawings for optimum design using Tecalemit approved equipment.



Fully Automatic Tyre Changer (TTC 600)

 Truck/bus wheels from 14"-30"

• Run flat, low profile & high performance tvres

ONLY



Elan Automatic Wheel Balancer (TBM 500)

- Truck, bus, car & car derived van wheels with pneumatic wheel lift
- LCD video display
- Multi operator program
- Truck wheel mounting kit included











TTC Road Springs Don't get caught out this winter!

The most comprehensive range of original equipment quality road springs in the CV aftermarket, sourced from Europe's two premier manufacturers - Weweler & Schomäcker



Beware Cheap Imitations!

Seen some low cost road springs?
Think before you buy!

They are cheap for a reason, invariably because they are made with low quality steel.

While they may look the part, time will tell a different story...

Failures are extremely costly!









Courtesy of TTC you can WIN 1 of 12 Collections of Thornton's Chocolates in time for Valentines Day! Enter by 31st Jan 2015 for your chance to WIN!

Answer these two questions and return the entry form below to the address shown by 31.01.15: (answers on this page)

- 1. How long is the warranty on TTC original equipment quality road springs?
- 2. From what material are low cost road springs invariably made?

CV SMART CHOICE Issue 1 Competition Nov '14 to Jan '15

Fill in the answers, complete your details then FAX this form to 01726 71771, or POST it to CV Smart Choice Competition, IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR.

All entries must be received no later than 31.01.15.

	CV Smart C	All entries must be received no later than 31.01.15.														
Q1:												 	 	 		
Q2:												 	 	 		
Name:												 	 	 		
Garage	Name:											 	 	 		
Garage	Address:											 	 	 		

Postcode: Which IFA Member supplies your garage?:

..... Branch:



CV SMART CHOICE Issue 1 Competition Terms & Conditions: Closing date for entries is 31.01.15. The draw will take place by 06.02.15. The first correct entry drawn from all the correct entries received by the closing date for each IFA Member (12 in total) will win a collection of Thomston's chocolates worth at least £75 at RRF. The winners will receive their prize within seven days of the draw, delivered by the branch named on the competition entry. No cash alternative will be offered. The prize is not transferable. Entries will only be accepted on the original entry form published in CV Smart Choice 1. The competition is open to active accounts only. Only one entry per person. Photocopied entries will not be accepted. Only legible entries with the correct answers, that show your name, the name of the garage you work at and its address, and the name of your local IFA Member, will be entered into the draw. Proof of posting is not proof of elivery. No correspondence can be entered into. Entries should be faxed to 01726 71771 or posted to CV Smart Choice Competition, IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR. By entering the competition you agree to participate in publicity should you win. The correct answers and winners' names will be published in CV Smart Choice Issue 3 (May/ June/July 2015). The promoter of the competition is the IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR. The competition is not open to employees, their families or any agents of the IFA or their families or associates.



Avonmouth
Bridgwater
Chipping Sodbury
Gloucester

01179 821 321

01278 450 152

01454 311 848

01452 757 500