
# FIGHERSONS PLO SHOUP COMPANY III

# C SMART CHOICE



per week based on a 5 year lease

# CVSMARTCHOICEnews

#### **New IAAF member-friendly website**

Have you taken a look at the new Independent Automotive Aftermarket Federation (IAAF) website?

IAAF members can review latest industry activities and an exclusive range of



member-only benefits at www.iaaf.co.uk as well as association news. New visitors can find out about the IAAF's services.

The site includes news of the IAAF's most recent lobbying activities, e.g. MoT testing proposals and communication with Vauxhall over Zafira fires.

Wendy Williamson, IAAF chief executive, said: "We are committed to promoting both the IAAF and our members' interests. The new website is a professional platform to connect more directly with members, enabling us to work with them to promote their business and the independent aftermarket."

Visit the site to access the member's Alternative Dispute Resolution scheme and free legal helpline, just two of the professional, supportive services IAAF provides. Exclusive information is given on service providers, as well as any recent legislation affecting the industry.

Regular updates will address developments crucial to the success of members' businesses.

Not an IAAF member? Call your local IFA Member to discuss how IAAF membership could benefit your business and your industry.



#### Have you registered for the CV Show?

If you haven't already, the time has come to register to visit the 2016 CV Show at www.cvshow.com. Entry is free for the event which takes place at the Birmingham NEC from 26th to 28th April, 08.30 to 17:30.

Attracting nearly 20,000 business visitors, the CV Show is the best attended, largest and most comprehensive road transport and logistics event held in Britain. Three quarters of the visitors are fleet owners, senior managers and engineers.



#### New Gates Heavy Duty thermostats an exact fit for today's trucks & buses

Gates new range of heavy commercial vehicle thermostats fit and perform like the original. Their exact fit avoids leaks and maintains engine temperatures strictly within OE specifications. High quality construction ensures a long, trouble-free life - no compromise on quality means all the OE fit and performance criteria are met.

The range has been introduced building on Gates expertise in passenger car thermostats, a comprehensive range of over 500 references.

The new heavy duty thermostat range includes numerous types of thermostats to provide the same design as specified by truck and bus manufacturers. Several are supplied with the matching gasket or seal to correspond with the OE offer.

Gates thermostats for trucks & buses offer:

- Fast engine warm-up
- · Precise engine operating temperature control
- Good fuel economy
- Low emissions
- Optimum engine performance

Thermostat issues often emerge during the winter months, when there are heating problems inside the cabin. It is not easy to spot thermostat ageing and problems that are likely to cause thermostat failure so it is prudent to replace the thermostat whenever replacing any faulty part in the cooling system. If a thermostat fails - or only loses some functionality - there can be severe consequences, including engine damage.

Gates are committed to continued heavy investment in a full aftermarket thermostat range for Heavy Commercial Vehicles. The range currently covers the seven most important makes: Iveco, Scania, DAF, Mercedes-Benz, Volvo, MAN and Renault with both traditional and housing thermostats.

Call your local IFA Member for more information and to order.





#### **Truck & Trailer Specialists Scoop IAAF Award**

Warm congratulations to Truck & Trailer Specialists, a Member of the IFA, who received the coveted award 'CV Distributor of Excellence' at the IAAF Awards Dinner in December.

The event, held at the ICC in Birmingham and sponsored by Comma Oil, saw the award made in front of the 600 guests and more than 30 aftermarket companies. Truck & Trailer Specialists MD Paul Cousins is pictured below with the award with Wendy Williamson, Chief Executive of the IAAF and John Inverdale, event speaker and compère.





CV Smart Choice Issue 6 Terms & Conditions: Offers end 30th April 2016. All offers subject to availability and change which notice. Certain featured products may not be stocked by Iff AM embers. Call Jour local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except at the discretion of your local IFA Member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All or discretions of the product marketine claims are the resconsolibility of the Commany on behalf or whom they are made and are not the liability of the IFA or it is easier. & B.O.E.

All lease payment examples are based on a 60 month repayment period and with religious DEPOSIT facility. All lease figures or payment are subject to VAT and status. Alternative lease plans are available and not be tallowed to you what Are (not leaves the station subject to VAT plans and status. Alternative lease plans are available and not be tallowed to you have a facilities please call Alliance & General Leasing on 02476 220000.

Descripted & montread for the IEA by Unbounded Little was unbounded could

#### **Raufoss New Line Fittings**

#### **Push-in Air Brake Tube Connector System**

Used OE by major truck manufacturers such as Volvo, Mercedes-Benz, Scania & Bus Manufacturers including Optare & Wrightbus

- A limited number of components which simply plug together to form a complete range of fittings
- New composite material reduces system weight
- · Reduced article numbers, increased design flexibility
- Releaseable tube & fittings
- Quicker assembly

#### **Assorted Box** MSK802

- · Fast moving parts
- Release tools
- Contents below

ONLY

A Great **Starter Kit!** 



- 3 x (M12 x 1.5) (R10021200)
- 2 x (M14 x 1 5) (R10021400) 3 x (M16 x 1.5) (R10021600) 3 x (M22 x 1.5) (R10022200)
- 2 x T-Type Coupling (med) (R52000000)
   Threadless Couplings (med):

   1 x Threadless Test Point (R60020000)
   2 x Tube (6 x 1) (R02020600)

   1 x System Release Pliers (6921)
   2 x Tube (8 x 1) (R02020800)
  - 2 x Tube (10 x 1.25) (R02021002) 2 x Tube (12 x 1.5) (R02021200) Tube Release Tools:
  - 1 x 6mm (4662) 1 x 8mm (4663) 1 x 10mm (4664) 1 x 12mm (4665
- 90 Dearee Elbows (med): 2 x Integral (Tube 6 x 1) (R03020600) 2 x Integral (Tube 8 x 1) (R03020800)
- 2 x Integral (Tube 10 x 1.25) (R03021002) 2 x Integral (Tube 12 x 1.5) (R03021200) 2 x 90 Degree Elbow (med) (R32000000)



**Tube Release Tool** 

Call

your local

**IFA Member** 

to order

T Type Coupling



T Type Coupling

Threadless Coupling

**Threadless Adaptor** 

Coupling - Swivel





F Type Coupling



**Cross Type Coupling** 



4 Way Coupling 3 Way Coupling



Integral 90 Degree Elbow



90 Degree Elbow



# Tube Gear

# Cost-effective, quality solutions that work

# **Traffic Film Remover**





#### **ORP25L**

- Use at 0.5 to 1% can be pre-diluted with up to 2 volumes of water (below)
- High alkalinity superior clean & grease cutting
- Dewaxes (polymer wax)

Using QRP25L in a pressure washer offering dilution to only 2%? Simply pre-dilute for the required strength:

- 1 equal volume of water (1% strength)
- 2 equal volumes of water (0.5% strength)



Use at 1%



#### OPP25L

- Use at 1%
- Contains wax for a superior finish



- Use at 2%
- Ideal for sign written cabs

#### 25 litre Multipurpose Traffic Film Removers

Degrease engines, chassis & components

Call your local IFA Member to order \*At the dilution rate shown for the product

**FROM** 

# WINNARD

Proven quality from the UK's leading aftermarket supplier

Manufacturing brake drums since 1930 & brake discs since 1965 Investing in quality control to achieve/maintain European accreditation ECE R90

# New to Range DAF, CF, XF

#### **Brake Discs**

**NEW DAF, CF, XF Splined Brake Disc** (DA1059)

- NEW 'Easy fit' design includes heat & wear resistant intermediate elements
- No fitting kit required!
- Re-designed hub location bolts for improved fitting & removal
- Does not infringe patents





#### **Brake Hubs**

**NEW DAF, CF, XF Brake Hub Kits** 

Front & rear kits include:

- Hub
- Pressed FAG bearing
- Mounted brake disc, choose from:
  - Vented (DA1058)
  - Solid Disc (DA1058S)
  - New Design (DA1059)
- Fitted ABS ring



Call your local IFA Member to order

**WINNARD** 

# 8 Product Lines - One of the largest & most complete Aftermarket offerings

Trucks • Coaches • Buses • Agricultural Vehicles • LCV

Valeo supplies the aftermarket with OE pedigree products, new business opportunities & smart solutions across & product line systems:

- Braking
- Lighting
- Thermal
- Air Conditioning
- Transmission
- Electrical
- Security
- Wipers

Your commercial vehicle multi-specialist

valeo added IIIIIII

www.valeoservice.co.uk

**Valeo** 

Automotive technology, naturally

# Lucas

# **ZMB258**

SINGLE BOX BULB STAND WITH 200 OF THE FASTEST MOVING 24V BULBS



GREAT VALUE INSTANT DISPLAY & STOCK SOLUTION

#### Lucas Branded

One of the most recognisable and trusted brands in the UK automotive aftermarket

#### Essential bulbs as follows:

ZMB258 INCLUDES 200 BULBS AS STANDARD:					
LLB149	30	LLB249	20	LLB460	5
LLB150	20	LLB294	10	LLB466	5
LLB241	10	LLB346	10	LLB475	5
LLB242	10	LLB507	10	LLB775	5
LLB246	10	LLB508	30	200 bulbs ready to hang!	
LLB248	10	LLB508TAC	10		

Order today while stocks last Call your local IFA Member ONLY ESS

www.lucaselectrical.co.uk

Trust Lucas

### febi bilstein Shock Absorbers Available NOW!



Starting from only

£35.00



Call your local IFA Member to order

www.febi.com



CleanAirBlue™ The AdBlue® Solution from Samuel Banner and Co. Ltd

#### How much AdBlue® will I use?

Usage is vehicle age & operation dependent, e.g. a Euro 6 HGV on a long haul typically uses 4% to 6% AdBlue® (4 to 6 litres of AdBlue® per 100 litres of fuel)

For tractors & off-highway vehicles typical usage is 3 to 5% AdBlue®

2 litre, 10 litre, 18 litre, 210 litre, IBCs

from your local IFA Member

Not all pack sizes stocked by all IFA Members - but all available to order



# **Polyco**

- · Highly versatile glove with 2 Layers of latex coating on a nylon liner
- Water resistant surface extends right through to the wrist
- · Ultimate gripping ability & protection
- Increased resistance to liquids provides maximum grip in wet handling environments



oizes:				
7	8	9	10	
1111/07	CIW/OO	CIW/OO	CIW/10	C1



0

Call

your local IFA Member to order



NOW Call your local IFA Member to order

**NEW CV RANGE** of Delphi approved remanufactured exchanged units

**CARWOOD** - the first UK company to offer a test & reporting service for DAF EUP & Smart Injectors for Euro 4 & 5 vehicles

We offer a full DAF remanufacturing programme (thought to be over 2 million applications!)

Think of the service opportunities!



#### A tiny sample of the parts available:

Delphi	OE Ref	Unit Type	Application
BEBU5A00000	1668325	DAF EUP	CF75 (PR-06>) CF85 (MX-06>) XF105 (MX-06>)
BEBJ1A01201	1826007	Smart Injector	CF75 (PR-06>)
BEBJ1A05001	1905002	Smart Injector	XF58, XF105 MX EURO 06>
BEBJ1A05002	1905001	Smart Injector	XF58, XF105 MX EURO 06>

Appoved diesel centre for all leading OE diesel system remanufacturers including:





#### **EXTRA SERVICE HGV PARTS**

#### DAF Goes the Gates Way with Heavy Duty Quality

Gates, a preferred supplier for most of Europe's major heavy duty vehicle manufacturers, has recently become the OE choice for Auxiliary Belt Drive Systems on a range of DAF trucks

DriveAlign® Tensioners and Micro-V® Belts are already available in kits for these DAF applications

DAF's switch clearly demonstrates that you can trust Gates products

Visit <a href="GatesTechZone.com">GatesTechZone.com</a> for installer support:

- ensure a first time fit on trucks and buses
- increase efficiency & keep downtime to a minimum
- eliminating unnecessary rectification work

Gates **EXTRA SERVICE** HGV programme provides trouble-free, long-lasting solutions for the demanding working conditions placed on trucks and buses

Gates Heavy Duty Kits are available for a range of engine codes for DAF models: XF 105 (410, 460, 510), XF 95 (560) and CF 85 (360, 410, 460 and 510)

#### Popular DAF applications in the **EXTRA SERVICE** range include:

Part No.	Description	Applications
K018PK1222ES	Micro-V® Kit	DAF LF 45/55, CF 65
K018PK1520ES	Micro-V® Kit	DAF LF 45/55, CF 65
K019PK1453ESXS	Micro-V® Kit	DAF CF 85
K019PK1425ESXS K019PK1380ESXS K017PK1753ES	Micro-V <sup>®</sup> Kit	DAF CF 85 / DAF XF 95 / DAF XF 105
K019PK1360ESXS	Micro-V® Kit	DAF XF 105
T38584	DriveAlign® Tensioner	DAF LF 45/55, CF 65
T36196	DriveAlign® Idler Pulley	DAF LF 45/55, CF 65
T36516	DriveAlign® Idler Pulley	DAF LF 45/55, CF 65





#### For more information contact your local IFA Member

For further information and full application data visit GatesTechZone.com or partinfo.co.uk
For technical support, please call the Gates Technical Hotline on 0844 980 0062\*, or email info@gatestechnical.com

\* Available Monday - Thursday, 8.30am - 5pm, and Friday 8.30 - 4pm (calls cost 3p per minute from landlines)



### All the great quality braking parts you need

# Remanufactured CV Brake Calipers

- Remanufacturing CV Disc Brake Calipers since 1985
- Continuously ISO 9001 approved since 1991
- Calipers electronically tested to ensure fine adjustment, tappet synchronisation & correct braking force
- Comprehensive technical support
- Significant R&D expenditure to enhance & prolong product service life
- Integrated world-class manufacturing software for efficiency & full traceability
- 20,000+ Disc Brake Calipers per year pass through the purpose-built Warrington facility

Call your local IFA Member to order



**Celebrating 40 Years in Business** 

### FLEET PÄRTS

www.fleetparts.co.uk



Using the most advanced friction technology, the new DON 8750 range increases life between service intervals whilst offering the same DON high quality performance.

The range will also benefit from an innovative lightweight backing plate, which, while as structurally effective as before, saves up to 7.5kg on a six-axle truck, improves fuel consumption, is kinder on the brake discs and saves valuable weight. The unique double slot on the pads dissipates heat and increases stability. CVP020K is already available ex-stock, with the rest of the range following shortly.



# MADE IN GERMANY TRUSTED WORLDWIDE

DON - at the forefront of brake friction technology for over 100 years, with a reputation for uncompromising quality and reliability, DON has retained its position as a strong market player in developing and supplying braking solutions for commercial vehicles, buses and coaches. Excellent value for money, whilst never compromising on safety, DON offers a product fit for purpose for fleet operators and workshops worldwide.

DON is a registered trademark of TMD Friction

www.don-brakes.com

## NEW Longer-lasting brake pads SAVE YOU MONEY







# **JUST RELOAD!**

We haven't reinvented the wheel, only how to repair it.

Why replace an entire wheel hub when it can be efficiently repaired?

The innovative FAG RIU (Repair Insert Unit) is a unique and patented complete truck hub repair solution in a box:

- Cost efficient replacement reduces downtime and parts costs
- Pre-assembled and lubricated ready to fit
- Easy, trouble-free mounting complete with fitting tool and instructions
- Available for DAF, SAF, Schmitz-Cargobull, Renault & Volvo applications

#### You need more? We can help!

www.repxpert.co.uk | www.schaeffler-aftermarket.co.uk











# INNOVATORS OF LED LIGHTING



UK

GERMANY

USA

MEXICO

CHINA

www.Truck-Lite.eu.com



#### Truck **Compressed Air Tanks**


DAF CF. LF. XF **Gray Adams** 

Scania 5 series R & P Cabin, Bus F/K/N

Schmitz Cargobull

Volvo FH, FM, B5R, B7R, B9R, B12B, B12M

- · Made to OE specifications, from powder coated steel
- Conform to EEC Directive EN286.2 (1992)
- First time fitment, all fittings & mounting brackets available for listed applications
- 12 Months manufacturer's warranty
- Identifiable from length/diameter
- Non-removable labels identify tanks for servicing





Just a small part of our range - call your local IFA Member for our full range

### Quality parts & tools at great value prices

#### **Impact Socket Set** Metric 3/4"D 7pc (6410)

- 120mm extra long sockets, sizes: 24mm, 27mm, 30mm, 32mm, 34mm, 36mm
- 3/4"D>1/2"D Adaptor (45mm long)
- Bi Hex (12pt)
- Chrome Molybdenum with manganese phosphate finish

ONLY

Prop Shaft Bearing Nut Socket 3/4"D - DAF (6347)

- 3/4"D Special profile
- For DAF XLR (Euro 4)
- Chrome Molybdenum

ONLY

#### **Deep Impact Socket Set** Metric 3/4"D 9pc (6409)

- Sizes: 30, 32, 33, 34, 35, 36, 38, 41, 46mm x 90mm long
- Chrome Molybdenum with manganese phosphate finish
- · Single Hex 6pt

**ONLY** 



#### **HGV Track Rod End** Removal Socket (6443)

- Removes steering track rod ends / drag link ends after the tapper has been separated
- 36mm Hex drive for use with 1/2"D or 3/4"D with 36mm socket / impact gun combination
- By popular demand from customers!
- Unique design tear-drop shaped slot in the skirt helps prevent "cam out" in use
- 80mm internal diameter, 32.8mm slot width, 70mm internal depth
- Made in Sheffield; EU Registered design

ONLY















#### 50t Workshop Press Support Block (6422)

- Stable, adjustable support base for vehicle hubs & other complex shapes; allows bearings to be pressed out with ease
- In addition to base block, includes:
- Adjustable, heavy duty, steel threaded columns 3 ea x 110mm, 150mm, 190mm, plus 4 x machined heavy duty washers & support sleeves for added strength
  - Adjustable spacer block to provide additional support
  - Side Guard Plates (pair) for added security & safety
  - Safety retaining screws prevent risk of block moving on the press
- UK Manufactured from aircraft grade structural aluminium
- CE marked, with Test Certificate of Conformance - SWL 50 tonnes
- LxWxD 285mm x 200mm x 50mm
- Weight 7.2Kg (base block)

ONLY



#### **Damaged Nut/Bolt Remover** 3/4"D 7pc (6337)

- Ideal for rusted / corroded bolts
- Sizes: 27mm, 30mm, 32mm, 33mm, 34mm, 36mm
- Punch bar
- Socket length 46mm
- SCM440 Steel hardness HRC 45-48, phosphate finish





#### Air Dryer Cover Remover 104-150mm (6328)

- · Removes CV air brake filters (extremely tight / difficult to remove without the correct tool)
- Size range: 104-150mm, leg length 64mm
- Also removes/installs HGV/LCV oil filters
- Spring loaded, driven by 1/2"D power bar. 24mm ratchet or wrench



#### **Expert Quality**

#### Air Tyre Inflator Twin Push-On (36632)

- Inflator with twin open-ended push-on connectors
- Pressure range: 10-160psi
- Max air supply pressure: 17.2bar/250psi
- Supply inlet 1/4" BSP taper (F)
- Hose length approx. 0.6m

#### ONLY



#### **Body Repair Tool Kit (37875)**

- 10 tonne Pump unit & 14 accessories
- Steel storage / carry case
- Weight: 38kg

#### ONLY

£171.95



#### 90Ltr Oil Drainer (78405)

- 2m x 25.4mm Discharge hose
- Air discharge
- Safety valve
- Castors for easy manoeuvrability
- 18 litre Steel collection pan
- Oil reservoir level indicator

#### ONLY



#### 1" Flexible Handle 1000mm (34343)

- Specially designed chrome molybdenum hinged joint head
- Spring-loaded ball bearing
- Hardened chrome vanadium steel
- Tempered & chrome plated

#### ONLY



#### HGV Wheel Stud Rescue Kit (38401)

- Restores damaged wheel stud threads
- 4 Dies, adaptor, 2 retainer o-rings
- Shock resistant plastic case

#### ONLY

**£40**.35



#### 1" Twin Hammer Impact Wrench (22412)

- Lower noise, low vibration, high torque, twin hammer action with easy three forward & reverse speeds
- Ergonomic design & support handle for user comfort
- 185mm long extended anvil
- Rotating air inlet to prevent air lines tangling
- 2441Nm (1800lb-ft); 7.2kg; 6000r/min

#### ONLY

**£435.00** 









Delphi's commercial vehicle software provides OE-level diagnostic capability for over 51,000 heavy duty applications.

Whether you're working on HGVs, buses and coaches, or trailers and LCVs our DS tool is a powerful, comprehensive and cost-effective solution that no CV technician should be without. For the right repair, first time, every time - choose Delphi.



Not Just Quality. Delphi Quality.

delphiautoparts.com D








## **Propane Gas Fired Heaters**

\*Nett heat output is maximum & consumption approximate

- Heavy duty, clean combustion, easy to maintain
- High capacity at a low price
- Piezo push button ignition
- Thermocouple flame protection
- Adjustable capacity regulator (except G17)
- Gas hose & gas pressure regulator
- 230V







#### Radiant Halogen Electric Heater

(EH0208)

- 2 Settings, max. 3kW (10,236 Btu/hr)
- Heavy duty construction
- Quick to heat, fully portable
- Tip over & overheat safety cut-out
- Carry handle, cord storage & castors
- 220-240V
- Weight: 16kg
  - HxWxD: 890 x 550 x 490mm

ONLY



#### **THERMOBILE**

#### **Manufacturing & Supplying Workshop Heaters for Over 50 Years**

Fully trained Service Agents • Comprehensive stock of spare parts
Full range of heaters, downflow fans, dehumidifiers, etc • Ask your local IFA Member for details

ALL Thermobile prices are supply-only, UK Mainland. Installation is available at an additional cost.









**TECALEMIT CV Workshop** Equipment is found in daily use in workshops throughout the UK

#### THE COMPLETE ATF PACKAGE

**Q** Can I be an ATF Test facility?

Considering becoming an ATF, talk to us first? We offer the very best ATF testing equipment, supplied and maintained by TECALEMIT, to Commercial Vehicle servicing facilities and Operators. Our DVSA approved equipment offers exceptional performance, unique features as standard and outstanding after sales support.

TECALEMIT ATF Lanes are tailored to the site and the Operators' requirements.

#### Packages can include:

- ▶ Pre-Fabricated Inspection Pits
- Headlamp Beam Testers
- ► Emission Testers
- Hydraulic Pit Jacks
- Brake Testers
- Wheel Play Detectors
- $\blacktriangleright$ All Ancillary products

TECALEMIT has a team of highly experienced technical specialists. Clients receive free consultation & workshop planning guidance, including CAD drawings for submission to VOSA. We can provide civil work & electrical contractors if required, or we can work with your own contractors to ensure site preparation is completed to the required standard. Our 60 service engineers across the UK provide service, calibration & general maintenance


A Call your local IFA Member to arrange a free consultation

# ONE PERSON OPERATION WITH ROBUST 7" TABLET AS STANDARD



# BUS LIFTING TRUCK BRAKING HEADLAMP ALIGNING AT F TESTING

**ATF LANES & STEEL PITS THE COMPLETE PACKAGE** 



COMMERCIAL GARAGE EQUIPMENT & INSPECTION PITS



www.gemco.co.uk



# EUROPE'S MOST COMPREHENSIVE RANGE OF LED VEHICLE LIGHTING

Designed, Manufactured & Guaranteed by LED Autolamps

# New Catalogue Out Now

Contact your local IFA Member for your copy

We guarantee only the absolute highest quality standards across our entire range – offering the most comprehensive choice of LED vehicle lighting available in Europe – exclusively available from LED Autolamps

✓ Fully ECE Approved ✓ Registered Designs ✓ Extended Warranties



# PICKSONS PLC GROUP COMPANY IN THE

Avonmouth

01179 821 321

**Bridgwater** 

01278 450 152

Gloucester

01452 757 500

Yate

01454 311 848