DICKSONS DIC GEOLD COMPANY



The leading automotive parts distributor in Europe

CV Issue 7

The brands behind the bad



ASPÖCK





































Trucklite













Think you have to go to the main dealer? Think again! DAF • HINO • IVECO • MAN • RENAULT • MERCEDES-BENZ • SCANIA • VOLVO

We have **GE**



jackets





Vehicle & Floor Cleaning KARCHER

Powerful • Robust • High flow rate Ideal for large vehicle valeting **Cold Water** Pressure Washer



HD 7/11-4

CVSMARTCHOICEnews

Calls for London Safer Lorry Scheme to be rolled out to other major UK cities

Calls from interest groups for the London Safer Lorry Scheme to be rolled out to other major cities have followed it's introduction in London's Low Emission Zone last September.

The Scheme requires vehicles over 3.5t to meet mandatory requirements - side guards to prevent cyclists being dragged under the wheels in the event of a collision and Class V and VI mirrors to increase driver awareness of cyclist presence. Failure to comply at any time can lead to a fine of up to £1000.

With an economic focus on the construction of the Northern Powerhouse, these measures are starting to gain momentum nationwide.

The now privatised FORS (Fleet Operator Recognition Scheme, originally developed by



Side Scan Sensor System

TfL - Transport for London) is rolling out a voluntary accreditation scheme issuing industry specifications for HGV. CLOCS (Construction Logistics and Cyclist Safety) is working with the construction industry to embed road safety culture.

Adoption of product listed in specifications issued by groups such as FORS and CLOCS has become best industry practice for operators in the south east, a trend likely to increase across the UK. Though not a legal requirement many construction sites have adopted these standards and vehicles not compliant with certain specifications are not allowed on site.

Your local IFA Member has all the kit needed to meet cyclist safety specifications including side guard rails, Class V (side close proximity) and Class VI (front projection) mirrors, sidescan cameras, truck turning left 'talking' alarms, white sound reversing alarms and danger zone signs, in addition to mobile digital recording systems (see p5 for digital dash cameras).

Call your local IFA Member to order.





Air Con F-Gas Recovery - Responsible handling is essential

Refrigerant handling carries responsibilities and requires care. Venting refrigerants such as R134a and R1234yf to the atmosphere is illegal. If you handle vehicle air con refrigerants, it is good practice to be F-Gas trained BUT essential if you or your workshop are involved in F-Gas recovery. Your local IFA Member can help you book F-Gas training.

Vehicle air con systems are sealed, so if a system is losing (or has lost) refrigerant, clearly there is a leak. To protect the environment it is good practice to locate and fix a leak before refilling

Your local IFA Member has UV lamps and dyes to find a leak and replacement condensers to fix it.

Just call us to order.

Keep customers and drivers cool this summer!

Air Con season offers a huge range of profit opportunities for workshops and a great deal of work for fleet operators, including full system servicing (p 12) and repairs (p 11).

Your local IFA Member carries a full stock of air con parts, consumables and tools. We work with the best garage equipment companies supplying air con diagnostics and servicing equipment.

Call your local IFA branch for everything you need, whether you are just getting into this lucrative work, servicing a fleet or a tried and trusted HGV air con service provider.

Just a small selection of vour local IFA Member's air con range

Parts (p11)

- Compressors
- Condensers
- Receiver Dryers

 Evaporators • Fan Blowers

Gas R134a/R1234vf

Tools

- OFN Gauge Sets
- Refrigerant Sniffers
- UV Lamps
- Gas Analysers

Servicing Machines (p12)

Consumables (p11)

- PAG Oils
- UV Dyes
- Gloves

CVSC5 Yuasa Competition Winner!

Our warm congratulations to Mr. Paul Darby of A2B Newquay, a customer of the Bodmin, Roche branch of Cornwall Fleet Components.

Mr. Darby was delighted with his Yuasa prizes, a YCX25L Smart Charger and an SHD Battery.

Paul is shown receiving his prizes from Ms Sara Cartland of the Bodmin, Roche branch.







FREE WABCO Softshell or Fleece **Lined Jacket with each** CANIA E-APU 932 510 009 0 purchased* Closing date 30.07.16

Available in sizes S/M/L/XL/2XL/3XL/4XL Fleece lined jacket also in size XS



- breathable · Soft, high stretch fabric
- Zipped chest & side pockets, inner pocket





Fleece Lined Jacket

- Anti-pill fleece lined body
- Waterproof, windproof
 - Polyester outer
 - Taped seams
 - Insulated sleeves
 - Concealed hood
 - Zipped pockets plus an inner security pocket

*Terms & Conditions apply. See below

*WABCO Jacket Promotion Terms & Conditions: Offer ends 30/07/16. Receive a free WABCO Softshell or Fleece Lined Jacket for each E-APU (932 510 009 0) ordered between 01/05/16 and 30/07/16. State which jacket and size you require when ordering the E-APU. Choose size from S/M/L/XL/2XL/3XL/4XL (fleece lined jacket also in XS). Jackets will be delivered by end August 2016. Returns do not qualify for this promotion. Account holders only; to apply for an account contact your local IFA Member. Accounts must be paid to terms at the closing date to qualify for this promotion. The promoter is WABCO Automotive UK Ltd, Unit A1, Grange Valley, Grange Valley Road, Batley, W Yorks WF17 6GH.



Just ONE part number for all these references:

WABCO Part No.	Replacement for / Cross references			
	WABCO	SCANIA		
932 510 009 0	932 510 000 0	1474663		
	932 510 001 0	1535829		
	932 510 002 0	1753577, 1738295		
	932 510 003 0	1770184		
	932 510 004 0	1928589, 1796161		
	932 510 005 0	1941953		
	932 510 006 0	214069, 2063357		
	932 510 010 0	2308777		

WABCO E-APU Support

WABCO E-Tutorial

Log in to myWABCO at www.am.wabco-auto.com

Click the link "Web Based Training"

Select "Replacement of the E-APU (APS)"

E-APU Repair Kits

Replacement parts for the E-APU:

Air Dryer • Cartridge • Exhaust • Gasket Manifold Block • Non-return Valve Protection Valve • Safety Valve

Diagnostics

Diagnose E-APU problems

- Diagnostic laptop "Toughbook"
- Diagnostic software "APS E-APU"
 Diagnostic Interface Set (USB)
- Diagnostic Cable (OBD-multiswitch)

Solenoid Valve

Testing

Test BenchMobile Test Bench

Call your local IFA Member for more info

Contact your local IFA Member for details & to order

www.wabco-auto.com

WABCO

Replacement Euro IV & V Silencers




- Direct replacements for the original factory-fitted Euro IV/V silencer
- Stainless steel material
- Correct EU Emission requirements met
- Associated pipework available for specific models
- Dinex Technology Centre tested to ensure compliance on emission reduction, back pressure & noise reduction

Popular Fitments:

Renault Premium

Dinex no. 64305 OE no. 7420920724



DAF CF/XF

Dinex no. 21441

OE nos. 1691063,

1669321, 1685172, 1747245, 1827547

Dinex no. 47351

MAN TGL/TGM



Iveco EuroCargo

Dinex no. 28460 OE no. 504135187, 5801269056



Call your local IFA Member to order





Volvo FH/FM Dinex no. 80393





www.dinex.co.uk



- DAF
- IVECO
- MAN
 MERCEDES
- RENAULT
- SCANIA
- VOLVO



febi bilstein Steering & Suspension Parts



Tie Rod / Drag Link End (02954)

OE No: 1603 789 (many other OE fits!) to fit: DAF 65CF, 75CF, 85CF, 95XF, CF65, CF75, CF85, F28-F36, N28, TT2100, F5-F27, F75, F85, F95, XF105, XF95, YT295

ONLY



Axle Rod (35639)

OE No: 1 486 757 to fit: Scania

ONLY



A-Arm (32383) OE No: 74 20 741 703 to fit: Renault OE No: 20741703

ONLY

to fit: Volvo FH

£233.53

Spring Pin (06439)

OE No: 0 355 145 to fit: Scania

ONLY

£20.83

Spring Cushion (03528)

OE No: 74 20 390 836 to fit: Renault OE No: 20390836 to fit: Volvo FH, FM

ONLY

£59.00

Drag Link (34119) *OE No: 21106952*

to fit: Volvo FM, FH

ONLY

£105.10

King Pin Kit Double Set

(29730) OE No: 1895 530 S1 to fit: DAF

ONLY ON



Available NOW!

from your local IFA Member

www.febi.com





going the

extra mile

Digital Dash Cameras

- Provides vital evidence in the event of an RTA
- Reduces time to settle a claim
- Helps combat insurance fraud
- Can help reduce insurance premiums
- Plug & Play fitting without professional installation
- Video quality HD 1080 resolution (RBGDC200 HD 1080P)
- File protection integrated shock sensor
- Automatic stop/start & backup battery
- Loop recording older files can be overwritten





HD Compact 2.7" (RBGDC50)

Larger wide screen display

Includes number plate entry



Full HD Compact GPS (RBGDC200)

GPS adds location to recording
 Allows playback on Google® Maps
 140° Wide angle display
 Superior low light performance



www.ringautomotive.com

Call your local **IFA Member** to order



Great value on everything you need

AdBlue® Refractometer Kit (23193)

- Precisely measures urea concentration in AdBlue® diesel exhaust fluid (0 to 40%)
- Focusable eyepiece & automatic temperature corrected (ATC) prism for accuracy
- Also measures glycol & propylene anti-freeze strength 0° to -50°C
- Calibration screwdriver & fluid, pipette, cleaning cloth





600kg Vertical Transmission Jack (56731)

- High speed lift foot pedal & hand operated precision release, incorporating overload safety valve
- Large diameter wheels for easy manoeuvrability

ONLY



Height: min. 1175mm to max. 1985mm Base: width 560mm,

length 570mm Weight: 39kg



(DRAPER) Expert

149 pc 1/4", 3/8", 1/2" sq. dr. Metric Socket & Socket Bit Set (02363)

- 1/4" Sq Dr: 20 Draper Expert HI-TORQ® metric & 5 Draper TX-STAR sockets; assorted socket bits & accessories
- 3/8" Sq Dr: 17 Draper Expert HI-TORQ® metric & 5 Draper TX-STAR sockets; accessories
- 1/2" Sq Dr: 14 Draper Expert HI-TORQ® metric, 3 Draper TX-STAR sockets, 3-way adaptor; accessories
- Included with each: low profile 60 tooth reversible ratchet with "quick release" button, wobble extension bar(s) & universal joint, etc
- Bit holder 1/2" sq. drive x 5/16" hexagon 24 Insert bits: 3 plain, 2 cross, 2 PZ, 5 hexagonal, 6 Draper TX-STAR, 6 Draper TX-STAR security
- 5 Hexagon keys: 1.5-4.0mm





10t Long Chassis Hydraulic Trolley 'Quick Lift' Jack (48356)

- Heavy duty with 'guick lift' foot pedal
- 3 Position locking facility Rear swivelling castors &
- large saddle aid positioning Safety overload & bypass
- valves prevent overload
- Manufactured to EN1494
- One piece handle
- Lifting range: 155 550mm
- Overall size: 1600 x 480 x 250mm
- Weight: 150kg

ONLY

Call your local IFA Member to order





LEMFÖRDER 🕰



Replacement Parts in Original Equipment Quality

Lives depend on the quality of steering and suspension components fitted on your customers' vehicles, so only the best will do. That's why leading vehicle manufacturers put their trust in LEMFÖRDER as original equipment. You can too- ask your local IFA Member to order genuine LEMFÖRDER replacement parts and keep your customers and your reputation safe.

LEMFÖRDER- Safety in Steering and Suspension.



www.zf.com/uk



Fan Clutches & Blades

Old units are more likely to fail:

- If partly worn
- When it's summer!

New-to-Market

Some applications offer choice of with/without blades

Range includes popular marques:

- DAF CF, LF, XF
- IVECO Eurostar
- MAN TG-A
- Mercedes-Benz Actros, Atego, Axor
- Renault RVI Kerax, Magnum, Mascott, Premium
- Scania R, Series 4
- Volvo FH, FL, FM





Nissens

DELIVERING THE DIFFERENCE







New to AllFit Range: Compressors, Air Dryers

Call your local IFA Member to order

meritor.com





EXTRA SERVICE HGV PARTS Extra Service Micro-V® Belt Kits

Call your local IFA Member to order



Winners will enjoy a great weekend's racing including the **British & International Truck Rac Championships** courtesy of Gates & the IFA

You could be going! Tickets include:

Roving grandstand seat access • Free child tickets (15 & under) Legends Cars Racing • Pickup Truck Racing Championships Free car parking • Trade & manufacturers area • Open paddock Customised van displays • Truck market • Stalls



CV Smart Choice Silverstone Truck Festival Prize Draw Terms & Conditions: Every Gates Extra Service Micro-V* Belf Kit purchased from 01.05.16 until 16.07.16 gains one entry into the Prize Draw at the customer's local IFA CV Member Each IFA CV Member has one prize (a pair of tickets for Silverstone Truck Festival on 13/14.08.16) which will be awarded to the first entry drawn from all their own customers' entries. Returned products do not qualify. The draw will take place or 22.07.16. Account holders only; to open an account contact your local IFA CV Member's branch. The owner or a director of the winning customer will be contacted by telephone by 27.07.16. The winner must confirm to their local IFA CV Member that the owner, a director or an employee (plus one other) are able to attend by 29.07.16. If the winner is unable to use the prize, the tickets will be offered to the customer drawn second, etc. The prize does not include travel or overnight accommodation. The winner may be required to participate in limited post-draw publicity. No correspondence can be entered into. The promoter is IFA, 20 East Hill, St Austell, PL25 4TR. Employees of the IFA, their families & their agents do not qualify for entry to the draw

Whatever you need, call us for a great deal

*Terms & Conditions apply. See alongside

KÄRCHER

Hot Water Pressure Washer with Steam Mode


Offers high performance, reliability & economy! eco!efficiency mode offers energy savings of up to 20% energy without compromising

- 3-Piston axial pump, ceramic pistons
- 4-Pole motor with long-life bearings
- Simple user-friendly controls

HURRY! Ends 16th July 2016

- Model: HDS 7/10-4 M
- Power: 3.4 kW (240V)
- Pressure: 30-100 bar
- Water Flow: 350-700 litres/hi

ONLY







Floor Scrubber Drier 9.621-792.0 Outstanding results with ease! Heavy duty, ideal for small

& medium hard floors. Keeps workshops safe & VOSA compliant. Cleans/dries hard floors in one pass. Turn off vacuum to deep clean heavily soiled areas.

- Model: BR 40/10 C Adv
- Working Width: 400mm
- Fresh/Dirty Tank: 10/10 litres
- Power: 1.9 kW (240V)

ONLY

5 Year Lease £7.44 pw

Ask your local IFA Member



3 Phase Hot Water Pressure Washer

with Steam Mode 1.071-422.0

3 Phase supply - very high water flow & pressure for the toughest tasks. Ideal for regular, heavy-duty use.

- 3-Piston axial pump, ceramic pistons
- 4-Pole motor with long-life bearings
- Simple, user-friendly controls
- Model: HDS 10/20-4 M
- Power: 7.8 kW (3 phase 420V 50Hz)
- Pressure: 30-200 bar
- Water Flow: 500-1000 litres/hr

ONLY





Cold Water Pressure Washer 1.524-129.0

Powerful, robust - ideal for large vehicle valeting. High flow rate shifts dirt & detergent quickly/easily. Ideal for prolonged periods of use.

- 3-Piston axial pump for longer service life
- Slow running, 4-pole, air cooled electric motor for high cleaning efficiency & long service life
- Automatic shutdown reduces energy usage
- Highly manoeuvrable
- Model: HD 7/11-4 M Plus
- Water Flow: 500-700 litres/hr
 Pressure: 30-110 bar
- Power: 3 kW (240V)

ONLY



Call your local IFA Member for more information on these machines & to order the full Kärcher range



GRADES AVAILABLE!
Ask your local IFA Member
for details!









AD Commercial Lubricants:

- Made in the UK
- Maintain OEM
- warranty
 Fully synthetic
 low SAPS engine
 oils for CV/LCV
- oils for CV/LCV
 Semi synthetic &
 mineral multi-
- fleet engine oils

 Gear &

 transmission
- Hydraulic oils including mineral, high VI & biodegradable
- Grease
- Plant/agricultural
 oils
- Ancillary products



A Granning Group Brand

Firestone

World's Number 1 Air Spring.

FIRESTONE INDUSTRIAL PRODUCTS COMPANY

Suspension

Airsprings Shock Absorbers Truck & Trailer Springs



Air Brakes

Brake Chambers Slack Adjusters




Braking

Brake Drums & Discs Brake Pads Brake Calipers



Body & Electrical

Body Panels, Mirrors & Lights Pneumatic & Electrical Suzies



Chassis & Trailer

Fifth Wheels & Landing Legs Axle General Spares



Call your local IFA Member to order

www.airsprings.com



NOW IS THE TIME TO STOP AND BENEFIT

NEW FRICTION MATERIAL - DON 8750

At DON we are committed to providing high quality products. Developing and refining our bus and CV products is a continuous process. One of our latest innovations is our new DON 8750 compound. Part of the next generation of friction compounds, 8750 offers enhanced braking performance and longevity.

New characteristics and advantages:

- Constant heat dissipation new double slot (all 22" & 19.5" brakes)
- Shorter braking distances with a cold brake system, through an improved cold friction coefficient
- Better friction stability at temperature & speed
- Optimized wear characteristics
- Low propensity for disc cracking

SERIOUS STOPPING POWER

www.don-brakes.co.uk
DON is a registered trademark of TMD Friction

Heavy-Duty Lever Action Pump for AdBlue® (TP6607)

- Self-priming pump anti-drip nozzle
- 2 "BSP connector
- Dip-tube for 100 or 205ltr drums
- Added pump filter prevents unwanted large particles getting into fluid system
- Viton seals for transferring AdBlue®
- 1" x 2m Hose for hands-free applications
- Approx. 330ml per stroke discharge

ONLY **£59**,95

Tyre Bead Seating Tool (TC900)

- The easy/instant way to seat tubeless tyre beads
- Dumps air into tyre void forcing bead to seat against rim for inflation
- Fully certified tank
- Gauge & safety valve prevents over-pressurisation
- CV, car, agricultural & ATV tyres



Torque Multiplier Wheel Nut Wrench 65:1 (SX500)

- Removes/installs wheel nuts when an air impact wrench does not have easy access
- 210mm Extension spins loosened nut
- 32mm Impact socket
- Carry-case

ONLY

£69.95

Oil Filter Pliers Ø95-178mm (CV6412)

- Large forged pliers with serrated jaws & long handles for extra grip on oily filters
- Features a ratchet joint adjustable head
- Essential tool for removing CV filters
- Length: 520mm
- Chemically blackened finish

ONLY



<u> AutomInt</u>

making suspension simple







Exceptional Expertise, Widest l'ange, Second to None ServiceAutomint started life as a technical importer, 26 years ago in Huddersfield, supplying the (then) new airspring aftermarket. Offering technical advice to the independent aftermarket, Automint offered a service second to none, which it continues to do today. The business has evolved as the airspring range has expanded to include air suspension components.



THERMAL

Air Conditioning & Engine Cooling

Where OE comes as standard



CV Water Pumps NOW AVAILABLE

- As OE parts manufacturers we ensure
 OEM proficiency for the aftermarket
- Extensive coverage














CLIMFILL PRO & MAXI

Fully Automatic A/C Machines for CV, Bus, LCV



FREE F-Gas training

with any machine purchased 1st May to 31st July '16



valeo added* IIIIIII

www.valeoservice.co.uk



Automotive technology, naturally

Mini Air Impact Wrench 1/2"D (5586)

- 9000 rpm, 450ft lbs (610Nm) torque
- Max. 90psi (6.3 BAR) with 3/8" air hose
- Compact ideal for confined areas where a standard wrench will not fit
- Weight: 1.3kgs; Length: 122mm
- Sound pressure EN ISO 15744 94.2dB(A), vibration level 9.69 m/s²

ONLY

Extending Ratchet

- Power Bar 3/4"D (5745) • Forward, reverse & locking mechanism
- Extends 600mm (24") to 900mm (36")
- Universal joint with two position head (left & right handed angle). Spare head (0782)
- Tested to 1412 Nm
- · Chrome molybdenum head, chrome vanadium shaft, composite grip



HGV Hand Impact Wrench 3/4"D (6240)

- 580mm Long plus 360° rotation of head
- Features grip with hand protection
- Chrome Vanadium CV6140
- Replacement head available (2639)

ONLY



Combination Spanner Set 25pc (6396)

- Metric sizes: 6-32mm
- Mirror polished, Chrome Vanadium
- Supplied in a spanner roll

ONLY

}

Oil Filter Chain Wrench - HGV (6318)

- · Cranked swivel handle for confined spaces
- Size range: 60-160mm
- Chain length: 520mm
- Strong double width chain
- Handle length: 350mm

ONLY

Screwdriver Set (5599)

- Flat: 5.5x100mm, 6.5x125mm, 8x150mm
- Pz1x75mm, Pz2x100mm, Pz3x125mm
- Square shank continues through handle for extra strength
- Chrome Molybdenum
- Soft grip handles

ONLY

Flexible Air Hose 9.5mm x 15m

- Matt finish, silicone-free super flexible rubber/vinyl hybrid polymer
- Lies flat when uncoiled
- Resists: oil, UV, abrasion & weather
- Fitted with 1/4" BSPP fittings
- Max. working pressure 300psi • Min. bursting pressure 900psi
- Hose withstands -40°C to +60°C









CV Diagnostics. From Delphi.

Delphi's commercial vehicle software provides OE-level diagnostic capability for over 51,000 heavy duty applications.


Whether you're working on HGVs, buses and coaches, or trailers and LCVs our DS tool is a powerful, comprehensive and costeffective solution that no CV technician should be without. For the right repair, first time, every time - choose Delphi.



Not Just Quality. Delphi Quality.

delphiautoparts.com D







Experts in the Garage Equipment Industry

THE UK'S NO. 1 GARAGE EQUIPMENT COMPANY!





- 7.5 Tonne lifting capacity per column
- Sets of 4 (30 tonnes) or 6 (45 tonnes) columns
- Complete range of complementary accessory products
- Integrated towing jacks for easy manoeuvrability
- Largest spare parts support in the industry
- Largest dedicated after-sales service team
 unrivalled support throughout UK & Ireland
- 3 Year warranty subject to maintenance Exclusions apply. Visit www.gemco.co.uk for details

The UK's No. 1 Mobile Columns

Now available from the UK's No. 1 Garage Equipment Supplier

Call your local IFA Member to order www.gemco.co.uk



Air Impact Wrenches

06716CV7 1" Professional

- 1980Nm (1640 ft/lbs) Torque
- 4000 rpm Speed6" Anvil / twin hammer
- Rocking dog impact mechanism
- Removable side handle
- Positive action trigger1/2 " BSP air inlet





Composite

• Twin hammer - more power & smooth balanced blows

Composite construction

07202CV7 **3/4"**

- 1356Nm (1000 ft/lbs) Average working torque
- 7000 rpm Speed9.5 CFM Average air consumption
- 1/4" BSP Air inlet



07212CV7 **1/2″**

- 610Nm (450 ft/lbs) Average working torque
- 7500 rpm Speed • 6.5 CFM Average
- air consumption 1/4" BSP Air inlet

ONLY

£49.99





Air Compressor

05251SCV7 Airmate B3800/270 **Tandem Belt Drive**

- 230V (32A) Supply
- 270 litres Air receiver
- 2 x 3hp (2.2kW) Motor max. power from a single phase 32 CFM (906 litres/min) Piston displacement 22 CFM (623 litres/min) Max. free air delivery (F.A.D.)

- 145psi (10 bar) Max. pressure High efficiency twin pump units (operation continues in the event of a single pump or motor failure)
- 2 x Twin cylinder single stage pumps



Drum Fans

- Keep air circulating for a fresher, cooler working environment
 - Aids ventilation of odours, smoke & fumes
- Use for drying
- 230V (13A) Supply
 2 Speeds 1375rpm / 1425rpm
 Lightweight high velocity fan & ventilators, for maximum portability
- IP20 Protection

05616SCV7 **24**"

- 250W Motor
- Fan diameter 600mm (24") Max. air flow
- 219m³/min

05617SCV7 **30"**• 378W Motor

- Fan diameter 750mm (30")
- Max. air flow 260m³/min

ONLY

ONLY





SIPINDUSTRIAL

Superb Products, **Exceptional Prices**

...only from SIP

Pick up a copy of the latest SIP promotion from your local brack

achinery specialists since 1968

Workshop

03691SCV7 45 Ton Shop Press Pneumatic / Hydraulic

- 190mm Ram stroke
- 0 890mm Work range
- 7.5 8.5 Bar air pressure
- Press type floor
- Winch moves bed with ease
- · Glycerine filled manometer

ONLY

06434SCV7 Heat Induction Tool

- Heats metallic parts quickly, efficiently & safely to over 800°C
- Huge range of applications
- Temperature sensors
- prevent over-heating Even & stable heating
- without naked flames
- 3 Different heating elements (replacements available)
- Mains powered (low running cost)
- No certification or on-going training required

03649SCV7 50/25/10 Ton Pneumatic Truck Jack

- 150mm Min. lifting height
- 360mm Max. lifting height
 70mm (50 ton) 1st Stage height
- 55mm (25 ton) 2nd Stage height
 85mm (10 ton) 3rd Stage height

ONLY



(recommended)

Release safety handle

Large rubber wheels

Chrome plated ram cylinder



Coolmobile®

The Ultimate Mobile Air Con System

Practical, flexible and easy to use. Simply plug into the nearest wall socket to cool down any location!

Coolmobile® - the most mobile air con system on the market

A major cooling force on wheels, Coolmobile® is ideal for a wide range of applications from cramped rooms to large halls, directed at specific work spaces, next to sources of heat or directly aimed at sensitive equipment.

Coolmobile® 21 & 25 Air Conditioning

Commercial industrial coolers for workshops & waiting areas:

- Digital climate control system
- Directional cooling
- Easy to move
- Automatic ventilator with air filtration
- · Optional hot air discharge hose
- Sophisticated water collection tank

Coolmobile® 21

ONLY **£1575**

Coolmobile® 25
ONLY

£17955 Year Lease £9.55 pw

Coolmobile®

Instant cooling, where & whenever you want it

Coolmobile®		21	25
Cooling capacity	BTU/hr	21,000	25,000
	kW	6.15	7.32
Starting current	Α	45	57
Running current	Α	11	13
Power consumption	kW	2.41	2.60
Dimensions (H x W x D)	cm	130 x 49 x 60	
Weight	kg	86	90
Outlets (125mm)	-	2	3
Max duct length	m	9	12



Workplace Fans

18" (45cm) Air Circulator (EH0522)

- 3 High velocity fan speed settings, air flow: 4800, 6600, 9360m³/hr
- Adjustable tilt head
- High speed motor for maximum air displacement
 - Dimensions: 56x55x19cm
- Weight: 7kg
- Power consumption: 150W
- Voltage: 230V~50Hz

ONLY

£48



24" (61cm) Drum Fan (EH0137)

- 2 Speed settings, maximum air flow: 7128m³/hr
- Highly manoeuvrable
- Dimensions: 75x74x28cm
- Weight: 20kg
- Power consumption: 330W
- Voltage:

230V~50Hz

ONLY

£169



Simply call your local IFA Member to order

THERMOBILE

Manufacturing & Supplying Workshop Heaters for Over 50 Years

Fully trained Service Agents • Comprehensive stock of spare parts

Full range of heaters, downflow fans, dehumidifiers, etc • Ask your local IFA Member for details

ALL Thermobile prices are supply-only, UK Mainland. Installation is available at an additional cost.



FICKSONS PLE GROUP COMPANY IN THE

Avonmouth

01179 821 321

Bridgwater

01278 450 152

Gloucester

01452 757 500

Yate

01454 311 848