

PICKSONS

■■■■ A PICKSONS PLC GROUP COMPANY ■■■■

CV SMART CHOICE



The leading automotive parts distributor in Europe

CV Issue 5

Well-maintained vehicles
run more safely in winter
We have everything
you need, just call us



Gates Micro-V® belt kits

p7

FREE Hi-Vis Hand Lamp
when you buy a Micro-V® belt kit*

*While stocks last. Offer applies to vehicles 7.5T & over only



Unmissable prices

p11 & throughout!

HOT OFFERS

on Winter
Consumables
& more...

POLYGARD



Enter our Yuasa competition!

p9

WIN a Yuasa
HD or SHD Battery
AND a YCX25L
Smart Charger



Contact us - see the back cover for details

Offers end 31st Jan 2016

Installing counterfeit parts can cost lives

Beware unscrupulous suppliers who try to pass off substandard counterfeit copies as original equipment (OE) or original equipment quality (OEQ).

While counterfeit parts may seem to offer value for money, copy parts are not manufactured to OE specifications for design, materials or processes and have not received the quality control testing required on the original part.

At the IFA we know that genuine parts offer reliable protection while installing copy parts can cost lives. Your local IFA Member works hard on your behalf to ensure you get exactly what you order from the genuine supplier.

If you are finding the 'same' parts elsewhere at discounted prices, talk to us about whether you are being offered counterfeits with their inherent risks.

It is reasonable to ask whether copy parts really pose such a risk? The best suppliers of genuine OE and OEQ parts research counterfeits of their products to establish exactly that. For instance WABCO.


Of copy parts tested by WABCO, 77% showed a higher risk of failure than the genuine part. At best this requires a replacement of the part, though costly damage may be caused to other components in the system. Of greatest concern, these substandard parts may endanger or cost lives.

WABCO take counterfeiting so seriously that their packaging is designed specifically to give you confidence that you are fitting an original WABCO part, newly out of the box. Starting with distinctive WABCO branding, the boxes have multiple security features so that you can verify you have a WABCO original (see alongside).

Make 26-28 April a date for your diary

The 2016 CV Show takes place from 26th to 28th April at the NEC in Birmingham. Details of the preparations are at www.cvshow.com - over 70% of the floorspace is already booked with more than 260

exhibitors and every expectation that like the 2015 show, this year will be a sell-out.



How to verify a genuine WABCO product

1 Check the security seal

A broken seal says 'opened' in six languages (irreversibly). You know if you are the first to open the box.

2 Match tesa PrioSpot® with the serial number

If the seal is open or digits don't tally, contact us immediately on: WABCOoriginal@wabco-auto.com

3 Verify the unique serial number

The unique serial number protects you from counterfeiting. Enter it online at www.wabco-auto.com/WABCOoriginal/onlineverification or scan the QR code*:

Successful verification! The part is an original WABCO product.

Caution! The code is correct but has been entered several times. If there is doubt about the product's authenticity, contact WABCO.

Warning! The code is not correct. Check that you entered the code correctly - if so the product might be a fake. Contact WABCO



*Download a QR reader app from your app store

WABCO

GYS Latest vehicle electronics & battery technology require the right chargers

THE 1-2-3 TEST

Chargers should meet three simple criteria:

1. SAFETY

Safe to use with the battery in situ, protecting the vehicle's electronic system (overvoltage protection, polarity reversal, prevention of sparks).

2. ALL BATTERY TYPES

Ability to charge the latest battery types - AGM, EFB, Stop Start, Silver/ Calcium. Traditional

constant current chargers cannot be recommended for these latest battery types.

3. UNIVERSAL MODE

Safe to charge when the battery type is not known. Locating and identifying different battery types can be difficult. GYS chargers allow technicians to simply connect and go.

STARTIUM 980E (026506)

- 12/24V
- For starting trucks
- High power unit requires 16A power supply
- Advanced battery charger - all battery types
- Alternator test
- Auto Start - one man operation
- Made in France

ONLY £599

BATIUM 15.24 (024588)

- Suitable for all battery types
- Safe to charge in situ
- 35-225Ah, 6/12/24V
- Desulphation mode
- Made in France

ONLY £159

STARTPACK TRUCK (026339)

- 12/24V
- 3200A/1600A Peak Amps
- 1450A/1300A Cranking Current
- 750A/650A Starting Current

ONLY £299

Boosters

STARTPACK PRO 12.24 (026346)

- 12/24V
- 6200/3100A Peak Amps
- 2400/2250A Cranking Current
- 1300/1200A Starting Current
- Made in France

ONLY £989

CV Smart Choice Issue 5 Terms & Conditions: Offers end 31st January 2016. All offers subject to availability and change without notice. Certain featured products may not be stocked by all IFA Members. Call your local IFA Member with any stock or pricing queries. These offers cannot be used in conjunction with any other offer except at the discretion of your local IFA Member. All prices shown are exclusive of VAT. Pictures used are for illustrative purposes only and products are not shown at actual size or to scale. All product/marketing claims are the responsibility of the company on behalf of whom they are made and are not the liability of the IFA or its agents. E & OE.

All lease payment examples are based on a 60 month repayment period and with a NIL DEPOSIT facility. All lease figures quoted are subject to VAT and status. Alternative lease plans are available and can be tailored to your exact requirements. If you have any questions regarding lease facilities please call Alliance & General Leasing on 02476 220000.

Designed & produced for the IFA by Unbounded Ltd www.unbounded.co.uk

Antifreeze & Coolant

High quality, great value

All seasons
Four grades
5, 25, 205 litres

Latest generation coolant

Purple Si-OAT

- Premium 5 Year life
- Modern engines

Blue BS6580

- 2 Year life
- Older engines

Red OAT

- Premium 5 Year life
- Modern engines

Green HOAT

- Premium 3 Year life
- Modern engines



AD Antifreeze Dilution

AD Antifreeze must be diluted - the normal dilution rate is 1:1, which offers good freezing & corrosion protection (see table below).

The minimum recommended concentration to maintain corrosion protection is 33% by volume (freezing protection to -18°C, which may be insufficient for UK winters* & certainly for Eastern Europe).

Diluted with clean water, AD antifreeze can offer freezing protection to as low as -70°C where extreme winters are usual.

*Source: Met Office

Diluting AD Antifreeze

Antifreeze : Water (% Volume)	Freezing Protection
70 : 30	- 70°C†
60 : 40	- 53°C
50 : 50 (normal dilution)	- 37°C
33 : 66	- 18°C

†Blue BS6580 offers freezing protection to -65°C

Beware 'budget coolants'!

More product is required to achieve the same freeze point protection - often these products are fully diluted.

So if you buy on price, you may be buying a great deal of added water! The price can look attractive, but compared like for like on performance it may be more expensive per litre.

Full concentrate: takes up less space, performs better, more economical in use!

Available only from your local IFA Member



Cooling System Pressure Test Kit 7pc (CV0011)

- Pressure pump with gauge
- Quickly identify faulty gaskets, weeping pipes, radiators, etc

ONLY **£129.95**

5ltr Oil Jug with Lid & Flexi-Spout (IDL5)

- Tough polyethylene
- Resistant to oil, fuel & most acids
- Use with screw cap/lid to prevent spillages

ONLY **£7.95**



Vacuum Oil & Fluid Extractor 6.5ltr (TP69)

- Ingenious manual device
- Ideal for other liquids such as water & soluble oil
- Permanent fluid transfer while you do something else

ONLY **£54.95**

Twin-Rotor Ethylene Glycol Antifreeze Tester (VS4120)

- Temperature compensation rotor automatically adjusts reading, regardless of coolant temperature

ONLY **£11.95**



Scania Radiator Coupler (CV014)

- For draining/filling coolant system on trucks & buses

ONLY **£22.95**

30ltr Oil/Fluid Drainer, Low Profile (DRP011)

- Grid aids filter drainage & prevents debris from entering tank
- LxWxD: 850 x 600 x 125mm

ONLY **£49.95**

Call your local IFA Member to order





Setting the Standards in Truck Wiping Technology

OE Technology

- Long lasting performance - 100% metal structure & high quality pin assembly
- Rubber blades ensure an optimum, efficient, long-lasting wipe, whatever the weather
- Original adaptors for fast, easy fitting
- 98% Coverage - great availability



valeo added

www.valeoservice.co.uk



Automotive technology, naturally

Great products, exceptional value

Traffic Film Remover



Makes **2500 - 5000 litres!** of ready-to-use TFR*



Makes **2500 litres!** of ready-to-use TFR*

Call your local IFA Member to order

25 litre Multipurpose Traffic Film Removers
Degrease engines, chassis & components
FROM ONLY £18.50

QRP25L

- Use at 0.5 to 1% - can be pre-diluted with up to 2 volumes of water (see note below)
- High alkalinity - superior clean & grease cutting
- Dewaxes (polymer wax)
- Cost effective!

Using QRP25L in a pressure washer which offers dilution to only 2%?

Simply pre-dilute for the required strength:

- 1 equal volume of water (1% strength)
- 2 equal volumes of water (0.5% strength)

*At the dilution rate shown for the product

QYP25L

- Use at 1%
- Cost effective!

QGP25L

- Use at 2%
- Ideal for sign written cabs
- Economical



Makes **2500 litres!** of ready-to-use TFR*



Makes **1250 litres!** of ready-to-use TFR*

QPP25L

- Use at 1%
- Contains wax for a superior finish
- Cost effective!

Exhaust Range...

Universal Components UK offers a wide range of quality aftermarket exhaust parts in line with current CO₂ emission requirements. The range covers all HGV manufacturers and meets all OE quality standards and emission controls.

Range expanded to cover Euro 3 & Euro 5 systems

For full exhaust system specifications, please contact your local IFA Member



For our handy, free wallchart guide to help you find the correct part, search for WALL14 at www.ucgroup.com

 **universal**
COMPONENTS



Run Clean with Fleetguard

Engine Fuel Filters serve a vital function in common rail fuel systems!

Whether engine or chassis mounted, correctly specified fuel filtration is critical - it provides the ultra clean fuel demanded by today's modern high pressure fuel injection systems.

Unfiltered fuel can contain (or be contaminated by):

- Dirt, dust or paint chips, which can get into the tank during refuelling
- Internal corrosion of the fuel tank & associated components

Without correct filtration, particles of contaminant can:

- Reduce the lifespan of the expensive high pressure fuel system & injectors
- Lead to complete fuel pump & injector failure, which in turn can cause further engine damage
- Cost your customers time & money

Make a CV Smart Choice! Contact your local IFA Member today & safeguard the life of your critical components with Fleetguard's industry leading **NanoNet** filtration technology.

cumminsfiltration.com



Advanced Commercial Lubricants

AD Lubricants protect your customer's investment

The most advanced technologies. The highest quality base oils.

AD Lubricants surpass the ever-evolving demands of the world's leading engine & driveline manufacturers - cutting-edge research & stringent product testing guarantee it

**NEW Grades
Now Available!**
Ask your local branch
for details!



Grease available in:
400g 3kg 12.5 kg 50 kg 180 kg
Oils available in:
20L 25L 205L IBC BULK



AD Commercial Lubricants:

- Made in the UK
- Maintain OEM warranty
- Fully synthetic low SAPS engine oils for CV/LCV
- Semi synthetic & mineral multi-fleet engine oils
- Gear & transmission fluids
- Hydraulic oils including mineral, high VI & biodegradable
- Grease
- Plant/agricultural oils
- Ancillary products

Oil & Lubricants, Micro-V Belts, Air Dryers & Cartridges

Commercial Vehicle

Great offers on trouble-free parts



EXTRA SERVICE HGV PARTS

Unexpected breakdowns = lost time + high costs

Gates **EXTRA SERVICE** HGV programme provides trouble-free, long-lasting solutions for the demanding working conditions placed on trucks and buses

Popular Micro-V® belts in the **EXTRA SERVICE** range include:

Part No.	Applications
K018PK1525ES	RENAULT Premium / RENAULT Kerax
K018PK1222ES	DAF CF 65 / DAF LF 45
K019PK1453ESXS	DAF CF 85
K019PK1425ESXS K019PK1380ESXS K017PK1753ES	DAF CF 85 / DAF XF 95 / DAF XF 105
K019PK1360ESXS	DAF XF 105
K018PK1230ES	IVECO Eurocargo
K0110PK1135ES K018PK1385ES	VOLVO FM Series



Call your local IFA Member to order

FREE Hi-Vis Hand Lamp
when you buy
a Micro-V® belt kit*

*While stocks last. Offer applies to vehicles 7.5T & over only



For full application information visit www.gatesautocat.com

Don't get caught out this winter!

Winter is just around the corner - make sure your WABCO Air Braking Systems are protected!



HOT BULK DEALS on
air dryers &
cartridges

Just ask your
local IFA Member



Frozen air systems mean time off the road & unwelcome hassle

Minimise damage to valves & components from moisture build-up in the system

Ensure air dryer cartridge replacements are carried out at the correct intervals



Air quality matters

WABCO air dryer cartridges keep air brake systems operating optimally, so vehicles stay on the road, out of the maintenance bay

Conventional Cartridges

For standard applications

Air System Protector / Protector PLUS

For added protection against oils / aerosols



Call your local IFA Member for
replacement air dryers & cartridges

WABCO

Yuasa - the **Number 1** choice for Quality, Performance & Reliability

Call your local IFA Member to order WIN in the competition opposite!



CARGO Range

Cargo HD (Heavy Duty)

- Power / cycling ability for cranking requirements of smaller capacity CV engines
- Supports electrical equipment installed as standard in modern low specification commercial vehicles

Cargo SHD (Super Heavy Duty)

- Greater power / cycling ability for increased cranking requirements of larger capacity CV engines
- Supports electrical equipment installed in higher specification CV (e.g. sleeper cabs with TVs, satellites, microwaves, nightlights, fridges etc)

Cargo Deep Cycle

- For constant shift pattern urban use vehicles, off-road applications, PSV & emergency vehicles
- Cranking power, higher cycling ability & vibration resistance cope with larger capacity CV engines
- Supports high vehicle specification levels & added electrical loads (e.g. tail lifts, refrigeration units, loading mechanisms, etc)
- Glass mat separators - ultimate deep cycle capabilities
- Vibrolock plate fixing - superior vibration resistance

Smart Charger

YCX 25L Professional 8 Stage Charger

- 8 Stage, 12V/25A
- Temperature compensated
- Full automatic charging & maintenance for extended battery life & performance



Up to 30% more cranking power than Cargo HD



Improved vibration resistance Greater deep cycle capability compared to Cargo HD & SHD



Battery Charging Tips

- To ensure efficient and timely charging, minimum charger output should be at least 10% of the Amp hour capacity of the battery. The YCX 25L Smart Charger (above) is perfect for charging a 250Ah (or less) battery, though it will charge larger batteries.
- When charging batteries on a 24V system vehicle, you must either use a 24V charger or break the circuit and charge the batteries separately.
- Batteries on a 24V system need to be balanced, i.e. similar CCA, similar voltage, similar age. Best practice is to replace batteries in pairs.
- Batteries constantly self-discharge. If the OCV (open circuit voltage) drops below 12.4V, a process of 'sulphation' starts. Unchecked, the battery will become scrap, not faulty - but a victim of natural chemical deterioration from lengthy storage, sporadic use (e.g. horse boxes) or low mileage driving. If a vehicle is not being used on a regular basis, remove the battery and keep it on a Smart Charger on the stage 8 maintenance programme. The charger switches off when the battery is fully charged, but re-starts once self discharge has reduced the OCV again.



YUASA

www.yuasaeurope.com

The world's leading battery manufacturer

A GSYUASA Group Company

febi bilstein

Steering & Suspension Parts



King Pin Kit Double (29730)

OE No: 1895 530 S1
to fit: DAF LF45, LF45IV

ONLY
£120



Stabiliser Link

(27130)
OE No: 20443061
to fit: Volvo FH (G3), FH12 (G2), FH16 (G2), FM (G3), FM9, FM12 (G2)

ONLY
£65

Drag Link (32876)

OE No: 1700 912
to fit: DAF

ONLY
£84

Tie Rod (24136)

OE No: 942 330 11 03
to fit: Mercedes-Benz

ONLY
£159

A Arm (32383)

OE No: 74 20 741 703 / 20741703
to fit: Renault, Volvo

ONLY
£295

Tie Rod End (35661)

OE No: 20710008
to fit: Volvo FH12, FH16, FM9, FM12

ONLY
£28

Ball Joint (35352)

OE No: 002 460 09 48 / 1 912 759 / 1606980
to fit: Mercedes-Benz, Scania, Volvo

ONLY
£31

Tie Rod/ Drag Link End (11115)

OE No: 3092471
to fit: Volvo

ONLY
£22

Call your local IFA Member to order

www.febi.com



WIN a Yuasa HD or SHD Battery AND a YCX25L Smart Charger



OESAA Member



Simply answer these questions & complete your details below for your chance to WIN:

(answers in this issue)

- Q1.** Which Yuasa Cargo battery offers "superior vibration resistance"?
- Q2.** What percentage of copy parts tested by WABCO show a higher risk of failure than the genuine part?



CV SMART CHOICE 5 Competition Nov/Dec/Jan 2015/16

Fill in the answers, complete your details & FAX this form to 01726 71771, or POST it to IFA CV Smart Choice Competition, IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR. All entries must be received no later than 30.01.16.

Q1.

Q2.

Name:

Garage Name:

Garage Address:

Postcode:

Which IFA Member supplies your garage?:

Branch:

CV SMART CHOICE Issue 5 Competition Terms & Conditions: Closing date for receipt of entries is 30.01.16. The draw will take place on Monday 08.02.16. The first correct entry drawn from all correct entries received by the closing date will win a Yuasa HD or SHD battery of their choice and a Yuasa YCX25L Smart Charger. The winner will be notified within 14 days of the draw. The prizes will be delivered by the branch named on the competition entry within 28 days of the draw. Entries will only be accepted on the original entry form published in CV Smart Choice 5. The competition is open to active accounts only. Only one entry per person. Photocopied entries will not be accepted. Only legible entries with the correct answers & all sections completed will be entered into the draw. Proof of posting is not proof of delivery. No correspondence can be entered into. Entries should be faxed to 01726 71771 or posted to IFA Smart Choice Competition, IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR. By entering the competition you agree to participate in publicity should you win. The correct answer and winner's name will be published in CV Smart Choice 7 (May/Jun/Jul 2016). The promoter is the IFA, 20 East Hill, St Austell, Cornwall, PL25 4TR. The competition is not open to IFA employees, their families or any IFA agents or their families or associates.

Steering & Suspension, COMPETITION

Commercial Vehicle

Torch & Heat Shrink Tubing Set 162pc (6076)

- Assorted coloured tubing & sizes: 15mm, 1.5mm, 2.5mm, 3mm, 5mm, 6mm, 10mm
- Shrinkage ratio 2:1
- Very flexible, highly flame retardant, resistant to common fluids/solvents
- Mini Butane Gas Torch
 - capacity 6ml, operating time 20mins
 - approx. temperature <1300°C
 - GS/TUV certified; full instructions

ONLY **£24.95**



AdBlue® Refractometer (5015)

- Check AdBlue® concentration with only a small amount of fluid
- Refractometer, dropper, precision screwdriver

ONLY **£59.95**



Ratchet Ring Spanner Set 12pc (6296)

- Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

ONLY **£49.95**



HGV Oil Filter Chain Wrench (6318)

- Cranked swivel handle for confined spaces
- Size range: 60 - 160mm
- 350mm Handle, 520mm chain
- Strong double width chain

ONLY **£29.95**

1/2"D Crankshaft Rotators

- Phosphate finish, manufactured from S45C steel

Scania 96> (6331)

ONLY **£19.95**



MAN (6332)

ONLY **£34.95**



DAF (6333)

ONLY **£19.95**



LASER®

AdBlue® Extractor 1.5 litre (6153)

- 1.5 litre capacity helps prevent AdBlue® tank over-filling
- Twist & turn shut-off valve helps prevent spillage
- 410 mm Delivery/extraction pipe fitted
- Removable ends (for cleaning)

ONLY **£39.95**



Rotary Barrel Pump (Suitable for AdBlue®) (5425)

- Suitable for water, diesel, AdBlue, oil, weak acids, alkali liquids
- 2" BSP fitting
- 0.3 Litre per revolution
- Inlet tube 1000mm

ONLY **£49.95**

Whatever the job, call us to order

DON'T BE LEFT OUT IN THE COLD!



WINTER ESSENTIALS

Call your local IFA Member to order

Boosting

- ✓ Battery Chargers
- ✓ Jump Leads
- ✓ Jump Starters

Workshop

- ✓ De-humidifiers
- ✓ Hydrometers
- ✓ Torches & Lanterns

Clothing

- ✓ Hi-Vis
- ✓ Winter Clothing
- ✓ Boots

Engine

- ✓ Starters/Alternators
- ✓ Thermostats

Body

- ✓ Gas Springs
- ✓ Lighting
- ✓ Windscreen Wipers

Safety

- ✓ De-Icer & Ice Melt
- ✓ Ice Scrapers
- ✓ Snow Shovels
- ✓ First Aid Kits
- ✓ Window Stickers

Consumables

- ✓ Instant Engine Starter
- ✓ Radiator Sealer
- ✓ Winter Fuel Additives
- ✓ Traffic Film Remover
- ✓ Battery Top Up Water
- ✓ Plus much more!

Original Equipment Quality Starter Motors
& Alternators for the European Truck,
Bus & Coach Industries



Prestolite Original Equipment supplier
to over 40 European manufacturers including:
Scania, MAN, Van Hool, Iveco, Alexander-Dennis,
Wright Group, Optare, VDL, Cummins, CAT...



Call your local IFA Member to order
& for your copy of the latest catalogues



Nissens Engine Cooling

- DAF, Iveco, MAN, Mercedes-Benz, RVI Renault, Scania, Volvo, plus comprehensive van coverage!
- Experience the real difference! Save time & be more competitive
- First Fit - all parts needed are in the box
- Trouble-free operation

Intercoolers

Top Sellers!
FROM ONLY

£249 ea



3 Year Warranty
UNIQUE to the IFA!

Radiators

Fast Movers!
FROM ONLY

£165 ea



Nissens[®]

DELIVERING THE DIFFERENCE

Winter Consumables



DE-ICER
12 x 750ml
ONLY

£24.75

DE-IONISED WATER

4 x 5 litre
ONLY

£9.16

25 litre pack
also available

SCREENWASH CONCENTRATE

FROM ONLY

46p/ltr*

*205 litre barrel





CONSIDERING
PURCHASING AN ATF
LANE? TALK TO US
ABOUT OUR INDUSTRY
LEADING PRODUCTS
AND SERVICE - WE WILL
BE PLEASED TO HELP



TECALEMIT ATF Lane

All equipment is installed & supported after sale by **TECALEMIT** engineers




TECALEMIT CV Workshop
Equipment is found in
daily use in workshops
throughout the UK

THE COMPLETE ATF PACKAGE

If you are a Commercial Vehicle servicing facility or an Operator, and you are considering becoming an ATF, talk to us first. We offer the very best ATF testing equipment, supplied and maintained by **TECALEMIT**. Our DVSA approved equipment offers exceptional performance, unique features as standard and outstanding after sales support

Our ATF packages are tailored to suit each site and Operators' requirements and can include:

- ▶ Pre-Fabricated Inspection Pits
- ▶ Hydraulic Pit Jacks
- ▶ Brake Testers
- ▶ Emission Testers
- ▶ Wheel Play Detectors
- ▶ Headlamp Beam Testers
- ▶ All ancillary products



TECALEMIT has a team of highly experienced Technical Sales Specialists. As part of our service, clients receive free consultation and workshop planning guidance. CAD drawings can be prepared for submission to VOSA. Should you choose **TECALEMIT** as your supplier, our range of services extends to provision of civil work and electrical contractors, if required. If you prefer to use your own contractors, we can work with them to ensure site-preparation is completed to the standard required.

TECALEMIT has over 60 trained service engineers located throughout the UK. We provide servicing, calibration and general equipment maintenance, ensuring your equipment remains in best condition and provides outstanding service.

Q Can I be an ATF Test facility? **A** Call your local IFA Member to arrange a free consultation



Winntec 20 Ton Air Bottle Jacks

EUROPEAN DESIGN

- Specially heat treated cylinder wall
- Chrome piston machined to exacting tolerances
- Aluminium air motor – lasts longer, more reliable
- Air filters
- European design

09829SCV5 Low Profile

- Lifting Height: Min. 148mm Max. 260mm

ONLY £299.98



09827SCV5 Standard

- Lifting Height: Min. 245mm Max. 470mm

ONLY £299.98



Exclusive to SIP!

09844SCV5 Easy Store

- Lifting Height: Min. 253mm, Max. 480mm
- Trolley enables vertical storage

ONLY £319.98



Air Tools & Supply

06716SCV5 1" Impact Wrench 6" Anvil

- 1460 ft/lbs (1980 Nm) Average working torque
- 4,000 rpm Speed
- 15.0 CFM Average air consumption
- 6.3 to 8 Bar Working pressure
- 1/2" BSP Air inlet
- Removable side handle for excellent control
- Positive action trigger - variable speed/output level
- Rocking dog impact mechanism gives max. power & performance

ONLY £294.98



06223SCV5 Airmate NB7/270 Heavy Duty Silenced Compressor

- 400V (20A) 3 Phase Supply
- 270 Litre air receiver
- 7.5hp (5.6kW) Motor
- Max. FAD 31CFM (850L/min)
- Max. pressure 145psi (10 bar)
- 2 Stage piston pump
- Large air volume, lowest noise level

ONLY £2499
5 Year Lease £13.29 pw



SIP INDUSTRIAL
machinery specialists since 1968

Superb Products, Exceptional Prices
...only from SIP

Pick up a copy of the latest SIP promotion from your local branch for even more deals!



HITON Universal Oil Heaters

Fantastic range of efficient, clean, virtually soot-free combustion solutions, using waste oil or diesel. The furnace operates using most engine oils (mineral, synthetic) along with gear and hydraulic oils.

FREE Flue Kit with Hiton Heaters!

Hiton Universal Oil Heater Boosters

Increase heater output & efficiency

09129SCV5 For all models up to HP135

09131SCV5 For model HP145

ONLY £249.98



Oil Heaters come with a **2 YEAR WARRANTY**

NOTE: In order to burn waste oil you must register with your local authority

ALL MODELS 230V (13A) supply	Model	09159SCV5 HP105	09177SCV5 HP115	09177SCV5 HP115	09161SCV5 HP125-O	09150SCV5 HP135	09150SCV5 HP135	09179SCV5 HP145
Min. Heat Output		51,182 BTU/hr (15 kW)	51,182 BTU/hr (15 kW)	72,000 BTU/hr (21 kW)	75,067 BTU/hr (22kW)	102,420 BTU/hr (30 kW)		
Max. Heat Output		75,067 BTU/hr (22 kW)	75,067 BTU/hr (22 kW)	102,420 BTU/hr (30 kW)	112,600 BTU/hr (33kW)	143,406 BTU/hr (42 kW)		
Approx. Heating Area		420m ³ (14,832 cu.ft)	420m ³ (14,832 cu.ft)	668m ³ (24,297 cu.ft)	880m ³ (31,076 cu.ft)	935m ³ (33,937 cu.ft)		
Fuel Consumption (min. output)		1.25 kg/hr (1.49 ltr/hr)	1.25 kg/hr (1.49 ltr/hr)	1.8 kg/hr (2.14 ltr/hr)	2 kg/hr (2.78 ltr/hr)	2.55 kg/hr (3.04 ltr/hr)		
Fuel Consumption (max. output)		1.85 kg/hr (2.20 ltr/hr)	1.85 kg/hr (2.20 ltr/hr)	2.9 kg/hr (3.44 ltr/hr)	3 kg/hr (4.17 ltr/hr)	3.57 kg/hr (4.25 ltr/hr)		
Fan Assisted		X	✓	✓	✓	✓		✓
Fuel Tank Capacity		50 litre	50 litre	50 litre	50 litre	50 litre		50 litre
Finish		Heavy Duty Painted	Heavy Duty Painted	Galvanised Metal	Heavy Duty Painted	Heavy Duty Painted		Heavy Duty Painted
		ONLY £899	ONLY £999	ONLY £1099	ONLY £1349	ONLY £1695		ONLY £1695
				5 Year Lease £5.85 pw	5 Year Lease £7.18 pw	5 Year Lease £9.02 pw		

upgrade path
HOT PRICES
Buy NOW or miss out!

Bottle Jacks, Air Tools, Oil Heaters

Commercial Vehicle




Hybrid Lifts
6 - 55 Tonne
FROM
£18,499
5 Year Lease £98.40 pw

Mobile
Column Lifts
16 - 64 Tonne
FROM
£13,299
5 Year Lease £70.74 pw

Brake Tester
Class 4, 5, 5L, 7 & ATF
£poa


Scissor Lifts
6 - 40 Tonne
£poa

4 Post Lifts
6.2 - 24 Tonne
FROM
£10,599
5 Year Lease £56.38 pw



BUS LIFTING TRUCK BRAKING HEADLAMP ALIGNING ATFT TESTING

Pit Packages
£poa



COMMERCIAL GARAGE EQUIPMENT & INSPECTION PITS



www.bradburyequipment.co.uk

Infra-Red Radiant Oil Fired Heaters

- Photocell flame control
- High pressure burner
- Spot heating with no air flow
- Fuel gauge
- H x W x D:

VAL6 1 STEP:
930 x 620 x 1200mm
VAL MIDI:
810 x 660 x 710mm
IFT21:
560 x 360 x 530mm


Room ventilation is required



VAL6 1 STEP



IFT21



VAL MIDI

ONLY
£1235
5 Year Lease £6.57 pw

ONLY
£375

ONLY
£1035
5 Year Lease £5.51 pw

Model	Nett Heat Output	Consumption	Fuel Tank
IFT21	70,000 Btu/hr / 20 kW	1.5 L/hr	15 L
VAL MIDI	112,000 Btu/hr / 33 kW	3.1 L/hr	35 L
VAL6 1 STEP	140,000 Btu/hr / 40 kW	3.7 L/hr	40 L

Oil Fired Cabinet Heaters

- BSO models - use with 28 second fuel (paraffin or kerosene) or 35 second fuel (heating oil/diesel) (connect to bulk fuel tank)
- 13 Models - heat outputs up to 381Kw (1.3M Btu/hr)
- Electro-zinc coated steel cabinet, inner heat shield skin, outer skin epoxy powder coat finished
- Centrifugal air circulation enhances life expectancy
- Models BSO30 to BSO85: direct drive fans, 1ph motor
- Model BSO120: 3ph motor & v-belt drive
- Combustion air inlet kit as standard
- Thermostat, time control, oil filter & fire valve
- Main fan filter kits available for dusty/hazardous places
- Extra cost: flue kit (from £270)



91% HEATER EFFICIENCY

FROM
£2099
5 Year Lease £11.17 pw

Standard flue kits (extra) provide 4.6m ground clearance:
FK5 Flue Kit for BSO30 & 40 (Ø 5")
FK6 for BSO60 (Ø 6")
FK7 for BSO85 & 120 (Ø 7")

Model	Nett Heat Output	Fan Capacity	Swivel Heads	Consumption	Supply
BSO30	109,000 Btu/hr	2196 m ³ /hr	2	3.43 L/hr	230V
BSO40	146,440 Btu/hr	2556 m ³ /hr	2	4.67 L/hr	230V
BSO60	203,330 Btu/hr	3708 m ³ /hr	2	6.46 L/hr	230V
BSO85	280,530 Btu/hr	5004 m ³ /hr	3	9.10 L/hr	230V
BSO120	418,000 Btu/hr	7740 m ³ /hr	3	13.30 L/hr	415V

Also available:

Suspended Unit Heaters

- Call your local IFA Member for information & prices



Propane Gas Fired Heaters

Room ventilation is required

- Heavy duty, clean combustion, easy to maintain
- **High capacity at a low price**
- Piezo push button ignition
- Thermocouple flame protection
- Adjustable capacity regulator
- Gas hose & gas pressure regulator
- 230V



G81

Model	Nett Heat Output	Heated Air Flow	Consumption
G57	135 - 200,000 Btu/hr	2100 m ³ /hr	2.9 - 4.1 kg/hr
G81	180 - 270,000 Btu/hr	2100 m ³ /hr	3.9 - 5.6 kg/hr

* Nett heat output is maximum & consumption approximate

FROM
£239

Automatic Ignition Used Oil Heaters

- Clean combustion & high efficiency
- Large airflow blower fans & large capacity fuel tanks
- Fan-only facility for summer ventilation
- Burners adjustable for heating oil or diesel
- Basic room thermostat is standard
- Optional digital thermostat / time control
- Compressed air supply required for burner
- Available at extra cost:
 - Flue Kit (from £269)
 - Motor/Pump kits for connection to bulk fuel tank
 - Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Offer Price 5 Yr Lease pw

SB40	£3599	£19.14
SB60	£3899	£20.74
SB80	£5499	£29.25
SB110	£5999	£31.91

FROM
£3599
5 Year Lease £19.14 pw



SB40/SB60

SB80/SB110

Model	Heat Capacity	Fan Capacity	Fuel Tank	Consumption	Compressed Air Displacement	Supply
SB40	153,000 Btu/hr	3200 m ³ /hr	80 L	4.6 L/hr	1.0 - 1.3 CFM	230V
SB60	204,000 Btu/hr	4100 m ³ /hr	80 L	6.0 L/hr	1.5 - 1.8 CFM	230V
SB80	306,000 Btu/hr	6200 m ³ /hr	130 L	9.0 L/hr	2.0 - 2.6 CFM	400V+N
SB110	436,000 Btu/hr	8100 m ³ /hr	130 L	12.8 L/hr	3.0 - 3.6 CFM	400V+N

These units must be connected to a suitable flue system (min 1m above roof apex & 6m above ground level).

A full range of flue accessories is available. Complete flue kits include roof seal, fitting kit & two wall bands.

Stainless steel flue kits provide 6m ground clearance:

98.085.746 (SB40), 98.085.100 (SB60) 98.085.170 (SB80 & SB110)

Optional extras (additional cost):

98.085.399 Motor/Pump kit - for connection to bulk fuel tank with bottom outlet, gravity fed. Max distance 10m. (Pipework/electric cable not included)

98.087.161 Motor/Pump kit - for connection to bulk fuel tank with top outlet &/or above 10m distance. (Pipework/electric cable not included)

Main Fan Filter kit: 98.085.541 (SB40 & SB60), 98.085.542 (SB80 & SB110)

98.085.890 Digital Stat/Timer

DEFRA* have announced changes to permits for operating Small Waste Oil Heaters (SWOBS). For full details contact your local IFA Member or visit www.thermobile.co.uk (under News).

*The Department for Environment, Food and Rural Affairs

All the heat you need!

The Original THERMOBILE

Manufacturing workshop heaters for over 50 years

Fully trained Service Agents ♦ Comprehensive stock of spare parts

Full range of heaters, downflow fans, dehumidifiers, etc ♦ Ask your local IFA Member for details

All Thermobile prices are supply-only, UK Mainland. Installation is available at an additional cost.

THERMOBILE
UK LIMITED

Valeo Original Equipment CV products in stock & available NOW!



Window
Regulators



Column
Switches



AdBlue®
& Caps



SWF
Wiper Blades

Valeo

your multi-specialist

PICKSONS

■■■■ A PICKSONS PLC GROUP COMPANY ■■■■

Avonmouth

01179 821 321

Bridgwater

01278 450 152

Gloucester

01452 757 500

Yate

01454 311 848