The same of EUROPEAN TRUCK



TFR Special Offer!

Scania 4,R,P-Focus

Durite Telematics & Safety



25 litre Multipurpose TFR FROM ONLY









8-Channel HD DVR

Stores up to 8 camera videos Crystal clear view of vehicle registrations up to 15 m



CVSMARTCHOICEnews

Winter brings on Spring weather!

As winter sets in, cold temperatures take their toll on vehicle suspension systems - especially temperature sensitive parts such as road springs.

Spring steel is highly susceptible to fracture at lower temperatures so extra vigilance once the cold weather arrives is always worthwhile, along with a very thorough 'condition' check of your road springs before thermometers

Cheaper low grade products can be life-threatening, particularly where high speeds and large load volumes are involved. Axle control can be reduced or even lost altogether if a road spring fractures. The consequent long downtimes, towing charges, costly repair and maintenance services

Granning Road Springs are manufactured using only the highest grade spring steel offering extremely high load capacity and up to 50% longer service life, giving best-in-category performance. That all adds up to less costly downtime for your vehicle fleet. The fully comprehensive range offers the highest quality road springs from OE approved manufacturers.

Over 350 unique part numbers cover a vast array of vehicle models. Just call your local IFA Member to order.



Winntec From SIP range grows

Looking for equipment that is efficient and extremely reliable? The Winntec From SIP range spans heavy-duty bottle and trolley jacks, axle and jack stands, air jacks, shop presses, engine and transmission jacks, body repair tools and various hydraulics.

Designed for CV/professional vehicles, the range is growing rapidly. The Winntec From SIP CV lifting range now includes a Hydraulic Wheel Dolly which reduces operator strain. A new 1 Ton Foldable Engine Crane (pictured) stores easily and safely. An extended range of pneumatic balloon jacks and long chassis jacks offer lower clearance and longer reach. New shop presses span bench models to 50 Ton industrial grade floor presses.

An established and respected developer, manufacturer and supplier of high quality, garage equipment, Winntec products boast unrivalled performance, cutting edge technology and unparalleled build quality. The famed Winntec 3 Year Warranty (including all wear and tear*) is matched by SIP Industrial Products' outstanding, experienced customer support.

Call your local IFA Member to order and ask for a copy of SIP Industrial Products' Autumn/Winter Promotion 2017.









Proven quality from the leading UK aftermarket supplier Manufacturing brake drums since 1930, brake discs since 1965 Investing in quality control to achieve/maintain accreditation ECE R90

NEW Available NOW! Just call your local IFA Member

New Hubs & Hub Kits for Renault & Volvo


Renault Premium 06>, Volvo FH/FM 00>

- Reduced vehicle downtime
- save time & money!
- Multiple stud options
- Vented or solid discs

All fitted with FAG bearings

Hub Kits FROM ONLY





Kits include:

 Pressed FAG bearing Fitted ABS ring

Mounted brake disc

Call your local IFA Member to order





Donaldson filters are built for the road, to endure and perform.

Donaldson OE aftermarket quality filters keep you moving. **SCANIA G-P-R-T Series**

MODEL	ENGINE	AIR	OIL/LUBE	FUEL	POWER- STEERING	TRANS- MISSION	CABIN	Ø OTHER
G Series	DC/DT/OC	P782396	P550220 (CR)	P955607 (FWS)	P550309	P761108	P786611	P951419 (AD)
		P951102	P550629 (SO)	P550653 (CR)				X770733 (UF)
			P550490 (CR)	P551857 (SO)				P554073 (COF)
P Series	DC/DT/OC	P782396	P550220 (CR)	P955607 (FWS)	P550309	P761108	P786611	P951419 (AD)
		P606720	P550629 (SO)	P550653 (CR)				P783753(AD)
			P550490 (CR)	P550515 (SO)				P554073 (COF)
R Series	DC/DT	P782396	P550220 (CR)	P955607 (FWS)	P550309	P761108	P786611	P951419 (AD)
		P782857	P550629 (SO)	P550653 (CR)				P783753 (COF)
			P550490 (CR)	P550515 (SO)				
T Series	DC/DT	P782396	P550220 (CR)	P550628 (CR)	P550309	P761108	P786611	P951419 (AD)
		P782857	P550629 (SO)	P550515 (SO)				P783753 (COF)
			P550490 (CR)					

Order from your local IFA Member.

KEEP MOVING

Commercial

OptiLock TM Basis kd with Padlock (400 608 050 0)

Door Lock System

- A flexible, mechanical security system, transferable from trailer to trailer
- Simply place around the door bars on either side of the door centre, then padlock



Optilock Basis helps to prevent:

- goods theft and exchange
- cooling chain interruption
- unregistered goods transport

Containers • Swap Bodies • Trailers (with external door bar)

To order & for more information, call your local IFA Member

- Padlock completely covered
- No mounting required
- Solid, weather-resistant steel locking system
- Includes Mul-T-Lock® padlock (norm EN 123200, Grade 4 security)
- Door bar distances: 200 to 450 mm
- Keyed alike closure (ka) & master closure available (extra charge)
- Weight: approx. 7kg
 - Size: approx. 470 x 100 x 100mm
- Ask about our full range of door locks & vehicle security systems



WABCO

GENUINE

Sachs Clutch

Products

It COSTS LESS

than you think to

KEEP IT GENUIN OE Manufactured Original specification gives longer life

Correct to application

Slave Cylinders

Concentric



www.zf.com/uk



No mounting

required!

WABCO

Power and durability for today's commercial vehicles

O.E clutches from SACHS.



FROM Clutch Kits FROM Flywheels FROM

Order from your

local IFA Member

Scania Compressors & Cartridges

EconX Compressor

- Scania (K016615ES)
- Aftermarket remanufactured version of the LK4941 compressor - supplied by Knorr-Bremse as OE to Scania for 10+ years
- Tested/inspected to same specifications as OE product
- Meets Knorr-Bremse very high quality/safety standards
- Scania: 571179 / 571228

Aftermarket product from the OE supplier

Huge range of references, just call your local IFA Member

Call your local IFA Member to order

Cartridge - Scania (K087957)

- Introduced in 2013 as an extension to 'standard' cartridge II40100F
- Special G1¼ thread
- Simply remove/fit using a 30mm A/F socket or ring spanner on the hexagon on top of the cartridge (no more problems with limited vehicle space)
- For Scania applications with air dryer
- Scania: 1384549 / 1455253

SAFETY | RELIABILITY | QUALITY | COST-EFFECTIVENESS



LED Lighting **SPECIAL OFFERS**

Forklift Blue Safety Spot Lamp (9) Projects a concentrated blue beam to signal

- 10 110V
- 2 x 3W LEDs • 92 x 61 x 60mm

the approach of an

& Cartridges

Lightbars



JEW 246 x 172 18 Flash

patterns

ECE R10 ✓

ECE R65 ✓

Low-Profile 12/24V Warning Lamp (LPR656DVA)

- 131 x 30 x 7mm
- Amber LED, IP67

Mount

Magnetic

Vacuum Mount

• ECE R65 ✓ • 19 Flash patterns



Call your local IFA Member to place your order

LONG TERM PREMIUM QUALITY

www.textar.com

TEXTAR

Textar ProTecS pads for the new Scania reduce downtime costs for CV operators.

Premium quality parts last longer and are less prone to failure. Less maintenance means your vehicles are earning more of the time, costing less on a regular basis.

Textar ProTecS pads eliminate the issues associated with floating springs. The spring is welded onto the pad's backing plate and absorbs more vibration, extending life and reducing maintenance costs

Textar pads and linings provide the optimum combination of long service life. low wear and

So put your foot down - insist

Insist on Textar.



NOW AVAILABLE FROM YOUR LOCAL IFA MEMBER.

mmercial

focus on vehicle monitoring

A 2015 poll¹ found that 92% of fleet managers agreed that telematics had a positive impact on their fleet. Productivity improvements were the most common reason quoted, followed by increased fuel efficiency and better routing.

The data from telematics is used both actively to reduce costs and improve asset utilisation as well as having a role to passively monitor driver and vehicle well-being. The introduction of DVR hard drive recording has enhanced the latter role and is now reverse engineering the former.

Vehicle telematics, simply put, is the long distance transmission of vehicle data. Before GPS, some data was collected when the vehicle returned to base from on-board tachographs, still legally required for vehicles registered in the EU to collect driver information. However, when GPS was made available for civilian use, the possibility of transmitting vehicle data in something approaching real-time opened up huge data possibilities and the issue became how to utilise it. While some telematics systems collect 'packets' of data to transmit occasionally rather than transmitting live, all systems depend on availability of a cellular network signal to make transmissions.

Subject to a signal, telematics enables a vehicle's location to be viewed remotely on digital maps. but whether in range or not, its movements are recorded and vital statistics captured (including

& TELEMATICS

speed and fuel use) and vehicle telematics gain their broader sense of managing assets.

Fleet owners reap many benefits from fitting vehicle monitoring, including:

- · improvements in fleet management - better routing
- optimised dispatch times
- reduced maintenance costs, e.g. timely oil changes thanks to exact usage data, etc
- improvements from changed driver behaviour - adherence to speed limits
- minimised fuel usage (care in acceleration and braking)
- · vehicle theft deterrence and improved chance of recovery if stolen

In summary, vehicle monitoring means better utilisation of assets and reduced costs.

Telematics is no longer a luxury or the preserve of large fleets. Impressive reductions in fuel consumption of 10% to 40% are guoted in studies. Fuel price increases mean these savings could now determine the viability of a business.

Vehicle insurance is a huge cost to fleet owners. The development of economical hard drive DVRs and on board cameras now enable poor or even dangerous driving and hazardous events to be captured as evidence - whether perpetrated upon the vehicle or by the driver of the vehicle.

New systems enable emergency services to be notified automatically if tell-tale signs of an accident are detected and can report location if a driver is unconscious

Demand for DVR hard drive systems is growing hugely as picture quality improves and units are now being developed that offer the whole vehicle tracking and telematics role in a single package.

Your local IFA Member can offer you advice and top quality equipment packages to equip your fleet, however many vehicles, or update your technology.

Bobit Business Media Telematics Survey, Summer 2015 (sample: over 1.000 private & public sector fleet owners of all sizes)

• Set up the DVR properly, to ensure you

adhering to the Data Protection Act

1988. Collection of any data classed as

horizontally and bolt them down where

there is minimal vibration, away from

• A 720P HD recorder offers sufficient

resolution to enable a number plate to

be viewed from up to 15m and gives a

clear image in all weather conditions

Advanced features futureproof your kit:

- sleep mode to maximise battery life

- motion detection function - GPS to track location and speed

- a built-in 'G-sensor' captures

acceleration and deceleration

'personal' falls under the act and you

may need to inform employees that

recording equipment is being used

Always mount DVR recorders

heat sources

We asked Durite for their top

DVR buying & usage tips:

gain from its full functionality

· Remember to check that you are

4 & 8 Channel HD DVRs

Stores up to 8 camera videos onto 1TB hard drive (not supplied) 960H or 720P HD DVR

8-Channel HD DVR 0-776-81

Crystal clear view of vehicle registration at 720P



Built-in GPS & G-sensor capture incidents/locations

4-Channel HD DVR 0-776-80

- ✓ Great value High Definition 960H DVR
- ✓ Stores up to 4 camera videos on 2 x 128GB SD Cards (not supplied)
- Loop recording: records when memory

Built-in GPS & G-sensor, monitors vehicle speed & location

Durite Telematics

- ✓ Access data remotely via Durite Telematics portal
- ✓ Access full Durite live GPS tracking, telematics reporting, driver behaviour, etc
 ✓ Monitor/report with Durite vehicle safety & telematics devices
- ✓ Automated alerts:
- voltage variance
- battery charge

Telematics Tracker

- Wide range of vehicles/plant
- Extra sensitive GPS: 2.0m accuracy for location/speed while GPRS/GSM transmits live/scheduled telematics reporting & alerts
- Remote signal to immobilise prevents engine restart & crash notifications



Trailer Tracker

- 6 Month back-up battery for prolonged period without power
- Recharges quickly from any 12V/24V power supply
- 3 Inputs & 3 outputs enable remote control of hardware such as door locks & temperature

6 Month back-up battery



Telematics Tracker

- plant, fleet vehicles & applications
- G-sensor: accurate driver
- Inputs for temperature
- monitoring or Driver ID



✓ Wide range of vehicles,

- profiling & crash warnings
- High sensitivity GPS: 2.5m accuracy

NEW MEI CALIPERS



50+ truck & trailer references for DAF, MERCEDES, SCANIA, IVECO, MAN, **BPW & SAF applications**



PRODUCED TO TS16949

MEI Foundry, component production, R&D & assembly plants all TS16949 certified to ensure OE quality

100% TESTED

Tested to ECE Reg 13 on our TÜV certified dynamometer, fatigue life tested to OEM standards. challenging field trials





100% TRACEABLE

Every brake linked to its end of line test result via its unique serial number







2 YEAR WARRANTY

Backed by product liability cover & technical support from our global service team







febi bilstein Cooling Water Pumps



Water Pumps From only

Scania (31550)

OE No: 1787120 to fit: Scania 4-Series, F, K, N-Series

P, G, R, T-Series

DAF (31737) OE No: 1828162 to fit: DAF 75CF, 85CF, CF75, CF85,

OE No: 1793989

XF105, XF95 Scania (30769)

to fit: Scania 4-Series, P, G, R, T-Series Renault/Volvo (46019

OE No: 7421974078 to fit: Renault Kerax, Premium Volvo FM330, FM370, FM410, FM450, DMX330, FMX370, FMX410, FMX450

Scania (21552) OE No: 1510490 to fit: Scania 4-Series

MAN (21591) OE No: 1508533 to fit: MAN E2000, F2000, F8, F90,

F90 Unterflur, HOC, L2000, M2000L, M2000M, M90, NL

Volvo (30450) OE No: 20575653 to fit: Volvo 7500, 7700, 8500, 8700, 9400,

EvoBus/Mercedes

/Setra (28329)

B7, FL608150, FL608180, FL608200

OE No: 9042004901 to fit: EvoBus Citaro, Conecto, Tourino, Touro Mercedes Atego, Vario 668, Vario 670 Setra Series 400

MAN/Neoplan (30679) OE No: 51.06500.6694

to fit: MAN F90, FOC, HOC, Lions Classic, Lions Coach, Lions Explorer Neoplan Centroliner, Cityliner, Skyliner, Starliner, Tourliner, Trendliner

Iveco/DAF (38752)

to fit: IVECO Eurocargo, Eurofire **DAF** 65CF, CF65, LF45, LF55



Available NOW!

from your local **IFA Member**

www.febi.com





Can't see what you're looking for? Just call us.

Here's a tiny sample of the parts we supply for Scania 4, R & P-Series - just let us know what you need. Did you know we also offer lower cost, quality alternatives?

Truck Focus: Scania 4, R & P-Series

Order from us and you get OE parts, in the OE manufacturer's box Please check correct application before purchase



Lightweight air disc brakes
Heavyweight performance

ModulT: Unsurpassed weight / brake torque ratio

Simplified maintenance = low downtime

Single function - spare parts across brake sizes

Two sliding pins (not four), no lubrication needed, closed caliper

Low weight, high performance & efficiency Double roller bearings keep hysteresis low

Long service life

Stainless steel sliding pins; inverted self-protecting bellows

Call your local IFA Member to order



DBT22LT: at a mere 31 kg, including brake pads, the lightest 22.5" trailer brake on the market 17.5", 19.5", 22.5" Truck/Bus applications follow soon

Part no.	Description
95396	Brake pad; type ModulT (4 pads)
95620/1C	Air disc brake; general; DBT22LT; ModulT; c/w pads; left/right side + calliper bare & accessories
95397	Repair kit sliding function; type ModulT (c/w slide pins)
95398	Adjustment shaft kit; type ModulT
95399	Application unit sealing kit; type ModulT
96150	Pad wear indicator kit (PWI); 400mm cable; pad retainer w/cover & cable retainer w/straps
95231	Repair tool kit



Innovative Vehicle Solutions

FOR QUALITY WINDOW REGULATORS

It's an open and shut case!





Valeo window regulators:

Bowden

Double Bowden

Cable

Scissor

Major applications for Big 7 manufacturers available from your local IFA Member



Scania 4 Series (scissor): **851086/87** (with motor) **851088/89** (without motor)



4you

Never get stuck again!

A solution to almost every airpipe failure 64 fittings to get out of trouble on the road



GOSHbox

(ZGOSH)

Our most popular air line fittings in a handy emergency-fix kit

Contains essential parts that may be needed during a road-side breakdown

An essential addition to a mechanic's toolkit, conveniently labelled with replacement part nos.

The sturdy, compact plastic box fits any vehicle, keeping the following fittings handy for any emergency:

1 0	,	0	•	, ,	•		
	6502	6mm P/I	x2		6565	M12 x 1.5 - 6mm P/I	х1
Straight	6504	8mm P/I	x2		6570	M12 x 1.5 - 8mm P/I	х1
Connectors	6506	10mm P/I	х2		6566	M14 x 1.5 - 6mm P/I	х1
	6508	12mm P/I	x2		6571	M14 x 1.5 - 8mm P/I	х1
Female Tees Thrust Rings	4594	M16 x 1.5	х1		6567	M16 x 1.5 - 6mm P/I	х2
	4595	M22 x 1.5	x1	Straight	6572	M16 x 1.5 - 8mm P/I	х2
		IVIZZ X 1.5	ΧI	Studs	6579	M16 x 1.5 - 10mm P/I	х2
	7643	M16	х6		6586	M16 x 1.5 - 12mm P/I	х2
	7645	M22	х6		6568	M22 x 1.5 - 6mm P/I	х2
	7649	M16	х6		6573	M22 x 1.5 - 8mm P/I	х2
Nitrile 0 Rings	7651	M22	х6		6580	M22 x 1.5 - 10mm P/I	х2
					6587	M22 x 1.5 - 12mm P/I	х2
Plugs	7622	M16 x 1.5	х2		7610G	M16 x 1.5 - M16 x 1.5	x1
	7623	M22 x 1.5	x2	Sockets	7609G	M22 x 1.5 - M22 x 1.5	x1
4 Way Cross					70000	MILE X 1.0 MILE X 1.0	AT
Female	4637	M16 x 1.5	x1	Bulkhead Connector	7896G	M16 x 1.5 - M16 x 1.5	х1
Test Point Male	7835T	M16 x 1.5 T/0	х1	Bulkhead c/w Locknut	4499	M22 - M16	х1

Call your local IFA Member to order

Tube Gear



mudguards, spray suppression equipment, bracket systems & ancillary products

FIRE EXTINGUISHERS & CASES SPILL KITS & CASES | WHEEL CHOCKS

Front Loading Cases & Spill Kits

Fire Extinguisher Case (BJB-RB155)

Spill Kit Case (BJB-RB155-B)

Spill Kits

15 litre (SPK25-ES-OIL) 25 litre

(SPK25-OIL)

Registered



ehicle

Dry Powder Fire Extinguisher

1kg (FE-PD1G) includes bracket

2kg (FE-PD2G) includes bracket

3kg (FE-PD3G) includes bracket

6kg (FE-PD6G)

Top Loading Extinguisher Cases

Fire Extinguisher Cases with fixing

6kg (BJB231EF) w285 x h570 x d260 mm

9kg (BJB20EF) w280 x h650 x d240 mm

Green Spill Kit Case (BJB25S)

Wheel Chock

Wheel Chock (WCH02)

Wheel Chock Holder (WCH02-H)

Call your local **IFA Member** to order

Ask your local **IFA Member** for your FREE



Driving ORIGINAL equipment forward

MITSUBISH STARTER MOTORS & ALTERNATORS

UC VLAL00020EM | **OE** 20707050

UC AL21800EM | OE 1884268

UC MNST00080EM | OE 51262017236

UC VLST00010EM | **OE** 20572417





Available today from your local IFA MEMBER

Commercial



ONLY from your local IFA Member

Antifreeze & Coolant High quality, great value

- Four grades, all seasons
- 5, 25, 205 litres

Older engines:

Consumab

Blue BS6580

• 2 Year life

Modern engines:

- **Red OAT**









supplier

Brake Pipe

nickel coils

Conforms to

Copper or cupro

Market-leading

First for value

COMFIT Disposable Gloves

Red Supertex Fully Textured Diamond Grip

High quality, most competitive prices

Black Rhino Premium Heavy Duty

Latex, vinyl & nitrile

Powdered & powder-free

COMFIT range includes:



Leading distributor of Workshop Consumables Outstanding value for all your

day-to-day requirements

WINTER ESSENTIALS

There's always a warm welcome from your local IFA Member

Whatever you need, just give us a call

- Battery chargers Starters Jump leads •
- De-icer Scrapers Snow shovels • First aid kits • Window stickers •
- Instant engine start Radiator sealant •
- · Winter fuel additives · Battery top up · • Screenwash • AdBlue • Oils • TFR •
- De-humidifier Hydrometers Boots •
- Torches/Lanterns Winter clothing Hi vis •
- Gas springs Lighting Windscreen wipers •





TRAFFIC FILM REMOVER

2500

Using QRP25L in a pressure washer which can only dilute to 2%?

Simply pre-dilute for the required strength:

- 1 Equal volume of water (1% strength)
- 2 Equal volumes of water (0.5% strength)

25 Litre Multipurpose TFR

Call your

local IFA Membe

to order

Degrease engines, chassis & components

* SPECIAL OFFER * on bulk quantities

Call your local IFA Member to order

2500

FROM ONLY

GRP25L

- Use at 0.5 to 1% (see above)
- · High alkalinity superior
- clean & grease cutting Dewaxes (polymer wax)
- Cost effective.

GYP25L

- Use at 1% dilution
- Cost effective!

• Use at 1%

QPP25L

- Contains wax for a superior finish
- Cost effective!

QGP25L

- Use at 2%
- Ideal for sign written cabs
- Economical



Workshop & Garage Equipment



Starting & Charging

12V/24V 55 Amp **Trolley Charger/Starter**

- Six charge rate settings
- Timer function
- Digital ammeter
- Rugged metal casing
- High capacity cable
- Battery clamps
- 420A Jump starter
- For intensive use in garages workshops & CV depots

ONLY **£18**5



Starter Cables

- 100% Multi-strand copper conductors, coated in flexible PVC
- · Fully insulated heavy duty clamps for additional safety
- Protective nylon bag

CV/LGV (RBC350)

- 35mm² x 4.5m
- Vehicles up to 7.0 litres
- Max. output 450A ONLY

E533

CV/Agricultural

- 50mm² x 5m
- Vehicles up to 9.5 litres
- · Max. output 600A ONLY

£70



To order these & other Ring products, call your local IFA Member

Lighting

MAGflex Twist LED

- Ultimate direction control rotates 360°, ratchets 180°
- Exceptional 250 lumens new technology COB LED White light - similar to daylight
- · Wide angle light output with uniform intensity

Inspection Lamp (RIL3600HP)

- Rechargeable/cordless, AC mains charger
- Li-ion battery: fast, consistent charging
- Integrated hanging hook, magnet for hands free use Resilient polycarbonate/ABS construction
- Comfortable anti-slip grip

ONLY ES(0)



Al3 Inspection Lamp • New COB LED technology:

- 240 lumens light output 6000K Colour temperature
- bright white light
- Durable aluminium/rubber · Multi-directional lighting
- · Concave construction protects lens
- 6 Hr max, operating time • Rechargeable/cordless
- · Magnetic base for
- hands-free usage
- Turquoise (RIL5300HP) Blue (RIL5300HPB)
- Red (RIL5300HPR) ONLY



Zoom150 Duo Inspection Torch/Lamp

- Up to 150 lumens torch: bright white light, 6000K colour temperature
- Standard setting: wide-angle light for work area illumination Optional 6x zoom: focuses lightbeam
- for distance illumination USB to micro USB cable (6 hour recharge
- IC battery protection prevents
- overcharge/discharge Aluminium construction

hands-free use ONLY

Magnetic base for



LED Ramp Light (RURL1000)

- 3x 5W LEDs provide 1000 lumens with 6000K colour temperature for a bright white light
- 40° Adjustable head to shine exactly where it is required
- 90° Adjustable magnetic plate enables lamp to be angled perfectly to work area
- 60° Wide angle illumination
- Polycarbonate/ABS/aluminium construction
- Rechargeable 3.7V 10400mAh Li-ion battery - 6.5 hrs recharge time


 Battery status indicator AC mains adapter

ONLY



ringautomotive.com

QUALITY PERFORMANCE INNOVATION



At the dilution rate



Expert Quality

Draper HI-TORQ® Metric Combination Spanner Sets

- Generally to DIN3113 specifications
- Corrosion protected chrome vanadium steel, hardened. tempered, chrome plated
- HI-TORQ® ring end offset 15°
- Jaw offset 15°

14pc (29547)

- Sizes: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32mm
- Tetron divided tie cord wallet

ONLY

6pc (26695)

 Sizes: 34, 36, 38, 41, 46, 50mm Wall mountable plastic storage rack

ONLY

£88.95

12/24V Diesel

Transfer Pump (65673)

- Transfers paraffin, diesel & other high flash point fuels
- Self-priming pump, powered by 12V or 24V lead acid battery (not incl.)
- Approx. 4m hose (25mm O/D)
- Delivery gun
- Suction hose
- Crocodile clips
- Pump weight: 10kg
- Motor: 12V - 192W 16A: 1400r/min
- 24V 624W 26A 2200r/min Flow rate:
- 12V 30L/min 24V - 37L/min ONLY

£263.00

Rechargeable Worklight 10W SMD LED (65828)

- 10W (600 lumens), full/half power setting
- Internal Li-ion battery improved battery life
- Cast aluminium with twin hinge to fold into various positions - ideal for confined spaces
- Doubles flat for portability/storage
- 3 Pin charger

Vehicle

ONLY **E49**).98

NEW 5W Slimline COB LED Rechargeable Magnetic Inspection Lamp (65395) • SMD LEDs on end for torch function

- 3 Cycle switch: half/full/torch
- Integrated magnet with protective cover. & pivoting head enable 360° use
- Micro USB to standard USB cable & 3 pin USB charger
- Battery: 3.7V Li-ion Battery; Charging time: 4hrs
- Lumens: COB 450-250; Burn time: 2hrs
- IP rating: IPX4; Size: 36.5 x 40.5 x 270mm


ONLY



- · Lower noise, low vibration, high torque twin hammer action
- Easy forward/reverse one-hand operation · Rotating air inlet prevents air line tangle
- Lightweight, rugged tool, reduces operator fatigue & 'cold sink' effect
- Ultimate torque: 1200lb-ft (1627Nm)
- Free speed: 5500r/min
- Operating air pressure: 90psi (6.2bar)
- Average air cons.: 6cfm (170L/min) Min. hose size: 3/8" I/D

• Air inlet: 1/2" BSP; Weight: 3.4kg ONLY

£256.00 **NEW** 3/4" Sq. Dr. **Impact Axle Sockets Hub Nut** 8 Tooth



Lock Nut 6 Tooth (16200) For Mercedes Atego, Vario 814

& MAN rear axles 80-95mm

ONLY

2 Drawer Tool Trollev (66144)

£89.00

ONLY

- Frees up workshop space
- High quality ball bearing runners
- Swivel braked castors
- Trollev top slides back to reveal storage compartment: 695 x 360 x 170mm
- 2 x Drawers: 587 x 325 x 60mm
- Overall w705 x d370 x h830mm



NEW 3/4" Sq. Dr. Extending Reversible Ratchet (16822)

- & ISO3315 specifications
- · Manufactured from chrome vanadium steel, hardened & tempered
- to extend handle from 515mm to 815mm
- ball bearing to hold socket securely

ONLY

NEW 1" Sq. Dr. 1000mm

- Manufactured & tested generally in accordance with DIN3122 & ISO3315 specifications
- Manufactured from chrome vanadium steel, hardened, tempered & chrome plated
- hinged joint head for extra torque



Call your local IFA Member to order





16822

34343

- Manufactured/tested generally to DIN3122
- 48 Tooth ratchet with push button
- · Forward/reverse selector, spring-loaded

Flexible Handle (34343)

- Specially designed chrome molybdenum
- · Spring-loaded ball bearing for secure socket holding





with Built-In Fuel Tank & Flue Kit

- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- All models 240V
- Low-noise radial fan
- Equipped with thermostat
- Capacities of 30, 42, 64, 84kW net
- 4-Sided adjustable outlet opening quarantees equal air distribution
- Summer/winter circuit for heating/ventilation

Model	Nett Heat	Max kW	Consumption	Air Flow	Tank
	Output				Capacity
PROHEAT30	104,000 Btu/hr	30kW	3.4 L/hr	1,900 m ³ /hr	55L
PROHEAT40	144,000 Btu/hr	42kW	4.7 L/hr	2,800 m3/hr	55L
PROHEAT60	220,000 Btu/hr	64kW	7.2 L/hr	4,500 m3/hr	75L
PROHEAT80	286,000 Btu/hr	84kW	9.5 L/hr	5,300 m ³ /hr	105L

5 Yr Lease pv PROHEAT30 **£2099** £11.17

PROHEATAN £2399 £12.76 PROHEAT60 £2649 £14.09 PROHEAT80 **£2899**



No space for a bulk fuel tank? PROHEAT is vour solution!

Stainless Steel Flue Kit INCLUDED:

- Gives approx. 5.2m (17ft)
- ground clearance
- 4 x 1m Flue pipes
- 1 x Terminal
- 2 x Adjustable wall fixing brackets
- 1 x High temperature silicone rubber roof seal & fixing kit for profiled or corrugated roof & cladding
- 1 Tee-Piece (flue to heater)
- Additional 1m flue pipe available: For Model
- PROHEAT30,40,60 **£30** PROHEAT80

Automatic Ignition Universal Oil Fired Heaters

- Clean combustion & high efficiency
- Large airflow blower fans
- Fan-only facility for summer ventilation
- Large capacity fuel tanks
- Basic room thermostat is standard.
- Optional digital thermostat/time control Compressed air supply required for burner

			,-				
odel	Heat Capacity	Fan Capacity	Fuel Tank	Consumption	Compressed Air Displacement	Supply	
B40	153,000 Btu/hr		80 L	4.6 L/hr	1.0 - 1.3 CFM	230V	

80	306,000 Btu/hr	6200 m ³ /hr	130 L	9.0 L/hr	2.0 - 2.6 CFM	400\
110	436,000 Btu/hr	8100 m ³ /hr	130 L	12.8 L/hr	3.0 - 3.6 CFM	400\
	Price	5 Yr Le	ase pw			
40	£379	9 £20	0.21	FROM	1	
60	£409	9 £21	.80	RON		

Also available - just call your local branch: Fire Valves, Magnetic Valves & High Pressure Filters for use with Pump Kits

Use any of these fuels: Used Oil* • 35 Second Heating Oil/Diesel Processed Fuel Oil (PFO) · Rapeseed, linseed & some veg. oils Rio Diesel

98.085.746 SB40

Stainless Steel Flue Kits from **£269** Stainless steel flue kits (6m ground clearance):

98.085.170 SB80/SB110 Optional extras (additional cost): Motor/Pump Kits: to connect to a bulk fuel tank

(pipework/electric cable not incl.) 98.085.399 Connects to bottom outlet gravity fed, max distance 10m Connects to top outlet &/or

above 10m distance 98.085.890 Digital Thermostat/Timer

Main Fan Filter Kits: 98.085.541 SB40/60 98.085.542 SB80/110

BSO Oil Fired Cabinet Connect to a Bulk Fuel Tank

• For connection to a bulk fuel tank

£5499

£6099

SB80

- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- 13 Models heat outputs up to 381kW (1.3M Btu/hr)
- Combustion air inlet kit as standard · Thermostat, time control, oil filter & fire valve
- · Main fan filter kits available for dusty/hazardous spaces

	Model	Nett Heat Output	Air Flow	Swivel Heads	Consumption	Supply
	BSO30	109,000 Btu/hr	2196 m3/hr	2	3.43 L/hr	230V
	BSO40	146,440 Btu/hr	2556 m ³ /hr	2	4.67 L/hr	230V
	BS060	203,330 Btu/hr	3708 m ³ /hr	2	6.46 L/hr	230V
	BS085	280,530 Btu/hr	5004 m ³ /hr	3	9.10 L/hr	230V
	BS0120	418,000 Btu/hr	7740 m ³ /hr	3	13.30 L/hr	415V

£2099 BSO40 £2249 £11.96 BSO60 £2549 £13.56 **BSO85** £2699 £14 36 BSO120 £3299 **Stainless Steel**

Flue Kit BSO30 & 40 FK5 **£299** (**£36**) **FROM** £309 (£37) FK7 £319



Suspended Unit Heaters Heating Oil, Natural Gas or Propane

- Oil Fired: heat capacities 31kW to 98kW Gas Fired: heat outputs 15kW to 84kW
- with roof or wall flue exit Suspend or mount (on a suitable
- non-combustible support) Four M10 suspension points provided
- Free-blowing or ducted models Installation service (in most areas)

Huge Range

Call your local IFA Member to arrange a site visit to specify the right model for your space & budget



Call your local IFA Member for all your heating needs

*Used Oil is subject to licensing control: Heaters burning Used Oil fall under Chapter IV of the Industrial Emissions Directive (IFD). A relevant permit is required under Schedule 13A of the Environmental Permitting Guidance (EPR). Full details at www.thermobile.co.uk, under 'News

The Original THERMOBILE

Manufacturing workshop heaters for over 50 years Fully trained Service Agents + Comprehensive stock of spare parts Ask for details of our full range, incl. downflow fans, dehumidifiers, etc







THE EXPERT'S CHOICE



YOUR THERMAL MANAGEMENT PARTNER



Scania 4, P, G, R, T-Series Parts

Radiator	Intercooler	Oil Cooler	Visco Fan	Compressor	Condenser
8MK 376 756-171	8ML 376 724-041	8MO 376 901-141	8MV 376 757-151	8FK 351 119-381	8FC 351 300-181
8MK 376 906-301	8ML 376 730-571		8MV 376 757-161	8FK 351 119-881	8FC 351 300-191
8MK 376 906-311	8ML 376 756-181		8MV 376 758-281	8FK 351 134-321	8FC 351 307-361
8MK 376 906-314	8ML 376 760-411		8MV 376 791-631	8FK 351 134-821	8FC 351 307-721
	8ML 376 777-061		8MV 376 791-641		8FC 351 344-301

Call your local Picksons branch to order

ENGINE COOLING

Coolant radiator Intercooler Visco® fans

Heater core Header tank Oil coolers Water pumps

AIR CONDITIONING

Compressors Evaporators Filter dryers

Condensers Compressor oils Blower fans

Pressure switches Expansion valves / Throttle valves

EUROPEAN TRUCK & TRAILER PARTS

Avonmouth 01179 821 321

Gloucester 01452 757 500

Bridgwater 01278 450 152

Swindon 01793 822 922

Bristol 01179 721 188

Yate 01454 311 848