

CV SMART CHOICE



The leading automotive parts distributor in Europe

CV Issue 15



Donaldson
FILTRATION SOLUTIONS

Donaldson AdBlue Filters

Designed to Outperform and Provide Longer Filter Life



Donaldson AdBlue® Filters

- Bosch DENOXTRONIC® 1.0 - Donaldson X770733
- Bosch DENOXTRONIC® 2.0 - Donaldson X770734

Order from your local IFA Member.

AdBlue® and Denoxtronic® are registered trademarks of ROBERT BOSCH GMBH



KEEP MOVING.

Lucas Panel Bulb Kit

p6

Lucas

Every panel bulb you need in one kit, saving you time & money
ONLY £33

Trust Lucas

Renault Premium Focus

p8-9

Can't see what you're looking for? Just call us.
Order Parts as soon as you get OE parts, fit the OE manufacturer's box

Truck Focus Renault Premium

Prestolite New-to-Range

p5

Prestolite electric

New-to-Range Scania P, G, R, T Alternator
ONLY £199

focus on AdBlue® Systems

Cost savings are vital to haulage businesses with margins constantly under pressure, which is why at the IFA we focus on minimising costs across the life of a vehicle.

AdBlue® systems have been viewed by some hauliers as yet another cost in consumables and maintenance - leading to some operators simply bypassing them or turning them off.

These hauliers no longer have a choice and have to use the AdBlue® system as a result of the DVSA including checks for emissions cheat devices in roadside lorry checks since August 2017. Operators in London face the Low Emission Zone that came into force in 2008 and a new more stringent Ultra Low Emission Zone is proposed for April 2018. More cities around the UK are expected to impose low emission zones in the near future.

Operators are experiencing problems as they attempt to start using the AdBlue® system and finding that new pumps, sensors &/or injectors may be needed. Meanwhile systems in use since they were first fitted in 2006 are becoming maintenance items. All in all, there's a rising need to obtain parts, cost effectively, combined with a belief that the only option is to buy them from the dealer.

Bosch Denoxtronic - the OE Aftermarket solution

Help is at hand, though, with Bosch OE Denoxtronic AdBlue® system parts available from your local IFA Member.

A Denoxtronic dosing system injects AdBlue®, a solution of 32.5% urea in water, into the exhaust gas flow in front of the SCR catalytic converter. The urea is converted into ammonia through thermolysis and hydrolysis, which then reduces harmful NOx in the SCR catalytic converter to

water and nitrogen. This is known as active exhaust-gas treatment.

Simply, the Denoxtronic system draws AdBlue® from the tank and conveys it to the dosing module which delivers it into the exhaust gas flow. The quantity of AdBlue® used depends on operating conditions, managed by a control unit.

Some older systems use compressed air to atomise the AdBlue®, more modern units inject it directly in front of the SCR catalytic converter but both use a membrane pump. Three major components achieve this (see fig.1), a supply module (incorporating the control unit, pump and filter), a dosing module and a dosing control unit.

There are a range of Denoxtronic systems. Your



Fig 1. Denoxtronic 2.2 system components
 (1) Supply module SM2.2 (including control unit, pump & filter)
 (2) Dosing module DM2.2/2.5
 (3) Dosing control unit DCU



local IFA Member can assist in identifying the correct system for your vehicles and the application specific parts, available in handy service kits.

Maintenance

The AdBlue® filter should be changed every 18,000km or once annually (or as advised in the vehicle manufacturer's service schedule). The AdBlue® circuit is drained to release pressure from the system before fitting the new filter. Filter changes offer the opportunity to remove any crystallised AdBlue® (simply rinse away with clean water). Care is needed when handling AdBlue® (see inset).

Common faults

The most common fault cause in an AdBlue® system is an AdBlue® leak. AdBlue® comes into contact with the air which dries it, causing crystallisation - white deposits - which can lead to system failure.

AdBlue® mixed with fuel can damage the system.

Your local IFA Member has everything you need to maintain your AdBlue® system - parts, filters, AdBlue® and diagnostics. Simply call us to find out more. It's our pleasure to help.

Working safely with AdBlue

- Always wear protective goggles, gloves & clothing when working with AdBlue®
- In the event of contact with skin, wash thoroughly with plenty of water
- AdBlue® crystallizes when it dries & freezes at -11°C
- Dispose of residual AdBlue® as waste - do not allow it to enter the drainage system
- Store in a dark place at approx. 25 °C for max. one year
- Can be used in combination with high-alloy stainless steels & certain synthetic materials
- Not suitable for use with aluminium & other non-ferrous metals (e.g. galvanized & alloyed steels)

CleanAirBlue® The AdBlue® Solution from Samuel Banner and Co. Ltd

How much AdBlue® will I use?

Usage is vehicle age & operation dependent, e.g. a Euro 6 HGV on a long haul typically uses 4% to 6% AdBlue® (4 to 6 litres of AdBlue® per 100 litres of fuel). For tractors & off-highway vehicles typical usage is 3 to 5% AdBlue®

**1.5 litre, 10 litre, 20 litre, 210 litre, IBCs
AVAILABLE SAME DAY
FROM STOCK!**
from your local IFA Member

Not all pack sizes stocked by all IFA Members. All sizes available to order.



Smart Products, Smart Prices, Smart Promise...from the people who care!

WABCO Automated Manual Transmission

Grow your business with WABCO

WABCO - supplier of AMT to Volvo, Daimler & ZF. Look at our top sellers!

Original parts matter

Keeping your parts genuine guarantees highest reliability & longest lifetime

Easier than you think

Easily accessible for repair without disassembly of the complete transmission.

Check out our Volvo AMT course & free on-line tutorial for Daimler EPS www.wabco-academy.com/home

WABCO ref	Application	Description	OE Cross Reference
4213500870	Daimler AMT (EPS)	3 Position cylinder	Daimler - A 930 260 016 3
4213500880		GP cylinder	Daimler - A 945 250 316 3
4213520820		Repair unit for 3 position cylinder (distance sensor)	Daimler - A 945 425 251 8
4213509352	ZF AMT (GS)		ZF - 050 132 084 9
4213559312		Pressure limiting valve	MAN - B13 269 060 16
4213559492	Volvo AMT	Piston	DAF - 163 652 7
4213659462		Connecting piece	IVECO - 425 410 44
4213659472		Pressure sensor kit with cap, mounting clip & O-ring	Volvo - 210 682 64
			Renault - 742 106 828 4
			Volvo - 210 682 86
			Renault - 742 106 828 4

www.wabco-auto.com

Call your local IFA Member
for prices & to order

WABCO

STARTERS & ALTERNATORS NEW-TO-RANGE

Supplied new - no old core to return or worry about

ALTERNATOR

Scania P,G,R,T series

861298

OE refs: A004TR5691, A004TR5691AM,
A004TR5691Z, A4TR5691, A4TR5691AM,
A4TR5691Z

ONLY

£199

Available: NOW



STARTER MOTOR

Mercedes-Benz Actros MP4, Antos, Arocs M105R3131SE

OE refs: 00715N801, A0071511801,
M009T35471, M9T85471

ONLY

£309

Available: NOW

Prestolite
electric



STARTER MOTOR

Deutz, Volvo M90R3568SE

OE refs: M009T62671,
M9T62671, M009T62671AM,
M9T62671

ONLY

£259

Available: end of July



STARTER MOTOR

Iveco M90R3554SE

OE refs: M009T61671,
M009T67671, M9T61671,
M9T67671

ONLY

£254


Available: August



Prestolite Original Equipment supplier to over 40 European vehicle & engine manufacturers which include:
Scania • MAN • Van Hool • Iveco • Alexander-Dennis • Wright Group • Optare • Cummins • CAT • MTU etc...

THE POWER OF EXCELLENCE

www.prestolite-eu.com

Lucas**24v PANEL BULB GUIDE**www.lucaselectrical.co.uk**TECHASSIST**

Every panel bulb
you need in one
kit, saving you
time & money

ONLY
£33.00

24v PANEL BULB KIT LLZ106			
Part No.	Qty	Part No.	Qty
508TAC	20	508TY	10
508	10	508A	5
508GN	5	508B	5
508TGY	5	508G	5
507	5	508R	5
508TBN	5	Storage box	

Call your local
IFA Member to order

Trust Lucas

JOIN THE SMART SET.**FAG**

The quick, simple and ready-to-fit
CV hub repair solution.



The FAG SmartSET has been developed exclusively for the aftermarket to meet the needs of the modern commercial vehicle workshop. Every SmartSET is pre-assembled, pre-greased and pre-positioned at the factory and includes special fitting tools which simplify installation, reducing the chances of fitting errors.

The Duratect®B coating and dust cover also help to deliver a service lifetime of up to twice that of a conventional tapered roller bearing! Discover more about Schaeffler products, systems and services for the aftermarket by visiting our online workshop portal.

www.repxpert.co.uk

Contact your local IFA Member to order

**SCHAFFLER**

Smart Products, Smart Prices, Smart Promise...from the people who care!

DURITE

Contact your local IFA Member

Promotion valid until 31st July 2018

BECOME FORS COMPLIANT WITH DURITE

LOOKING FOR A BLIND SPOT DETECTION SYSTEM?
Durite offers a system designed for rigid vehicles up to 12m long.
Contact your local IFA Member for more details.

960H DVR KIT**"GOLD FORS / ENTRY LEVEL KIT"**

- ✓ High resolution 7" TFT-LCD monitor
- ✓ 4-channel 960H DVR saves data onto 2 x 128GB SD cards - not supplied
- ✓ Complete with 4 x CCD cameras & leads



960H | 960 x 480

D1 | 720 x 480

0-775-76
RRP £798
ONLY
£599**720P HD DVR KITS****"CLEARLY VIEW AND RECORD VEHICLE REGISTRATIONS"**

- ✓ High resolution 7" TFT-LCD monitor
- ✓ 720p HD DVR, including 1TB hard drive
- ✓ Over 1,000 hours of real time recording
- ✓ Lockable cover & password protected
- ✓ Motion detection / Theft prevention
- ✓ Speed monitoring & warning

0-775-86
RRP £1,450
ONLY
£1,099720p HD DVR & AHD Cameras
8-Channel DVR + 5 Cameras0-775-86
RRP £1,690
ONLY
£1,299

CLEAR VIEW OF VEHICLE REGISTRATIONS

Financing available for fleets subject to conditions & credit approval. Terms & conditions apply.

Contact us - see the back cover for details

Can't see what you're looking for? Just call us.

Here's a tiny sample of the parts we supply for Renault Premium & Premium 2
Did you know we also offer lower cost, quality alternatives?

Truck Focus: Renault Premium

Order from us and you get OE parts, in the OE manufacturer's box
Please check correct application before purchase





Valeo products for Renault Premium

Product	Option	Part No.
Wiper Blades	SWF	132651
Wiper Motor	Front	579204
Window Regulators	Cable, L/R	850950/1
Column Switches	13 references	
Blower		698853

Valeo Clutch, Braking, Rotating & Electrical
also available from your local IFA Member
Call your local IFA Member to order



WINNARD

Proven quality from the leading UK aftermarket supplier
Manufacturing brake drums since 1930, brake discs since 1965
Investing in quality control to achieve/maintain accreditation ECE R90

Now available from your local IFA Member

New Hubs & Hub Kits for Renault & Volvo

- Renault Premium 06>, Volvo FH/FM 00>
 - Reduced vehicle downtime - save time & money!
 - Multiple stud options
 - Vented or solid discs
- All fitted with FAG bearings

Hub Kits FROM ONLY
£659.99

Many more references available
Just ask your local IFA Member



Renault Premium 06>, Volvo FH/FM 00>

Rear Hub Kit OEM Nos.

HUKIT0007 20535263, 7420535263, 85107753

Front Hub Kit OEM Nos.

HUKIT0008 1026798, 20535202, 21116569, 3988930, 3989341,

7420535202, 1026659, 748514470, 7421024206,
85107750, 85111448, 85111791, 85114470

- Kits include:
- Hub
 - Pressed FAG bearing
 - Fitted ABS ring
 - Mounted brake disc (choose vented or solid)

Call your local IFA Member to order

WINNARD

EB+ GEN3

Electronic Braking System

EB+ Gen1 Electronic Control Unit (ECU) to EB+ Gen3 conversion kits

The Haldex EB+ Gen1 ECU is no longer available and must now be replaced by an EB+ Gen3. Follow the step-by-step guide outlined below. This will help ensure that all parts are suitable for the application prior to the service centre or workshop carrying out the work. All EB+ Gen1 modulator valves are unaffected and continue to be available separately from your local IFA Member.

STEP 1

Replace EB+ Gen1 with EB+ Gen3

EB+ Gen3 (950823008)



STEP 2

Select appropriate bracket kit required for mounting EB+ Gen3 unit. There are two choices: a side mounted bracket or top mounted bracket

Side mounted bracket kit (852993006E)

Top mounted bracket kit (852993006H)



STEP 3

Select the correct size pipe fitting kit based on the spring brake pipe diameter currently on the trailer

Pipe fitting kit 8mm (SB8MM)

Pipe fitting kit 10mm (SB10MM)

Pipe fitting kit 12mm (SB12MM)



Call your local IFA Member to order



Scan to download the installation instructions



Innovative Vehicle Solutions

Contact us - see the back cover for details



Keeping Britain's roads safe for over 20 years

Marker Boards

Durable high quality marker boards & signage conforming to British & European regulations. Huge range!



Lighting

Halogen/LED beacons/lightbars (ECE-R10 & ECE-R65 approved)
Bolt-on /magnetic models available with adjustable flash patterns



Air Coils

Manufactured in Europe using premium quality Polyurethane offering longer working length & high tensile elasticity



Wheel Nut Indicators

Manufactured to the highest quality using Impact Copolymer Polypropylene, providing stiffness & impact resistance properties



SAVE TIME WITH THE HARRISON STRAP

2 Pack Part No: HSTRAP2

10 Pack Part No: HSTRAP10



Kits available for all the most popular makes and models

Available In

Full Kit

Half Kit

No Webbing

In 2 material grades

Prismatic

Engineering

All kits supplied with full fitting guide

Available NOW!

Contact your local IFA Member for further information & place an order



THE EXPERT'S CHOICE




Renault Premium 2

Distribution 370.18 D • Distribution 280.18 D

AIR CONDITIONING		
Part No.	Description	OE No.
8FC 351 317-661	Condenser	50 10 514 735
8FK 351 135-191	Compressor	50 10 605 063
8FK 351 135-471	Compressor	50 10 605 474
8FT 351 192-584	Filter Dryer	50 10 563 591
8FT 351 192-771	Filter Dryer	74 21 066 852
8FT 351 331-191	Evaporator	74 21 396 106
8EW 351 044-631	Interior Blower Motor	74 21 396 107
8EW 351 044-641	Interior Blower Motor	74 21 396 111

ENGINE COOLING		
Part No.	Description	OE No.
8ML 376 728-731	Intercooler	74 85 003 667
8ML 376 746-281	Intercooler	74 85 003 670
8ML 376 746-341	Intercooler	50 01 873 728
8MO 376 765-581	Oil Cooler	74 20 938 782
8MA 376 753-771	Header Tank	50 10 619 306
8MK 376 745-151	Radiator	50 01 867 210
8MK 376 745-171	Radiator	50 01 868 516
8MK 376 745-181	Radiator	50 01 868 514
8MP 376 809-224	Water Pump	74 20 834 409
8MV 376 757-121	Visco® Clutch	74 20 880 406



Available today from your
local IFA Member

CARWOOD
Diesel Systems

Approved diesel centre for all leading OE
diesel system manufacturers including:



Renault Premium Injectors & Pumps

www.carwood.co.uk

Delphi Electronic Unit Injectors Renault Premium II DXi Euro 4 & 5



Bosch Common Rail Injectors & Pumps Renault Premium dCi 6 & dCi 11 Euro 3 Renault Premium II DXi 7 Euro 4 & 5



Why Carwood?

- ✓ Units remanufactured in state-of-the-art UK facility
- ✓ Genuine Bosch & Delphi replacement parts used
- ✓ Tested to genuine Bosch & Delphi OE specifications on Bosch & Delphi test machines
- ✓ Engine sets or single units (inlet connectors / tubes available)

- ✓ 24 MONTH WARRANTY on Common Rail & EUI products*
- ✓ Next day delivery on orders placed before 4.30pm
- ✓ Test & Report Service including free collection – ask for details
- ✓ Iveco, MAN, Mercedes, Renault, Scania & Volvo also available

*Warranty subject to T&Cs - ask for details
OE boxes supplied where applicable

Call your local IFA Member for prices & to order



FLEETPARTS

Follow FleetParts Ltd on [LinkedIn](#) for Product News, Technical Information and much more

Air Brake Twin & Single Cylinder Compressors

Cummins
Perkins
DAF
Iveco
MAN
Mercedes
Renault
Volvo
Scania
Voith & more



Runner up IFA CV Supplier of the year 2017

Parts Numbers available
from stock:

N411-151-0080 / N411-154-0040	3860 / 3970 / 3980	NLK ----
N412-352-0250 / N412-352-0300	4823 / 4845 / 4850	3812 / 3813
N412-704-0080 / N911-504-5060	4855 / 4857 / 4865	3833 / 3839
N911-504-0600 / N911-505-1500	4934 / 4957 / 4974	3840 / 3841
N912-512-0290 / N912-518-0040	4985	3859 / 3869
		3875 / 3994

Contact your local IFA Member

We also offer a whole range of spare parts including Gasket Kits, Piston and Rings, Cylinder Heads and much more



febi bilstein

SAVE £££'s

Renault Premium Parts

AdBlue® Filler Cap

(37792)

OE No: 74 82 335 595

to fit: Renault Premium Distribution, Lander, Route

**Fuel Filler Cap**

(06286)

OE No: 74 82 335 595

to fit: Renault Premium Distribution, Lander, Route

**Washer Pump**

(26756)

OE No: 50 10 276 022

to fit: Renault Premium Distribution, Lander, Route

**Anti Roll Bar Bush**

(11860)

OE No: 74 01 629 169

to fit: Renault Premium Distribution, Lander, Route

**Spring Cushion**

(03526)

OE No: 74 20 390 836

to fit: Renault Premium Distribution, Lander, Route

**Tensioner Assembly**

(27117)

OE No: 74 21 422 765

to fit: Renault Premium Distribution, Lander, Route

**Drag Link End ProKit**

(07279)

OE No: 50 01 858 774

to fit: Renault Premium Distribution, Lander, Route

**Drag Link End ProKit**

(24264)

OE No: 74 21 580 396

to fit: Renault Premium Distribution, Lander, Route

**Sleeve**

(04551)

OE No: 77 03 067 135

to fit: Renault Premium Distribution, Lander, Route

**Solenoid Valve**

(24020)

OE No: 74 01 078 316

to fit: Renault Premium Distribution, Lander, Route

**Available NOW!**from your local
IFA Member

www.febi.com

KÄRCHER

PROFESSIONAL CLEANING

Hot Water Pressure Washer with Steam Mode

- 3-Piston axial pump, ceramic pistons
- 4-Pole motor with long-life bearings
- Simple user-friendly controls

Single Phase 1.077-901.0

- High performance, reliability & economy
- ecoefficiency mode gives up to 20% energy savings without compromising performance
- Model: HDS 7/10-4 M
- Power: 3.4kW (240V)
- Pressure: 30-200 bar
- Water Flow: 350-700 litres/hr

ONLY
£2595
5 Year Lease £15.77 pw

Floor Scrubber Drier 9.621-792.0

- Outstanding results with ease!
- Heavy duty, ideal for small & medium hard floors
- Keeps workshops safe & VOSA compliant
- Cleans/dries hard floors in one pass
- Deep cleans heavily soiled areas

ONLY
£1565
5 Year Lease £8.31 pw

Ask your local
IFA Member to book a
FREE SITE SURVEY TODAY!

Indoor / Outdoor Sweeper 1.517-106.0

- Sweeps 7x faster than a conventional broom
- Dramatically reduces dust - consistent, thorough results
- Adjustable side brush cleans right up to kerb edges
- Cleans paths, halls & warehouses quickly & efficiently
- Easy to empty 20 litre hopper
- Main & side brushes fully adjustable for different surfaces
- Folds flat for easy storage

- Model: KM 70/20 C
- Working width: 480mm (700mm with 1 side brush)
- Container capacity: 42/20 litres (gross/net)
- Dimensions (l x w x h): 1300 x 765 x 1035mm

ONLY
£495

Call your local IFA Member for more
information & to order the full Kärcher range**TRAFFIC FILM REMOVER****25 Litre Multipurpose TFR**

Degrease engines, chassis & components

*** SPECIAL OFFER ***
on bulk quantities

Call your local IFA Member to order

FROM ONLY
£18.50

Using QRP25L in a pressure washer which can only dilute to 2%?

Simply pre-dilute for the required strength:

- 1 Equal volume of water (1% strength)
- 2 Equal volumes of water (0.5% strength)

QRP25L

- Use at 0.5 to 1% (see above)
- High alkalinity - superior clean & grease cutting
- Cost effective!



Makes
2500 to
5000 litres!
of ready-to-use TFR*

GYP25L

- Use at 1% dilution
- Cost effective!



Makes
2500 litres!
of ready-to-use TFR*

GPP25L

- Use at 1%
- Contains wax for a superior finish
- Cost effective!



Makes
2500 litres!
of ready-to-use TFR*

GGP25L

- Use at 2%
- Ideal for sign written cabs
- Economical



* At the dilution rate shown for the product

**The No.1 choice for Quality,
Reliability & Performance**
Call your local IFA Member to order

**YUASA**

www.yuasa.com

The world's leading
battery manufacturer

A GS Yuasa Group Company



OESAA Member



Up to 30% more
cranking power
than Cargo HD



Improved vibration
resistance & greater deep cycle capability
compared to Cargo HD & SHD

CARGO Range**Cargo HD (Heavy Duty)**

- Power for cranking requirements & cyclic capability of smaller CV applications
- Supports standard electrical equipment installed in modern low spec CV

Cargo SHD (Super Heavy Duty)

- Greater power for cranking requirements & cyclic capability of larger CV applications
- Supports electrical equipment in higher spec CV (e.g. sleeper cabs with TVs, satellites, microwaves, nightlights, fridges, etc)

Cargo Deep Cycle

- Constant shift urban use vehicles, off-road, PSV & emergency
- Cranking power, higher cycling ability & vibration resistance cope with larger capacity CV engines
- Support high vehicle spec levels & added electrical loads (e.g. tail lifts, refrigeration units, loading mechanisms, etc)
- Glass mat separators - ultimate deep cycle capabilities
- Vibrolock plate fixing - superior vibration resistance

Induction Heaters



POWERDUCTION 37LG (056992)

Mains supply: 240V, Single phase
Power: 3700W (adjusts in 250W increments)
User friendly digital display
Cooling system: Water cooled
Cable length: 2m Weight: 15kg

ONLY
£2249
5 Year Lease £11.94 pw

£500
OFF
RRP

PFC = POWER FACTOR CORRECTION

PFC increases efficiency while lowering electricity consumption



POWERDUCTION 39LG (058583)

Mains supply: 240V, Single phase
Power: 3700W PFC
Adjust in increments of 250W
User friendly digital display
Cooling system: Water cooled
Cable length: 3m Weight: 50kg

ONLY
£2599
5 Year Lease £13.79 pw

£500
OFF
RRP



POWERDUCTION 50LG (055599)

Mains supply: 240V, Single phase
Power: 5200W PFC
Adjust in increments of 250W
User friendly digital display
Cooling system: Water cooled
Cable length: 3m Weight: 70kg

ONLY
£2999
5 Year Lease £15.92 pw

£500
OFF
RRP



BODY REPAIR INDUCTION SYSTEM

PROLINER AUTO (048775)

- Body Inductor - removes adhesives, logos, side mouldings
 - Glass Inductor - removes direct glazed windows
 - Bolt Inductor - releases mechanical part
 - Hail Dent Reduction Inductor - can remove soft hail type dents
- Mains supply: 240V, Single phase Cable length: 3m
Power: 2400W PFC Weight: 7.2kg
Cooling system: Air Cooled

ONLY
£1899
5 Year Lease £10.08 pw

Induction is a versatile heating process providing instant and powerful heat to release/separate dissimilar metals or preheat steel or aluminium for a range of purposes.

The GYS range covers every application from small bolt removal, dedicated body repair tools to single and 3 phase high power units from 3.7kW to 16kW with liquid cooling for heavy duty and industrial use.

For more information contact us on the numbers below

PICKSONS

■■■ EUROPEAN TRUCK & TRAILER PARTS ■■■

Avonmouth
01179 821 321

Bridgwater
01278 450 152

Bristol
01179 721 188

Gloucester
01452 757 500

Swindon
01793 822 922

Yate
01454 311 848